B-PHENYLETHYLAMINE EXTRA PURE MSDS



CAS No: 64-04-0 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance	e/mixture and of the company/undertaking
1.1. Product identifier	
	Substance
CAS No : Product code :	: 200-574-4 : 64-04-0 : 5209F
Chemical structure :	NH ₂
Synonyms :	2-Phenethylamine / 2-Phenylethylamine
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against
1.2.1. Relevant identified uses Use of the substance/mixture :	: Laboratory chemicals, Manufacture of substances
1.2.2. Uses advised against No additional information available	

1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929 info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301 Category 3 Skin corrosion/irritation, H314 Category 1B

Full text of classification categories and H statements : see section 16

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R22 C; R34 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS05 GHS06 Signal word (CLP) : Danger Hazard statements (CLP) : H301 - Toxic if swallowed H314 - Causes severe skin burns and eye damage Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients			
3.1.	Substance		
Name		: β-PHENYLETHYLAMINE Extra Pure	
CAS No)	: 64-04-0	
EC no		: 200-574-4	

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

β-PHENYLETHYLAMINE Extra Pure

Safety Data Sheet

SECTION 4: First aid measures 4.1. **Description of first aid measures** First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. Do First-aid measures after ingestion NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/injuries : Causes severe skin burns and eye damage. : Swallowing a small quantity of this material will result in serious health hazard. Symptoms/injuries after ingestion 4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. SECTION 5: Firefighting measures **Extinguishing media** 5.1. Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Unsuitable extinguishing media : Do not use a heavy water stream. Special hazards arising from the substance or mixture 5.2 No additional information available Advice for firefighters 5.3. Protection during firefighting : Do not attempt to take action without suitable protective equipment. **SECTION 6: Accidental release measures** 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel Emergency procedures : Evacuate unnecessary personnel. 612 For emergency responders Protective equipment : Use personal protective equipment as required. Emergency procedures : Stop release 62 **Environmental precautions** Avoid release to the environment. 6.3. Methods and material for containment and cleaning up Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. 6.4. **Reference to other sections** No additional information available SECTION 7: Handling and storage **Precautions for safe handling** 7.1. Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. : Do not eat, drink or smoke when using this product. Wash ... thoroughly after Hygiene measures handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe sto	orage, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Store in original container. Keep container tightly closed. Store in a dry place. Protect from moisture.
7.3. Specific end use(s)	
No additional information availab	le
SECTION 8: Exposure controls	/personal protection
8.1. Control parameters	
No additional information availab	le
8.2. Exposure controls	
Hand protection	: protective gloves
Eve protection	: Chemical goggles or face shield

Hand protection	: protective gloves			
Eye protection	: Chemical goggles or face shield			
Skin and body protection	: Wear suitable protective clothing			
Respiratory protection	: Wear respiratory protection			
SECTION 9: Physical and chemical properties				
9.1. Information on basic physical a	nd chemical properties			
Physical state	: Liquid			
Molecular mass	: 121.18 g/mol			
Colour	: Clear Colorless.			
Odour	: No data available			
Odour threshold	: No data available			
рН	: 11.5 at 4,3 g/l at 20 °C			
Relative evaporation rate (butylacetate=1)	: No data available			
Melting point	: -60 °C			
Freezing point	: No data available			
Boiling point	: 197 - 200			
Flash point	: 81 °C			
Auto-ignition temperature	: No data available			
Decomposition temperature	: No data available			
Flammability (solid, gas)	: No data available			
Vapour pressure	: 0.4 hPa at 20 °C			
Relative vapour density at 20 °C	: 4.18			
Relative density	: No data available			

Density Solubility	: 0.962 g/cm³ : No data available
Log Pow	: -1.35
Viscosity, kinematic	: 2.4 mm²/s at 23 °C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.01 - 0.055 vol %

9.2. Other information
No additional information available
SECTION 10: Stability and reactivity
10.1. Reactivity
Thermal decomposition generates : Corrosive vapours.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Direct sunlight. Air contact. Moisture.
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
Thermal decomposition generates : Corrosive vapours.
SECTION 11: Toxicological information

11.1. Information on toxicological e	ffects
Acute toxicity	: Oral: Toxic if swallowed.
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
	pH: 11.5 at 4,3 g/l at 20 °C
Serious eye damage/irritation	: Serious eye damage, category 1, implicit
	pH: 11.5 at 4,3 g/l at 20 °C
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified

Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
β-PHENYLETHYLAMINE Extra Pure (64	4-04-0)	
Viscosity, kinematic	2.4 mm ² /s at 23 °C	
Potential adverse human health effects and symptoms	: Harmful if swallowed.	
SECTION 12: Ecological information		
12.1. Toxicity		
No additional information available		
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
12.3. Bioaccumulative potential β-PHENYLETHYLAMINE Extra Pure (64	4-04-0)	
-	4-04-0) -1.35	
β-PHENYLETHYLAMINE Extra Pure (64		
β-PHENYLETHYLAMINE Extra Pure (6 Log Pow		
 β-PHENYLETHYLAMINE Extra Pure (64 Log Pow 12.4. Mobility in soil 		
 β-PHENYLETHYLAMINE Extra Pure (64 Log Pow 12.4. Mobility in soil 		
 β-PHENYLETHYLAMINE Extra Pure (64) Log Pow 12.4. Mobility in soil No additional information available 	-1.35	
β-PHENYLETHYLAMINE Extra Pure (64 Log Pow 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assess	-1.35	
β-PHENYLETHYLAMINE Extra Pure (64 Log Pow 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assess	-1.35	
β-PHENYLETHYLAMINE Extra Pure (64 Log Pow 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assess	-1.35	
β-PHENYLETHYLAMINE Extra Pure (64 Log Pow 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB asses No additional information available	-1.35	
β-PHENYLETHYLAMINE Extra Pure (64 Log Pow 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB asses No additional information available 12.6. Other adverse effects	-1.35	
β-PHENYLETHYLAMINE Extra Pure (64 Log Pow 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB asses No additional information available	-1.35	
β-PHENYLETHYLAMINE Extra Pure (64 Log Pow 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB asses No additional information available 12.6. Other adverse effects No additional information available	-1.35	
β-PHENYLETHYLAMINE Extra Pure (64 Log Pow 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB asses No additional information available 12.6. Other adverse effects No additional information available SECTION 13: Disposal considerations	-1.35	
β-PHENYLETHYLAMINE Extra Pure (64 Log Pow 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB asses No additional information available 12.6. Other adverse effects No additional information available SECTION 13: Disposal considerations 13.1. Waste treatment methods Product/Packaging disposal	-1.35	
β-PHENYLETHYLAMINE Extra Pure (64 Log Pow 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB asses No additional information available 12.6. Other adverse effects No additional information available SECTION 13: Disposal considerations 13.1. Waste treatment methods	-1.35	
β-PHENYLETHYLAMINE Extra Pure (64 Log Pow 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB asses No additional information available 12.6. Other adverse effects No additional information available 5ECTION 13: Disposal considerations 13.1. Waste treatment methods Product/Packaging disposal recommendations	-1.35 ssment : Dispose of contents/container to	

14.1. UN number	
UN-No. (ADR)	: 2735
UN-No. (IMDG)	: 2735
UN-No.(IATA)	: 2735
UN-No.(ADN)	: 2735
UN-No. (RID)	: 2735

β-PHENYLETHYLAMINE Extra Pure

Safety Data Sheet

14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: AMINES, LIQUID, CORROSIVE, N.O.S. / POLYAMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (ADN)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (RID)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Transport document description (ADR)	: UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. / POLYAMINES, LIQUID, CORROSIVE, N.O.S., 8, II, (E)
Transport document description (IMDG)	: UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S., 8, II
Transport document description (IATA)	: UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S., 8, II
Transport document description (ADN)	: UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S., 8, II
Transport document description (RID)	: UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S., 8, II
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8

IMDG

Transport hazard class(es) (IMDG)	
Danger labels (IMDG)	

IATA

Transport hazard class(es) (IATA)	
Hazard labels (IATA)	

ADN

Transport hazard class(es) (ADN) Danger labels (ADN)



:8 :8

:8 :8

Danger labels (RID)	: 8
14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
Packing group (ADN)	: 11
Packing group (RID)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for

- Overland transport	
Classification code (ADR)	: C7
Special provision (ADR)	: 274
Limited quantities (ADR)	: 1L
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T11
Portable tank and bulk container special provisions (ADR)	: TP1, TP27
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	· 80
	2735
Tunnel restriction code (ADR)	: E
Tunnel restriction code (ADR) EAC code	: E : 2X
EAC code	: 2X : B
EAC code APP code	: 2X
EAC code APP code - Transport by sea	: 2X : B
EAC code APP code - Transport by sea Special provision (IMDG)	: 2X : B : 274
EAC code APP code - Transport by sea Special provision (IMDG) Limited quantities (IMDG)	: 2X : B : 274 : 1 L
EAC code APP code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG)	: 2X : B : 274 : 1 L : E2
EAC code APP code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG)	: 2X : B : 274 : 1 L : E2 : P001
EAC code APP code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG)	: 2X : B : 274 : 1 L : E2 : P001 : IBC02
EAC code APP code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG)	: 2X : B : 274 : 1 L : E2 : P001 : IBC02 : T11

β-PHENYLETHYLAMINE Extra Pure

Safety Data Sheet

•	
Stowage category (IMDG)	: A
Segregation (IMDG)	: SG35
MFAG-No	: 153
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity	: 0.5L
(IATA)	
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provision (IATA)	: A3
ERG code (IATA)	: 8L
- Inland waterway transport	
Classification code (ADN)	: C7
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
- Rail transport	
Classification code (RID)	: C7
Special provision (RID)	: 274
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T11
Portable tank and bulk container special provisions (RID)	: TP1, TP27
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions β -PHENYLETHYLAMINE Extra Pure is not on the REACH Candidate List β -PHENYLETHYLAMINE Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference	: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 2; WGK No 1506)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
R22	Harmful if swallowed
R34	Causes burns
С	Corrosive
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product