# **ACETONE ALCOHOL DECOLOURIZER 50% SOLUTION MSDS**

CAS No: MSDS



# **MATERIAL SAFETY DATA SHEET (MSDS)**

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

Product form : Mixture

Trade name : Acetone Alcohol Decolourizer 50% Solution

Product code : 00532 Synonyms : Bleacher

#### Relevant identified uses of the substance or mixture and uses advised against 1.2.

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14, SKY INDUSTRIAL ESTATE, WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929

info@spanlab.in www.spanlab.in

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

Serious eye damage/eye H319

irritation, Category 2 H336 Specific target organ

toxicity — Single

exposure, Category 3,

Narcosis

Full text of classification categories and H statements : see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

www.spanlab.in 18/04/2016 1/10

# Safety Data Sheet

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02 GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour

H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P261 - Avoid breathing vapours, dust, fume, gas

#### 2.3. Other hazards

No additional information available

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Acetone	(CAS No) 67-64-1 (EC no) 200-662-2 (EC index no) 606-001-00-8	50 - 75	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Methanol	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	50 - 75	Flam. Liq. 2, H225 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Oral), H301 STOT SE 1, H370

Full text of H-phrases: see section 16

www.spanlab.in 18/04/2016 2/10

### Safety Data Sheet

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a POISON CENTER or doctor/physician.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Immediately call a POISON CENTER or doctor/physician. Wash with plenty of soap

and water. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause drowsiness or dizziness. Symptoms/injuries after eye contact : Causes serious eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media : Do not use extinguishing media containing water.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. May cause or intensify fire; oxidizer.

Explosion hazard : May form flammable/explosive vapour-air mixture.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Collect spillage.

#### 6.4. Reference to other sections

No additional information available

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Use only non-sparking tools. Avoid contact with skin and eyes. Do not breathe

vapours. Keep away from sources of ignition - No smoking.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving

work.

www.spanlab.in 18/04/2016 3/10

# Safety Data Sheet

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Keep in fireproof place.

Incompatible materials : Heat sources.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection

equipment is recommended

#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless.

Odour : No data available

Odour threshold : 79.58 ppm

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : -103.68 °C

Boiling point : 56.2 - 67.1 °C

Flash point : -18 °C

Critical temperature : 235 °C Auto-ignition temperature : 363 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Vapour pressure : 24 kPa

Relative vapour density at 20 °C : 2.07

Relative density : No data available

www.spanlab.in 18/04/2016 4/10

# Safety Data Sheet

Density : 0.79 g/cm³

Relative gas density : 1.8

Solubility : Water: Complete

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Open flame. Heat. Sparks.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No additional information available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single

exposure)

: May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

: Not classified

www.spanlab.in 18/04/2016 5/10

# Safety Data Sheet

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Toxic if swallowed. Toxic in contact with skin.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal

Ecology - waste materials

: Dispose of contents/container to ...

recommendations

: Hazardous waste due to toxicity.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 1993 UN-No. (IMDG) : 1993 UN-No.(IATA) : 1993 UN-No.(ADN) : 1993 UN-No. (RID) : 1993

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IATA) : FLAMMABLE LIQUID, N.O.S.

www.spanlab.in 18/04/2016 6/10

# Safety Data Sheet

Proper Shipping Name (ADN) : FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (RID) : FLAMMABLE LIQUID, N.O.S.

Transport document description (ADR)

: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II, (D/E)

Transport document description (IMDG)

: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II

Transport document description (IATA)

: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II

: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II

Transport document description (RID)

: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II

: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



#### **IMDG**

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



#### IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



#### ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



# RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



www.spanlab.in 18/04/2016 7/10

## Safety Data Sheet

#### 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : F1

Special provision (ADR) : 274, 601, 640C

Limited quantities (ADR) : 1L

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1, TP8, TP28

Tank code (ADR) : L1.5BN

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation : S2, S20

(ADR)

1 . 32, 320

Hazard identification number (Kemler No.) : 33

Orange plates

33 1993

Tunnel restriction code (ADR) : D/E EAC code : •3YE

#### - Transport by sea

Special provision (IMDG) : 274
Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP8, TP28

 EmS-No. (Fire)
 : F-E

 EmS-No. (Spillage)
 : S-E

 Stowage category (IMDG)
 : B

 MFAG-No
 : 127;128

#### - Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341

www.spanlab.in 18/04/2016 8/10

# Safety Data Sheet

PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
Special provision (IATA) : A3
ERG code (IATA) : 3H

#### - Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 274, 601, 640C

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 1

#### - Rail transport

Classification code (RID) : F1

Special provision (RID) : 274, 601, 640C

Limited quantities (RID) : 1L

Excepted quantities (RID) : E2

Packing instructions (RID) : P001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container : T7

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP1, TP8, TP28

Tank codes for RID tanks (RID) : L1.5BN

Transport category (RID) : 2

Colis express (express parcels) (RID) : CE7

Hazard identification number (RID) : 33

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

### 15.1.2. National regulations

### Germany

www.spanlab.in 18/04/2016 9/10

# Safety Data Sheet

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to

AwSV, Annex 1)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be

followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

#### **Chemical safety assessment**

No additional information available

#### **SECTION 16: Other information**

#### Full text of H- and EUH-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H319	Causes serious eye irritation
H331	Toxic if inhaled
H336	May cause drowsiness or dizziness
H370	Causes damage to organs

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.spanlab.in 18/04/2016 10/10