ACETONE 99.5% AR/ACS MSDS

CAS-No.: 67-64-1 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

: Substance
: Acetone 99.5% AR/ACS
: 606-001-00-8
: 200-662-2
: 67-64-1
: 00012
: C3H6O
: Propanone / Dimethyl Ketone

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture

: Industrial;For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929 info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225 Category 2 Serious eye damage/eye H319 irritation, Category 2 Specific target organ H336 toxicity — Single exposure, Category 3, Narcosis

Full text of H statements : see section 16

Safety Data Sheet

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 Xi; R36 R66 R67 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements	
Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	GHS02 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H225 - Highly flammable liquid and vapour. H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/infor	nation on ingredients
3.1. Substances	
Name	: ACETONE 99.5% AR/ACS
CAS-No.	: 67-64-1
EC-No.	: 200-662-2
EC Index-No.	: 606-001-00-8

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

Safety Data Sheet

SECTION 4: First aid measures	
4.4 Departmention of first sid measure	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Give oxygen or artificial respiration if necessary. Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: If skin irritation occurs: Get medical advice/attention. Gently wash with plenty of soap and water. Take off contaminated clothing.
First-aid measures after eye contact	: If eye irritation persists: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth out with water. If you feel unwell, seek medical advice.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects after inhalation	: May cause drowsiness or dizziness.
Symptoms/effects after eye contact	: Causes serious eye irritation.
4.3. Indication of any immediate med	ical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
SECTION 6: Accidental release measures	
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Stop release.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	nment and cleaning up
Methods for cleaning up	: Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional nazards when processed	: Handle empty containers with care because residual vapours are flammable.
Additional hazards when processed Precautions for safe handling	 Handle empty containers with care because residual vapours are flammable. No open flames. No smoking. Use only non-sparking tools. Avoid breathing
Precautions for safe handling	 Handle empty containers with care because residual vapours are flammable. No open flames. No smoking. Use only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

Safety Data Sheet

7.2. Conditions for safe stora	age, including any incompatibilities
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
Storage conditions	 Keep in fireproof place. Keep container tightly closed. Store in a well-ventilated place.
Incompatible materials	: Heat sources.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/p	ersonal protection
8.1. Control parameters	
No additional information available	

8.2. Exposure controls	
Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

SECTION 9: Physical and chemical properties

9.1. Information on basic physical a	nd chemical properties
Physical state	: Liquid
Molecular mass	: 58.08 g/mol
Colour	: Clear Colorless.
Odour	: fragrant, mint-like.
Odour threshold	: 62 ppm
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -95.35 °C
Freezing point	: No data available
Boiling point	: 56.2 °C
Flash point	: -20 °C
Critical temperature	: 235 °C
Auto-ignition temperature	: 4650 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable Highly flammable liquid and vapour.

Safety Data Sheet	
Vapour pressure	: 24 kPa
Relative vapour density at 20 °C	: 2
Relative density	: No data available
Density	: 0.79 g/cm ³
Relative gas density	: 2
Solubility	: Water: Complete
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	y
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Highly flammable liquid and vapour. M	lay form flammable/explosive vapour-air mixture.
10.3. Possibility of hazardous re	actions
No additional information available	
10.4. Conditions to avoid	
Open flame. Direct sunlight.	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition	products
May release flammable gases.	
SECTION 11: Toxicological information	tion
11.1. Information on toxicologica	al effects
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Additional information	: Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	: Causes serious eye irritation.

Safety Data Sheet

Reproductive toxicity STOT-single exposure	Not classifiedMay cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTI	N 12: Ecological information	
12.1.	Toxicity	
No add	tional information available	

12.2. Persistence and degradability	
No additional information available	
40.0 Discourse lating restartial	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assess	mont
	ment
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal	: Dispose of contents/container to hazardous or special waste collection point, in
recommendations	accordance with local, regional, national and/or international regulation.
Additional information	: Handle empty containers with care because residual vapours are flammable.
SECTION 14: Transport information	

In accordance with ADR / RID / IMDG / IATA / ADN

UN-No. (IMDG) : 1090 UN-No. (IATA) : 1090 UN-No. (ADN) : 1090	14.1. UN number	
UN-No. (IATA) : 1090 UN-No. (ADN) : 1090	UN-No. (ADR)	: 1090
UN-No. (ADN) : 1090	UN-No. (IMDG)	: 1090
	UN-No. (IATA)	: 1090
UN-No. (RID) : 1090	UN-No. (ADN)	: 1090
	UN-No. (RID)	: 1090

Safety Data Sheet

 14.2. UN proper shipping name Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA) Transport document description (IATA) Transport document description (ADN) Transport document description (ADN) Transport document description (ADN) Transport document description (RID) 	: ACETONE : ACETONE : Acetone : ACETONE : ACETONE : UN 1090 ACETONE, 3, II, (D/E) : UN 1090 ACETONE, 3, II (-20°C c.c.) : UN 1090 Acetone, 3, II : UN 1090 ACETONE, 3, II : UN 1090 ACETONE, 3, II
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR) Danger labels (ADR)	: 3 : 3
Dailyei Iadeis (ADR)	. 0
IMDG	
Transport hazard class(es) (IMDG)	: 3
Danger labels (IMDG)	: 3
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 3
Hazard labels (IATA)	: 3
ADN Transport hazard class(es) (ADN)	· 3
Danger labels (ADN)	: 3
RID Transport hazard class(es) (RID)	: 3
Transport hazard class(es) (ADN) Danger labels (ADN) RID	

Safety Data Sheet

Danger labels (RID)	: 3
14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
Packing group (ADN)	: 11
Packing group (RID)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No

:	No supplementary info	ormation available
---	-----------------------	--------------------

Other information

- Overland transport	
Classification code (ADR)	: F1
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	33 1090
Tunnel restriction code (ADR)	: D/E
EAC code	: •2YE
- Transport by sea	
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: E
Flash point (IMDG)	: -20°C to -18°C c.c.

Safety Data Sheet

//FAG-No	: 127
Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3H
Inland waterway transport	
Classification code (ADN)	: F1
imited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP, EX, A
/entilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: F1
imited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Aixed packing provisions (RID)	: MP19
Portable tank and bulk container nstructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
ank codes for RID tanks (RID)	: LGBF
ransport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
lazard identification number (RID)	: 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Acetone 99.5% AR/ACS is not on the REACH Candidate List Acetone 99.5% AR/ACS is not on the REACH Annex XIV List

15.1.2. National regulations

Safety Data Sheet

Germany

Germany		
Reference to AwSV	:	Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV; ID No. 6)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	:	Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Netherlands		
SZW-lijst van kankerverwekkende stoffen	:	The substance is not listed
SZW-lijst van mutagene stoffen	:	The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	:	The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	:	The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	:	The substance is not listed
Denmark		
Classification remarks	:	Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation	:	Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis		
H225	Highly flammable liquid and vapour.		
H319	Causes serious eye irritation.		
H336	May cause drowsiness or dizziness.		
R11	Highly flammable		
R36	Irritating to eyes		
R66	Repeated exposure may cause skin dryness or cracking		
R67	Vapours may cause drowsiness and dizziness		
F	Highly flammable		
Xi	Irritant		

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.