ALUMINIUM NITRATE (NONAHYDRATE) EXTRA PURE MSDS

CAS No: 7784-27-2 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

CAS No : 7784-27-2
Product code : 00927

Chemical structure : $AI(NO_3)_3 \cdot 9H_2O$

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB
UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E)
401208 Mumbai - INDIA
PH: +91 9820509929
info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H272 Category 2 Skin corrosion/irritation, H315

Category 2 Serious eye damage/eye H319

irritation, Category 2

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

O; R8 Xi; R36 Xi: R38

www.spanlab.in 19/04/2016 1/10

Safety Data Sheet

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. **Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS03

GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H272 - May intensify fire; oxidiser

H315 - Causes skin irritation

H319 - Causes serious eye irritation

: P220 - Keep/Store away from clothing, combustible materials Precautionary statements (CLP)

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. **Substance**

Name : ALUMINIUM NITRATE (NONAHYDRATE) Extra Pure

CAS No : 7784-27-2

Full text of R- and H-phrases: see section 16

3.2. **Mixture**

Not applicable

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation : Assure fresh air breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Get medical advice/attention.

www.spanlab.in 19/04/2016 2/10

Safety Data Sheet

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause fire or explosion; strong oxidiser.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing

risk of burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to

the risk of explosion.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No naked lights. No smoking

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Hazardous waste due to potential risk of explosion.

Precautions for safe handling

: Avoid contact with skin and eyes. Do not breathe vapours. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

Hygiene measures

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep in fireproof place. Store in a well-ventilated place. Keep cool.

Incompatible materials : Heat sources, combustible materials.

7.3. Specific end use(s)

No additional information available

www.spanlab.in 19/04/2016 3/10

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment : Wear fire/flame resistant/retardant clothing.

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : White crystals.

Odour : No data available

Odour threshold : No data available

pH : 2.5 - 3.5

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 73 °C

Freezing point : No data available

Boiling point : 135 °C

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 $^{\circ}\text{C}$ $\phantom{\text{C}}$: No data available

Relative density : No data available

Solubility : Water: Soluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

www.spanlab.in 19/04/2016 4/10

Safety Data Sheet

Oxidising properties : The substance or mixture is classified as oxidizing with the subcategory 3. May

cause fire or explosion; strong oxidiser.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

Chemical stability 10.2.

May cause fire or explosion; strong oxidiser.

Possibility of hazardous reactions

No additional information available

Conditions to avoid

Heat. Sparks. Open flame.

10.5. Incompatible materials

No additional information available

Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

pH: 2.5 - 3.5

Serious eye damage/irritation : Causes serious eye irritation.

pH: 2.5 - 3.5

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified : Not classified Carcinogenicity

: Not classified Reproductive toxicity Specific target organ toxicity (single : Not classified

Specific target organ toxicity (repeated

exposure)

exposure)

: Not classified

Aspiration hazard : Not classified

www.spanlab.in 19/04/2016 5/10

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Additional information

: Hazardous waste due to potential risk of explosion.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1438 UN-No. (IMDG) : 1438 UN-No.(IATA) : 1438 UN-No.(ADN) : 1438 UN-No. (RID) : 1438

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ALUMINIUM NITRATE
Proper Shipping Name (IMDG) : ALUMINIUM NITRATE
Proper Shipping Name (IATA) : ALUMINIUM NITRATE
Proper Shipping Name (ADN) : ALUMINIUM NITRATE
Proper Shipping Name (RID) : ALUMINIUM NITRATE

Transport document description (ADR) : UN 1438 ALUMINIUM NITRATE, 5.1, III, (E)
Transport document description (IMDG) : UN 1438 ALUMINIUM NITRATE, 5.1, III
Transport document description (ADN) : UN 1438 ALUMINIUM NITRATE, 5.1, III
Transport document description (ADN) : UN 1438 ALUMINIUM NITRATE, 5.1, III

Transport document description (RID) : UN 1438 ALUMINIUM NITRATE, 5.1, III

www.spanlab.in 19/04/2016 6/10

Safety Data Sheet

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 5.1
Danger labels (ADR) : 5.1

:



IMDG

Transport hazard class(es) (IMDG) : 5.1
Danger labels (IMDG) : 5.1

:



IATA

Transport hazard class(es) (IATA) : 5.1 Hazard labels (IATA) : 5.1

:



ADN

Transport hazard class(es) (ADN) : 5.1 Danger labels (ADN) : 5.1

:



RID

Transport hazard class(es) (RID) : 5.1
Danger labels (RID) : 5.1

:



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

www.spanlab.in 19/04/2016 7/10

Safety Data Sheet

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : O2
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T1, BK1, BK2

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: SGAV

: TP33

Tank code (ADR) : SGA
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT
Transport category (ADR) : 3

Special provisions for carriage - Bulk : VC1, VC2, AP6, AP7

(ADR)

Special provisions for carriage - Loading, : CV24

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 50

Orange plates :

50 1438

Tunnel restriction code (ADR) : E EAC code : 1Z

- Transport by sea

Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002. LP02 IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B3 Tank instructions (IMDG) : T1, BK2 Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-Q Stowage category (IMDG) : A MFAG-No : 140

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y546
PCA limited quantity max net quantity : 10kg

(IATA)

PCA packing instructions (IATA) : 559
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 563

www.spanlab.in 19/04/2016 8/10

Safety Data Sheet

CAO max net quantity (IATA) : 100kg ERG code (IATA) : 5L

- Inland waterway transport

Classification code (ADN) : O2
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : B
Equipment required (ADN) : PP
Provisions prior to loading (ADN) : LO04
Provisions for carriage in bulk (ADN) : CO02
Number of blue cones/lights (ADN) : 0

Additional requirements/Remarks (ADN) : CO02 and LO04 apply only when this substance is carried in bulk or without

packaging

- Rail transport

Classification code (RID) : O2
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T1, BK1, BK2

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : SGAV
Special provisions for RID tanks (RID) : TU3
Transport category (RID) : 3

Special provisions for carriage – Bulk

(RID)

Special provisions for carriage - Loading

and unloading (RID)

: CW24

: VC1, VC2, AP6, AP7

: TP33

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 50

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

ALUMINIUM NITRATE (NONAHYDRATE) Extra Pure is not on the REACH Candidate List ALUMINIUM NITRATE (NONAHYDRATE) Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

www.spanlab.in 19/04/2016 9/10

Safety Data Sheet

Germany

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BlmSchV

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
|---------------|--|
| Ox. Sol. 2 | Oxidising Solids, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| H272 | May intensify fire; oxidiser |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| R36 | Irritating to eyes |
| R38 | Irritating to skin |
| R8 | Contact with combustible material may cause fire |
| 0 | Oxidising |
| Xi | Irritant |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.spanlab.in 19/04/2016 10/10