

CAS-No.: 7727-54-0 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier | |
|-------------------------|---|
| Product form | : Substance |
| | : |
| EC Index-No. | : 016-060-00-6 |
| EC-No. | : 231-786-5 |
| CAS-No. | : 7727-54-0 |
| Product code | : 01321 |
| Chemical structure | (NH ₄) ₂ S ₂ O ₈ |
| Synonyms | : Ammonium peroxodisulfate |

: Ammonium peroxodisulfate

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. **Relevant identified uses**

Industrial/Professional use spec

: Industrial For professional use only

1.2.2. Uses advised against

No additional information available

Details of the supplier of the safety data sheet 1.3.

SPAN LAB UNIT NO. 14, SKY INDUSTRIAL ESTATE, WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929 info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. **Classification of the substance or mixture**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| H272 |
|------|
| |
| H302 |
| |
| H315 |
| |
| H319 |
| |
| H334 |
| |
| H317 |
| |
| |

Safety Data Sheet

Specific target organ H335 toxicity — Single exposure, Category 3, Respiratory tract irritation

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

O; R8 Xn; R22 R42 Xi; R36/37/38 R43 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS03 GHS07 GHS08 Signal word (CLP) : Danger Hazard statements (CLP) : H272 - May intensify fire; oxidiser. H302 - Harmful if swallowed. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eve irritation. H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 - May cause respiratory irritation. : P220 - Keep/Store away from clothing, combustible materials. Precautionary statements (CLP) P261 - Avoid breathing vapours, dust, fume, gas. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P342+P311 - If experiencing respiratory symptoms: Call a doctor.

2.3. Other hazards

No additional information available

3.1. Substances

Name

: AMMONIUM PERSULPHATE AR/ACS

www.spanlab.in

Safety Data Sheet

| CAS-No. | : 7727-54-0 |
|--------------|----------------|
| EC-No. | : 231-786-5 |
| EC Index-No. | : 016-060-00-6 |

Full text of R- and H-statements: see section 16

| 3.2. | Mixtures | |
|------|----------|--|
| Note | nliaghla | |

Not applicable

| SECTION 4: First aid measures | |
|---------------------------------------|--|
| 4.1. Description of first aid measure | 25 |
| First-aid measures after inhalation | If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor. |
| First-aid measures after skin contact | : Wash with plenty of water/ Wash contaminated clothing before reuse. Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention. |
| First-aid measures after ingestion | : Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. |
| 4.2. Most important symptoms and | effects, both acute and delayed |
| Symptoms/effects after inhalation | : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. |
| Symptoms/effects after skin contact | : Causes skin irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Causes serious eye irritation. |
| Symptoms/effects after ingestion | : Harmful if swallowed. |
| 4.3. Indication of any immediate me | edical attention and special treatment needed |
| Treat symptomatically. | |
| SECTION 5: Firefighting measures | |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Carbon dioxide. Dry powder. Foam. Water spray. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |
| 5.2. Special hazards arising from th | e substance or mixture |
| Fire hazard | : May cause fire or explosion; strong oxidiser. |
| Explosion hazard | : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. |
| 5.3. Advice for firefighters | |
| Firefighting instructions | : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. |
| SECTION 6: Accidental release measure | es |
| 6.1. Personal precautions, protectiv | /e equipment and emergency procedures |
| General measures | : No open flames. No smoking. |
| 6.1.1. For non-emergency personnel | |
| Emergency procedures | : Evacuate unnecessary personnel. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Use personal protective equipment as required. |
| Emergency procedures | : Ventilate area. |

Safety Data Sheet

| 6.2. Environmental precautions | |
|-------------------------------------|--|
| | |
| Avoid release to the environment. | |
| 6.3. Methods and material for cor | tainment and cleaning up |
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers. |
| 6.4. Reference to other sections | |
| No additional information available | |
| SECTION 7: Handling and storage | |
| 7.1. Precautions for safe handling |] |
| Additional hazards when processed | : Hazardous waste due to potential risk of explosion. |
| Precautions for safe handling | : Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking. Use only outdoors or in a well-ventilated area. Do not breathe vapours. |
| Hygiene measures | : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. |
| 7.2. Conditions for safe storage, i | ncluding any incompatibilities |
| Technical measures | : Proper grounding procedures to avoid static electricity should be followed. |
| Storage conditions | : Keep in fireproof place. Keep container tightly closed. |
| Incompatible materials | : Heat sources. combustible materials. |
| 7.3. Specific end use(s) | |
| No additional information available | |
| SECTION 8: Exposure controls/perso | nal protection |
| | |

8.1. Control parameters

No additional information available

| 8.2. Exposure controls | |
|---|--|
| Personal protective equipment | : Wear fire/flame resistant/retardant clothing. |
| Hand protection | : Protective gloves |
| Eye protection | : Chemical goggles or safety glasses |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : In case of inadequate ventilation wear respiratory protection. |
| SECTION 9: Physical and chemical pro | perties |
| | |
| 9.1. Information on basic physical | |
| | |
| 9.1. Information on basic physical | and chemical properties |
| 9.1. Information on basic physical Physical state | and chemical properties : Solid |
| 9.1.Information on basic physicalPhysical stateMolecular mass | and chemical properties : Solid : 228.19 g/mol |

Safety Data Sheet

| рН | : 1-2 |
|--|---|
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : 120 °C |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : 7.88 |
| Relative density | : No data available |
| Density | : 1.98 g/cm ³ |
| Solubility | : Water: 228 g/l at 20 °C |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : The substance or mixture is classified as oxidizing with the subcategory 3. May cause fire or explosion; strong oxidiser. |
| Explosive limits | : No data available |
| 9.2. Other information | |
| No additional information available | |

| SECTION 10: Stability and reactivity 10.1. Reactivity May intensify fire; oxidiser. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions No additional information available 10.4. Conditions to avoid Heat. Sparks. Open flame. 10.5. Incompatible materials No additional information available 10.6. Hazardous decomposition products | | |
|---|------------|------------------------------------|
| May intensify fire; oxidiser. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions No additional information available 10.4. Conditions to avoid Heat. Sparks. Open flame. 10.5. Incompatible materials No additional information available | SECTION | 10: Stability and reactivity |
| May intensify fire; oxidiser. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions No additional information available 10.4. Conditions to avoid Heat. Sparks. Open flame. 10.5. Incompatible materials No additional information available | | |
| 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions No additional information available 10.4. Conditions to avoid Heat. Sparks. Open flame. 10.5. Incompatible materials No additional information available | 10.1. I | Reactivity |
| Stable under normal conditions. 10.3. Possibility of hazardous reactions No additional information available 10.4. Conditions to avoid Heat. Sparks. Open flame. 10.5. Incompatible materials No additional information available | May inter | nsify fire; oxidiser. |
| 10.3. Possibility of hazardous reactions No additional information available 10.4. Conditions to avoid Heat. Sparks. Open flame. 10.5. Incompatible materials No additional information available | 10.2. | Chemical stability |
| No additional information available 10.4. Conditions to avoid Heat. Sparks. Open flame. 10.5. Incompatible materials No additional information available | Stable un | ider normal conditions. |
| 10.4. Conditions to avoid Heat. Sparks. Open flame. Incompatible materials 10.5. Incompatible materials No additional information available | 10.3. I | Possibility of hazardous reactions |
| Heat. Sparks. Open flame. 10.5. Incompatible materials No additional information available | No additio | onal information available |
| 10.5. Incompatible materials No additional information available | 10.4. | Conditions to avoid |
| No additional information available | Heat. Spa | arks. Open flame. |
| | 10.5. I | Incompatible materials |
| 10.6. Hazardous decomposition products | No additio | onal information available |
| | 10.6. I | Hazardous decomposition products |

No additional information available

Safety Data Sheet

| | ation |
|--|--|
| I1.1. Information on toxicologic | al effects |
| Acute toxicity | : Oral: Harmful if swallowed. |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | pH: 1 - 2 : Causes serious eye irritation. |
| Respiratory or skin sensitisation | pH: 1 - 2 May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| SECTION 12: Ecological informatio | yn |
| 12.1. Toxicity No additional information available | |
| | |
| 12.2. Persistence and degradab | ility |
| No additional information available | |
| | |
| 12.3. Bioaccumulative potential | |
| | |
| No additional information available | |
| No additional information available | |
| No additional information available 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB a | assessment |
| No additional information available 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB at the vPvB at t | assessment |
| No additional information available 12.4. Mobility in soil No additional information available | assessment |

www.spanlab.in

....

| SECTION 13: Disposal considerations | |
|---|--|
| 13.1. Waste treatment methods | |
| Product/Packaging disposal | : Dispose of contents/container to hazardous or special waste collection point, in |
| recommendations | accordance with local, regional, national and/or international regulation. |
| Additional information | : Hazardous waste due to potential risk of explosion. |
| SECTION 14: Transport information | |
| In accordance with ADR / RID / IMDG / IA | TA / ADN |
| | |
| 14.1. UN number | |
| UN-No. (ADR) | : 1444 |
| UN-No. (IMDG) | : 1444 |
| UN-No. (IATA) | 1444 |
| UN-No. (ADN) | : 1444 |
| UN-No. (RID) | : 1444 |
| | |
| 14.2. UN proper shipping name | |
| Proper Shipping Name (ADR) | : AMMONIUM PERSULPHATE |
| Proper Shipping Name (IMDG) | : AMMONIUM PERSULPHATE |
| Proper Shipping Name (IATA) | : Ammonium persulphate |
| Proper Shipping Name (ADN) | : AMMONIUM PERSULPHATE |
| Proper Shipping Name (RID) | : AMMONIUM PERSULPHATE |
| Transport document description (ADR) | : UN 1444 AMMONIUM PERSULPHATE, 5.1, III, (E) |
| | : UN 1444 AMMONIUM PERSULPHATE, 5.1, III |
| Transport document description (IMDG) | |
| Transport document description (IMDG) Transport document description (IATA) | : UN 1444 Ammonium persulphate, 5.1, III |
| , | : UN 1444 Ammonium persulphate, 5.1, III : UN 1444 AMMONIUM PERSULPHATE, 5.1, III |

| 14.3. | Transport |
|-------|-----------|
| ADR | |

| Transport hazard class(es) (ADR) | |
|----------------------------------|--|
| Danger labels (ADR) | |

:

: 5.1 : 5.1

: 5.1

: 5.1

5.1 5.1

IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)

:

ΙΑΤΑ


| Transport hazard class(es) (IATA) | : |
|-----------------------------------|---|
| Hazard labels (IATA) | : |

Safety Data Sheet

ADN

RID

14.4.



| 14.5. Environmental hazards | |
|-------------------------------|--|
| Dangerous for the environment | : No |
| Marine pollutant | : No |
| Other information | : No supplementary information available |

14.6. Special precautions for user

| - Overland transport | |
|---|---------------------------|
| Classification code (ADR) | : 02 |
| Limited quantities (ADR) | : 5kg |
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P002, IBC08, LP02, R001 |
| Special packing provisions (ADR) | : B3 |
| Mixed packing provisions (ADR) | : MP10 |
| Portable tank and bulk container instructions (ADR) | : T1 |
| Portable tank and bulk container special provisions (ADR) | : TP33 |
| Tank code (ADR) | : SGAV |
| Tank special provisions (ADR) | : TU3 |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Bulk (ADR) | : VC1, VC2, AP6, AP7 |

Safety Data Sheet

| , | |
|---|--|
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV24 |
| Hazard identification number (Kemler No.) | : 50 |
| Orange plates | [±] 50 |
| | <u> </u> |
| Tunnel restriction code (ADR) | : E |
| EAC code | : 1Z |
| - Transport by sea | |
| Limited quantities (IMDG) | : 5 kg |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : P002, LP02 |
| IBC packing instructions (IMDG) | : IBC08 |
| IBC special provisions (IMDG) | : B3 |
| Tank instructions (IMDG) | : T1 |
| Tank special provisions (IMDG) | : TP33 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-Q |
| Stowage category (IMDG) | : A |
| Properties and observations (IMDG) | : White crystals or powder. Soluble in water. Mixtures with combustible material are |
| | sensitive to friction and are liable to ignite. |
| MFAG-No | : 140 |
| - Air transport | |
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y546 |
| PCA limited quantity max net quantity | : 10kg |
| (IATA) | . 1969 |
| PCA packing instructions (IATA) | : 559 |
| PCA max net quantity (IATA) | : 25kg |
| CAO packing instructions (IATA) | : 563 |
| CAO max net quantity (IATA) | : 100kg |
| Special provisions (IATA) | : A803 |
| ERG code (IATA) | : 5L |
| - Inland waterway transport | |
| | · 03 |
| Classification code (ADN) | : O2 |
| Limited quantities (ADN) Excepted quantities (ADN) | : 5 kg : E1 |
| Equipment required (ADN) | . E1 : PP |
| Equipment required (ADN) Number of blue cones/lights (ADN) | : PP : 0 |
| | . v |
| - Rail transport | |
| Classification code (RID) | : O2 |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P002, IBC08, LP02, R001 |
| Special packing provisions (RID) | : B3 |
| Mixed packing provisions (RID) | : MP10 |
| Portable tank and bulk container instructions (RID) | : T1 |
| Portable tank and bulk container special provisions (RID) | : TP33 |
| Tank codes for RID tanks (RID) | : SGAV |
| Special provisions for RID tanks (RID) | : TU3 |
| | |

Safety Data Sheet

| Transport category (RID) | : 3 |
|---|----------------------|
| Special provisions for carriage – Bulk (RID) | : VC1, VC2, AP6, AP7 |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW24 |
| Colis express (express parcels) (RID) | : CE11 |
| Hazard identification number (RID) | : 50 |
| | |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

AMMONIUM PERSULPHATE AR/ACS is not on the REACH Candidate List AMMONIUM PERSULPHATE AR/ACS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

| Germany | | |
|---|---|--|
| Reference to AwSV | : | Water hazard class (WGK) 1, low hazard to water (Classification according to AwSV; ID No. 836) |
| 12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV | : | Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) |
| Netherlands | | |
| SZW-lijst van kankerverwekkende stoffen | : | The substance is not listed |
| SZW-lijst van mutagene stoffen | : | The substance is not listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding | : | The substance is not listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid | : | The substance is not listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling | : | The substance is not listed |
| Denmark | | |
| Recommendations Danish Regulation | : | Young people below the age of 18 years are not allowed to use the product |
| | | |

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Safety Data Sheet

Full text of R-, H- and EUH-statements:

| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
|---------------------|--|
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Ox. Sol. 2 | Oxidising Solids, Category 2 |
| Resp. Sens. 1 | Respiratory sensitisation, Category 1 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H272 | May intensify fire; oxidiser. |
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation. |
| R22 | Harmful if swallowed |
| R36/37/38 | Irritating to eyes, respiratory system and skin |
| R42 | May cause sensitization by inhalation |
| R43 | May cause sensitisation by skin contact |
| R8 | Contact with combustible material may cause fire |
| 0 | Oxidising |
| Xi | Irritant |
| Xn | Harmful |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product