AMMONIUM PERSULPHATE MOLECULAR BIOLOGY GRADE MSDS

CAS No: 7727-54-0 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

 Trade name
 : Ammonium persulfate

 EC index no
 : 016-060-00-6

 EC no
 : 231-786-5

 CAS No
 : 7727-54-0

Product code : 01322

Chemical structure $(NH_4)_2S_2O_8$

Synonyms : Ammonium peroxodisulfate / Ammonium peroxydisulfate

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E) 401208 Mumbai - INDIA

PH: +91 9820509929

info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H272 Category 2 Acute toxicity (oral), H302 Category 4 Skin corrosion/irritation, H315 Category 2 Serious eye damage/eye H319 irritation, Category 2 Sensitisation H334 Respiratory, category 1 Sensitisation — Skin, H317

Specific target organ H335

category 1

www.spanlab.in Version: 1 12/12/2017 1/11

Safety Data Sheet

toxicity — Single exposure, Category 3, Respiratory tract irritation

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

O; R8 Xn; R22 R42 Xi; R36/37/38

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS03 GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H272 - May intensify fire; oxidiser H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

Precautionary statements (CLP) : P220 - Keep/Store away from clothing, combustible materials

P261 - Avoid breathing vapours, dust, fume, gas

P280 - Wear protective gloves, protective clothing, eye protection, face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P342+P311 - If experiencing respiratory symptoms: Call a doctor

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : AMMONIUM PERSULPHATE MOLECULAR BIOLOGY GRADE

CAS No : 7727-54-0

www.spanlab.in Version: 1 12/12/2017 2/11

Safety Data Sheet

EC no : 231-786-5 EC index no : 016-060-00-6

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause fire or explosion; strong oxidiser.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing

risk of burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to

the risk of explosion.

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No naked lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area

www.spanlab.in Version: 1 12/12/2017 3/11

Safety Data Sheet

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Hazardous waste due to potential risk of explosion.

Precautions for safe handling

: Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking.

Use only outdoors or in a well-ventilated area. Do not breathe vapours.

Hygiene measures

: Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before

eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources. combustible materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : White crystalline.

Odour : odourless.

Odour threshold : No data available

pH : 1-2

www.spanlab.in Version: 1 12/12/2017 4/11

Safety Data Sheet

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 120 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : 7.88

Relative density : No data available

Density : 1.98 g/cm³

Solubility : Water: 228 g/l at 20 °C

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : The substance or mixture is classified as oxidizing with the subcategory 3. May

cause fire or explosion; strong oxidiser.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May intensify fire; oxidiser.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Moisture. Air contact. Direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

www.spanlab.in Version: 1 12/12/2017 5/11

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

Skin corrosion/irritation : Causes skin irritation.

pH: 1 - 2

Serious eye damage/irritation : Causes serious eye irritation.

pH: 1 - 2

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single

exposure)

: May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

www.spanlab.in Version: 1 12/12/2017 6/11

Safety Data Sheet

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Additional information : Hazardous waste due to potential risk of explosion.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1444 UN-No. (IMDG) : 1444 UN-No.(IATA) : 1444 UN-No.(ADN) : 1444 UN-No. (RID) : 1444

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AMMONIUM PERSULPHATE
Proper Shipping Name (IMDG) : AMMONIUM PERSULPHATE
Proper Shipping Name (IATA) : AMMONIUM PERSULPHATE
Proper Shipping Name (ADN) : AMMONIUM PERSULPHATE
Proper Shipping Name (RID) : AMMONIUM PERSULPHATE

Transport document description (ADR)

: UN 1444 AMMONIUM PERSULPHATE, 5.1, III, (E)

: UN 1444 AMMONIUM PERSULPHATE, 5.1, III

: UN 1444 AMMONIUM PERSULPHATE, 5.1, III

: UN 1444 AMMONIUM PERSULPHATE, 5.1, III

Transport document description (ADN)

: UN 1444 AMMONIUM PERSULPHATE, 5.1, III

Transport document description (RID)

: UN 1444 AMMONIUM PERSULPHATE, 5.1, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 5.1
Danger labels (ADR) : 5.1



IMDG

Transport hazard class(es) (IMDG) : 5.1 Danger labels (IMDG) : 5.1



IATA

Transport hazard class(es) (IATA) : 5.1

www.spanlab.in Version: 1 12/12/2017 7/11

Safety Data Sheet

Hazard labels (IATA) : 5.1

5.1

ADN

Transport hazard class(es) (ADN) : 5.1
Danger labels (ADN) : 5.1



RID

Transport hazard class(es) (RID) : 5.1
Danger labels (RID) : 5.1



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

: TP33

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : O2
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T1

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : SGAV
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT

www.spanlab.in Version: 1 12/12/2017 8/11

Safety Data Sheet

Transport category (ADR) : 3

Special provisions for carriage - Bulk : VC1, VC2, AP6, AP7

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 50

Orange plates

50 1444

: CV24

Tunnel restriction code (ADR) : E EAC code : 1Z

- Transport by sea

Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02 IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B3 Tank instructions (IMDG) : T1 Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A : S-Q EmS-No. (Spillage) Stowage category (IMDG) : A MFAG-No : 140

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y546
PCA limited quantity max net quantity : 10kg

(IATA)

PCA packing instructions (IATA) : 559
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 563
CAO max net quantity (IATA) : 100kg
ERG code (IATA) : 5L

- Inland waterway transport

Classification code (ADN) : O2
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : O2
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

: TP33

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T1

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : SGAV

www.spanlab.in Version: 1 12/12/2017 9/11

Safety Data Sheet

Special provisions for RID tanks (RID) : TU3
Transport category (RID) : 3

Special provisions for carriage – Bulk

(RID)

: VC1, VC2, AP6, AP7

Special provisions for carriage – Loading

and unloading (RID)

· CE11

: CW24

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID) : 50

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Ammonium persulfate is not on the REACH Candidate List Ammonium persulfate is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to

VwVwS, Annex 2; WGK No 836)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 2	Oxidising Solids, Category 2
Resp. Sens. 1	Sensitisation — Respiratory, category 1

www.spanlab.in Version: 1 12/12/2017 10/11

Ammonium persulfate Safety Data Sheet

Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
R22	Harmful if swallowed
R36/37/38	Irritating to eyes, respiratory system and skin
R42	May cause sensitization by inhalation
R43	May cause sensitisation by skin contact
R8	Contact with combustible material may cause fire
0	Oxidising
Xi	Irritant
Xn	Harmful
O Xi	Oxidising Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

11/11 www.spanlab.in Version: 1 12/12/2017