# BENZOYL CHLORIDE EXTRA PURE MSDS

**CAS No: 98-88-4 MSDS** 



# **MATERIAL SAFETY DATA SHEET (MSDS)**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

:

EC index no : 607-012-00-0
EC no : 202-710-8
CAS No : 98-88-4
Product code : 00042

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

SPAN LAB

UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E)

401208 Mumbai - INDIA PH: +91 9820509929

info@spanlab.in www.spanlab.in

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, H314

Category 1B

Serious eye damage/eye H318

irritation, Category 1

Acute toxicity (dermal), H312

Category 4

Acute toxicity (inhal.), H332

Category 4

Acute toxicity (oral), H302

Category 4

Sensitisation — Skin, H317

category 1

Full text of classification categories and H statements : see section 16

www.spanlab.in 09/04/2015 1/10

# Safety Data Sheet

### Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R20/21/22 C; R34 R43

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05 GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

## 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Name : BENZOYL CHLORIDE Extra Pure

CAS No : 98-88-4 EC no : 202-710-8 EC index no : 607-012-00-0

Full text of R- and H-phrases: see section 16

### 3.2. Mixture

Not applicable

www.spanlab.in 09/04/2015 2/10

## Safety Data Sheet

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air an

: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Immediately call a POISON CENTER or doctor/physician. Specific measures (see ...

on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse. Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see ... on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. Do

NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : May cause an allergic skin reaction.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Harmful in contact with skin.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills

with inert solids, such as clay or diatomaceous earth as soon as possible.

### 6.4. Reference to other sections

No additional information available

www.spanlab.in 09/04/2015 3/10

## Safety Data Sheet

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling. Wash contaminated clothing before reuse. Contaminated work clothing

should not be allowed out of the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in original container. Store in a dry place. Keep container tightly closed.

## 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless.

Odour : penetrating odor.

Odour threshold : No data available

pH : 2 at 1 g/l

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -1 °C

Freezing point : No data available

Boiling point : 198 °C

Flash point : 72 °C

Auto-ignition temperature : 6000 °C

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

www.spanlab.in 09/04/2015 4/10

# Safety Data Sheet

Vapour pressure : 1 mm Hg at 320C

Relative vapour density at 20 °C : 4.88

Relative density : No data available

Density : 1.211 g/cm<sup>3</sup>

Solubility : Water: Decomposed by water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.012 - 0.049 vol %

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

### 10.2. Chemical stability

Stable under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks.

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled. Oral: Harmful if

swallowed.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 2 at 1 g/l

Serious eye damage/irritation : Causes serious eye damage.

pH: 2 at 1 g/l

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

www.spanlab.in 09/04/2015 5/10

## Safety Data Sheet

Reproductive toxicity

: Not classified

Specific target organ toxicity (single exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard

Not classified

Potential adverse human health effects

and symptoms

: Harmful if swallowed. Harmful in contact with skin.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

No additional information available

## 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to ...

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : 1736 UN-No. (IMDG) : 1736 UN-No.(IATA) : 1736

www.spanlab.in 09/04/2015 6/10

# Safety Data Sheet

UN-No.(ADN) : 1736 UN-No. (RID) : 1736

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : BENZOYL CHLORIDE
Proper Shipping Name (IMDG) : BENZOYL CHLORIDE
Proper Shipping Name (IATA) : BENZOYL CHLORIDE
Proper Shipping Name (ADN) : BENZOYL CHLORIDE
Proper Shipping Name (RID) : BENZOYL CHLORIDE

Transport document description (ADR) : UN 1736 BENZOYL CHLORIDE, 8, II, (E)
Transport document description (IMDG) : UN 1736 BENZOYL CHLORIDE, 8, II
Transport document description (IATA) : UN 1736 BENZOYL CHLORIDE, 8, II
Transport document description (ADN) : UN 1736 BENZOYL CHLORIDE, 8, II
Transport document description (RID) : UN 1736 BENZOYL CHLORIDE, 8, II

## 14.3. Transport hazard class(es)

### **ADR**

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



#### **IMDG**

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



#### IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



## ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



### **RID**

www.spanlab.in 09/04/2015 7/10

## Safety Data Sheet

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



## 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

## 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

### - Overland transport

Classification code (ADR) : C3
Limited quantities (ADR) : 1L
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02 Mixed packing provisions (ADR) : MP15

Portable tank and bulk container : T8

instructions (ADR)

Portable tank and bulk container special : TP2

provisions (ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80

Orange plates

80 1736

Tunnel restriction code (ADR) : E EAC code : 4W

# - Transport by sea

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

IBC special provisions (IMDG) : B20

Tank instructions (IMDG) : T8

Tank special provisions (IMDG) : TP2, TP13

EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): C

www.spanlab.in 09/04/2015 8/10

## Safety Data Sheet

Stowage and handling (IMDG) : SW2
MFAG-No : 137

### - Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity : 0.5L

(IATA)

PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
ERG code (IATA) : 8W

### - Inland waterway transport

Classification code (ADN) : C3
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

#### - Rail transport

Classification code (RID) : C3
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15

Portable tank and bulk container : T8

instructions (RID)

Portable tank and bulk container special : TP2

provisions (RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : 80

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

BENZOYL CHLORIDE Extra Pure is not on the REACH Candidate List BENZOYL CHLORIDE Extra Pure is not on the REACH Annex XIV List

## 15.1.2. National regulations

www.spanlab.in 09/04/2015 9/10

## Safety Data Sheet

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to

VwVwS, Annex 3; WGK No 2118)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management

guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

### Full text of R-, H- and EUH-phrases:

Tuli toxt of TC, TT und EoT philados.	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Sensitisation — Skin, category 1
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H332	Harmful if inhaled
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R34	Causes burns
R43	May cause sensitisation by skin contact
С	Corrosive
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.spanlab.in 09/04/2015 10/10