CADMIUM AAS STANDARD SOLUTION 1000MG/L CD IN DILUTED HNO3 MSDS

CAS No: MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

Trade name : CADMIUM AAS STANDARD SOLUTION 1000mg/L Cd IN DILUTED HNO3

Product code

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB

UNIT NO. 14, SKY INDUSTRIAL ESTATE, WALIV, VASAI (E)

401208 Mumbai - INDIA PH: +91 9820509929

info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, H290

Category 1

Skin corrosion/irritation,

H315

Category 2

Serious eye damage/eye H319

irritation, Category 2

Germ cell mutagenicity, Category 1B

H340

Carcinogenicity, Category H350

Specific target organ H373

toxicity — Repeated

exposure, Category 2

Hazardous to the aquatic H412

environment — Chronic Hazard, Category 3

Full text of classification categories and H statements : see section 16

Version: 1 25/09/2017 1/11 www.spanlab.in

Safety Data Sheet

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

305 GHS0

Signal word (CLP) : Danger

Hazard statements (CLP) : H290 - May be corrosive to metals

H315 - Causes skin irritation H319 - Causes serious eye irritation H340 - May cause genetic defects

H350 - May cause cancer

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) : P201 - Obtain special instructions before use

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves, protective clothing, eye protection, face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P308 - IF exposed or concerned: P313 - Get medical advice/attention

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-------------|---|---------|---|
| Water | (CAS No) 7732-18-5 (EC no) 231-791-2 | 75 - 99 | Not classified |
| Nitric acid | (CAS No) 7697-37-2 (EC no) 231-714-2 (EC index no) 007-004-00-1 | 1 - 5 | Ox. Liq. 1, H271 Skin Corr. 1A, H314 |

www.spanlab.in Version: 1 25/09/2017 2/11

Safety Data Sheet

| CADMIUM NITRATE (TETRAHYDRATE) 99% | (CAS No) 10022-68-1 | 0.01 - 1 | Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 |
|------------------------------------|---------------------|----------|--|
|------------------------------------|---------------------|----------|--|

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing. Get immediate medical advice/attention.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause cancer. May cause genetic defects. May cause damage to organs.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray. Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Avoid release to the environment. Harmful to aquatic life with long lasting effects.

www.spanlab.in Version: 1 25/09/2017 3/11

CADMIUM AAS STANDARD SOLUTION 1000mg/L Cd IN DILUTED HNO₃

Safety Data Sheet

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Collect spillage.

Reference to other sections

No additional information available

SECTION 7: Handling and storage

Precautions for safe handling

Additional hazards when processed

: May be corrosive to metals. Precautions for safe handling

: Do not breathe vapours. Avoid contact with skin and eyes. Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating.

drinking or smoking and when leaving work.

Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

Incompatible materials : Metals.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. **Exposure controls**

Hand protection : Protective gloves

Eye protection : Chemical goggles or face shield : Wear suitable protective clothing Skin and body protection Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colourless.

Odour : No data available

Odour threshold : No data available

рН : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

4/11 www.spanlab.in Version: 1 25/09/2017

Safety Data Sheet

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Solubility : No data available

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

www.spanlab.in Version: 1 25/09/2017 5/11

CADMIUM AAS STANDARD SOLUTION 1000mg/L Cd IN DILUTED HNO₃

Safety Data Sheet

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : May cause genetic defects.

Carcinogenicity : May cause cancer.

: Not classified Reproductive toxicity : Not classified

Specific target organ toxicity (single

exposure)

Specific target organ toxicity (repeated

exposure)

: May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. **Toxicity**

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. **Bioaccumulative potential**

No additional information available

12.4. **Mobility in soil**

No additional information available

Results of PBT and vPvB assessment 12.5.

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to ...

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

www.spanlab.in Version: 1 25/09/2017 6/11

Safety Data Sheet

14.1. UN number

UN-No. (ADR) : 3264 UN-No. (IMDG) : 3264 UN-No.(IATA) : 3264 UN-No.(ADN) : 3264 UN-No. (RID) : 3264

14.2. UN proper shipping name

Proper Shipping Name (ADR)

: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Proper Shipping Name (IMDG)

: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Proper Shipping Name (IATA)

: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Proper Shipping Name (ADN)

: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Proper Shipping Name (RID)

: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Transport document description (ADR) : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III, (E)
Transport document description (IMDG) : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III, MARINE

POLLUTANT

Transport document description (IATA) : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III

Transport document description (ADN) : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III

Transport document description (RID) : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8

www.spanlab.in Version: 1 25/09/2017 7/11

Safety Data Sheet

Danger labels (ADN) : 8

8

RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : Yes (IMDG only)

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C1
Special provision (ADR) : 274
Limited quantities (ADR) : 5L
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special :

provisions (ADR)

: TP1, TP28

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages : V12

(ADR)

Hazard identification number (Kemler No.) : 80

Orange plates

80 3264

Tunnel restriction code (ADR) : E EAC code : 2X

www.spanlab.in Version: 1 25/09/2017 8/11

Safety Data Sheet

Hazard identification number (RID)

| Safety Data Shee | t | |
|---|---------------------|---------------------------|
| APP code | | : B |
| - Transport by sea | | |
| Special provision (IMD | 0G) | : 223, 274 |
| Limited quantities (IMD | OG) | : 5L |
| Excepted quantities (If | MDG) | : E1 |
| Packing instructions (I | MDG) | : P001, LP01 |
| IBC packing instruction | ns (IMDG) | : IBC03 |
| Tank instructions (IMD | G) | : T7 |
| Tank special provision | • | : TP1, TP28 |
| EmS-No. (Fire) | | : F-A |
| EmS-No. (Spillage) | | : S-B |
| Stowage category (IMI | DG) | : A |
| Stowage and handling | • | : SW2 |
| MFAG-No | | : 154 |
| - Air transport | | |
| PCA Excepted quantiti | ies (IATA) | : E1 |
| PCA Limited quantities | s (IATA) | : Y841 |
| PCA limited quantity m (IATA) | nax net quantity | : 1L |
| PCA packing instruction | ons (IATA) | : 852 |
| PCA max net quantity | (IATA) | : 5L |
| CAO packing instruction | ons (IATA) | : 856 |
| CAO max net quantity | (IATA) | : 60L |
| Special provision (IATA | 4) | : A3 |
| ERG code (IATA) | | : 8L |
| - Inland waterway tra | nsport | |
| Classification code (Al | DN) | : C1 |
| Special provisions (AD | DN) | : 274 |
| Limited quantities (AD | N) | : 5L |
| Excepted quantities (A | NDN) | : E1 |
| Carriage permitted (AI | ON) | : Т |
| Equipment required (A | NDN) | : PP, EP |
| Number of blue cones | • | : 0 |
| - Rail transport | | |
| Classification code (RI | ID) | : C1 |
| Special provision (RID | • | : 274 |
| Limited quantities (RID | | : 5L |
| Excepted quantities (R | • | : E1 |
| Packing instructions (F | • | : P001, IBC03, LP01, R001 |
| Mixed packing provision | • | : MP19 |
| Portable tank and bulk instructions (RID) | container | : T7 |
| Portable tank and bulk provisions (RID) | container special | : TP1, TP28 |
| Tank codes for RID tar | nks (RID) | : L4BN |
| Transport category (RI | ID) | : 3 |
| Special provisions for (RID) | carriage – Packages | : W12 |
| Colis express (express | s parcels) (RID) | : CE8 |
| | (DID) | |

www.spanlab.in Version: 1 25/09/2017 9/11

: 80

CADMIUM AAS STANDARD SOLUTION 1000mg/L Cd IN DILUTED HNO₃

Safety Data Sheet

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according

to AwSV, Annex 1)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-phrases:

| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
|---------------------------|---|
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Carc. 1B | Carcinogenicity, Category 1B |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Met. Corr. 1 | Corrosive to metals, Category 1 |

www.spanlab.in Version: 1 25/09/2017 10/11

Safety Data Sheet

| Muta. 1B | Germ cell mutagenicity, Category 1B |
|---------------|---|
| | |
| Ox. Liq. 1 | Oxidising Liquids, Category 1 |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1A |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT RE 2 | Specific target organ toxicity — Repeated exposure, Category 2 |
| H271 | May cause fire or explosion; strong oxidiser |
| H290 | May be corrosive to metals |
| H302 | Harmful if swallowed |
| H312 | Harmful in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H340 | May cause genetic defects |
| H350 | May cause cancer |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| H400 | Very toxic to aquatic life |
| H412 | Harmful to aquatic life with long lasting effects |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.spanlab.in Version: 1 25/09/2017 11/11