

### MATERIAL SAFETY DATA SHEET (MSDS)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product form	: Substance
Trade name	: Chromium Trioxide
EC index no	: 024-001-00-0
EC no	: 215-607-8
CAS No	: 1333-82-0
Product code	: 02820
Formula	: CrO <sub>3</sub>
Synonyms	: Chromium(VI) Oxide,Chromic anhydride

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### 1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial. For professional use only

###### 1.2.2. Uses advised against

No additional information available

##### 1.3. Details of the supplier of the safety data sheet

SPAN LAB  
UNIT NO. 14, SKY INDUSTRIAL ESTATE, WALIV, VASAI (E)  
401208 Mumbai - INDIA  
PH: +91 9820509929  
[info@spanlab.in](mailto:info@spanlab.in) [www.spanlab.in](http://www.spanlab.in)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 1	H271
Acute toxicity (oral), Category 3	H301
Acute toxicity (dermal), Category 3	H311
Acute toxicity (inhal.), Category 2	H330
Skin corrosion/irritation, Category 1A	H314
Sensitisation — Respiratory, category 1	H334
Sensitisation — Skin, category 1	H317
Germ cell mutagenicity,	H340

# Chromium Trioxide

## Safety Data Sheet

Category 1B  
Carcinogenicity, Category 1A H350  
Reproductive toxicity, Category 2 H361f  
Specific target organ toxicity — Repeated exposure, Category 1 H372  
Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410

Full text of classification categories and H statements : see section 16

### Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.1; R45  
Muta.Cat.2; R46  
Repr.Cat.3; R62  
O; R9  
T+; R26  
T; R24/25  
T; R48/23  
R42  
C; R35  
R43  
N; R50/53

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS03

GHS05

GHS06

GHS08

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) :

- H271 - May cause fire or explosion; strong oxidiser
- H301+H311 - Toxic if swallowed or in contact with skin
- H314 - Causes severe skin burns and eye damage
- H317 - May cause an allergic skin reaction
- H330 - Fatal if inhaled
- H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H340 - May cause genetic defects
- H350 - May cause cancer
- H361f - Suspected of damaging fertility
- H372 - Causes damage to organs through prolonged or repeated exposure
- H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

- P201 - Obtain special instructions before use
- P220 - Keep away from clothing and other combustible materials
- P260 - Do not breathe vapours, spray, dust, fume, gas
- P273 - Avoid release to the environment

# Chromium Trioxide

## Safety Data Sheet

P284 - [In case of inadequate ventilation] wear respiratory protection

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name	: CHROMIUM TRIOXIDE 98%
CAS No	: 1333-82-0
EC no	: 215-607-8
EC index no	: 024-001-00-0

Full text of R- and H-phrases: see section 16

### 3.2. Mixture

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Get medical advice/attention. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Assure fresh air breathing.
First-aid measures after skin contact	: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Causes severe skin burns and eye damage. May cause genetic defects. Suspected of damaging fertility. Causes damage to organs through prolonged or repeated exposure.
Symptoms/injuries after inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause cancer by inhalation.
Symptoms/injuries after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin.
Symptoms/injuries after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

# Chromium Trioxide

## Safety Data Sheet

Unsuitable extinguishing media : Do not use extinguishing media containing water.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause fire or explosion; strong oxidiser.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

### 5.3. Advice for firefighters

Firefighting instructions : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : No naked lights. No smoking.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion.

Precautions for safe handling : Take precautionary measures against static discharge. Avoid contact with skin and eyes. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not breathe vapours. Eliminate all ignition sources if safe to do so.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Comply with applicable regulations.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources. Combustible materials.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

# Chromium Trioxide

## Safety Data Sheet

### 8.2. Exposure controls

Personal protective equipment	: Wear fire/flare resistant/retardant clothing.
Hand protection	: Protective gloves
Eye protection	: Chemical goggles or face shield
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of inadequate ventilation wear respiratory protection

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Reddish brown.
Odour	: odourless.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 196 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 2.7 g/cm <sup>3</sup>
Solubility	: Water: 63 g/100ml @ 20°C
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: The substance or mixture is classified as oxidizing with the subcategory 1. May cause fire or explosion; strong oxidiser.
Explosive limits	: No data available

# Chromium Trioxide

## Safety Data Sheet

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Direct sunlight. Heat. Sparks. Overheating. Open flame.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Fatal if inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity : May cause genetic defects.

Carcinogenicity : May cause cancer.

Reproductive toxicity : Suspected of damaging fertility.

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Toxic if swallowed. Toxic in contact with skin.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

# Chromium Trioxide

## Safety Data Sheet

### 12.2. Persistence and degradability

#### Chromium Trioxide (1333-82-0)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Chromium Trioxide (1333-82-0)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose of contents/container to ...
Additional information	: Hazardous waste due to potential risk of explosion.
Ecology - waste materials	: Hazardous waste due to toxicity.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR)	: 1463
UN-No. (IMDG)	: 1463
UN-No.(IATA)	: 1463
UN-No.(ADN)	: 1463
UN-No. (RID)	: 1463

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: CHROMIUM TRIOXIDE, ANHYDROUS
Proper Shipping Name (IMDG)	: CHROMIUM TRIOXIDE, ANHYDROUS
Proper Shipping Name (IATA)	: CHROMIUM TRIOXIDE, ANHYDROUS
Proper Shipping Name (ADN)	: CHROMIUM TRIOXIDE, ANHYDROUS
Proper Shipping Name (RID)	: CHROMIUM TRIOXIDE, ANHYDROUS
Transport document description (ADR)	: UN 1463 CHROMIUM TRIOXIDE, ANHYDROUS, 5.1 (6.1+8), II, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1463 CHROMIUM TRIOXIDE, ANHYDROUS, 5.1 (6.1+8), II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

# Chromium Trioxide

## Safety Data Sheet

Transport document description (IATA)	: UN 1463 CHROMIUM TRIOXIDE, ANHYDROUS, 5.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1463 CHROMIUM TRIOXIDE, ANHYDROUS, 5.1 (6.1+8), II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1463 CHROMIUM TRIOXIDE, ANHYDROUS, 5.1 (6.1+8), II, ENVIRONMENTALLY HAZARDOUS

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 5.1 (6.1, 8)
Danger labels (ADR)	: 5.1, 6.1, 8



#### IMDG

Transport hazard class(es) (IMDG)	: 5.1 (6.1, 8)
Danger labels (IMDG)	: 5.1, 6.1, 8



#### IATA

Transport hazard class(es) (IATA)	: 5.1 (6.1, 8)
Hazard labels (IATA)	: 5.1, 6.1, 8



#### ADN

Transport hazard class(es) (ADN)	: 5.1 (6.1, 8)
Danger labels (ADN)	: 5.1, 6.1, 8



#### RID

Transport hazard class(es) (RID)	: 5.1 (6.1, 8)
Danger labels (RID)	: 5.1, 6.1, 8





# Chromium Trioxide

## Safety Data Sheet

### 14.4. Packing group



Packing group (ADR)	: II
Packing group (IMDG)	: II
Packing group (IATA)	: II
Packing group (ADN)	: II
Packing group (RID)	: II

### 14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: OTC
Special provision (ADR)	: 510
Limited quantities (ADR)	: 1kg
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P002, IBC08
Special packing provisions (ADR)	: B4
Mixed packing provisions (ADR)	: MP2
Portable tank and bulk container instructions (ADR)	: T3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAN
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V11
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24, CV28
Hazard identification number (Kemler No.)	: 568
Orange plates	:  
Tunnel restriction code (ADR)	: E
EAC code	: 1W

#### - Transport by sea

Limited quantities (IMDG)	: 1 kg
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P002
Packing provisions (IMDG)	: PP31
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B2, B4
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: A
Segregation (IMDG)	: SG6, SG16, SG19

# Chromium Trioxide

## Safety Data Sheet

MFAG-No : 141

### - Air transport

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y544  
PCA limited quantity max net quantity (IATA) : 2.5kg  
PCA packing instructions (IATA) : 558  
PCA max net quantity (IATA) : 5kg  
CAO packing instructions (IATA) : 562  
CAO max net quantity (IATA) : 25kg  
ERG code (IATA) : 5CP

### - Inland waterway transport

Classification code (ADN) : OTC  
Special provisions (ADN) : 510  
Limited quantities (ADN) : 1 kg  
Excepted quantities (ADN) : E2  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 2

### - Rail transport

Classification code (RID) : OTC  
Special provision (RID) : 510  
Limited quantities (RID) : 1kg  
Excepted quantities (RID) : E2  
Packing instructions (RID) : P002, IBC08  
Special packing provisions (RID) : B4  
Mixed packing provisions (RID) : MP2  
Portable tank and bulk container instructions (RID) : T3  
Portable tank and bulk container special provisions (RID) : TP33  
Tank codes for RID tanks (RID) : SGAN  
Special provisions for RID tanks (RID) : TU3  
Transport category (RID) : 2  
Special provisions for carriage – Packages (RID) : W11  
Special provisions for carriage – Loading and unloading (RID) : CW24, CW28  
Colis express (express parcels) (RID) : CE10  
Hazard identification number (RID) : 568

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Chromium trioxide is on the REACH Candidate List

Chromium trioxide is on the REACH Annex XIV List:

Authorisation number	Sunset date	REACH authorization exemptions
	21/09/2017	

# Chromium Trioxide

## Safety Data Sheet

### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according to VwVwS, Annex 2; WGK No 328)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product  
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Muta. 1B	Germ cell mutagenicity, Category 1B
Ox. Sol. 1	Oxidising Solids, Category 1
Repr. 2	Reproductive toxicity, Category 2
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H271	May cause fire or explosion; strong oxidiser
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H340	May cause genetic defects

# Chromium Trioxide

## Safety Data Sheet

H350	May cause cancer
H361f	Suspected of damaging fertility
H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
R24/25	Toxic in contact with skin and if swallowed
R26	Very toxic by inhalation
R35	Causes severe burns
R42	May cause sensitization by inhalation
R43	May cause sensitisation by skin contact
R45	May cause cancer
R46	May cause heritable genetic damage
R48/23	Toxic: danger of serious damage to health by prolonged exposure through inhalation
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R62	Possible risk of impaired fertility
R9	Explosive when mixed with combustible material
C	Corrosive
N	Dangerous for the environment
O	Oxidising
T	Toxic
T+	Very toxic

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*