## DIETHYLAMINE FOR HPLC MSDS

CAS No: 109-89-7 MSDS



## **MATERIAL SAFETY DATA SHEET (MSDS)**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

: Substance Product form

EC index no : 612-003-00-X EC no : 203-716-3 CAS No : 109-89-7 Product code : 00101 Formula : C4H11N

Chemical structure

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

SPAN LAB

UNIT NO. 14,SKY INDUSTRIAL ESTATE, WALIV, VASAI (E)

401208 Mumbai - INDIA PH: +91 9820509929

info@spanlab.in www.spanlab.in

### **SECTION 2: Hazards identification**

### Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

H312

Flammable liquids, H225 Category 2

Acute toxicity (oral), H302 Category 4

Acute toxicity (dermal),

Category 4 H332

Acute toxicity (inhal.),

Category 4 H314

Category 1A

Skin corrosion/irritation,

Serious eye damage/eye H318

irritation, Category 1

09/04/2015 1/11 www.spanlab.in

### Safety Data Sheet

Full text of classification categories and H statements : see section 16

### Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11

Xn; R20/21/22 C; R35

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS05



GHS02

GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage

Precautionary statements (CLP) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Name : DIETHYLAMINE FOR HPLC

CAS No : 109-89-7 EC no : 203-716-3 EC index no : 612-003-00-X

Full text of R- and H-phrases: see section 16

www.spanlab.in 09/04/2015 2/11

### Safety Data Sheet

#### 3.2. Mixture

Not applicable

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician. Specific treatment is

urgent (see ... on this label).

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated

clothing. Immediately call a POISON CENTER or doctor/physician. Specific measures (see ... on this label). Wash with plenty of soap and water. Wash

contaminated clothing before reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician. Specific treatment (see ... on this label).

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. Do

NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see ... on this label).

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : Corrosive to the respiratory tract.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Harmful in contact with skin.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

### 6.2. Environmental precautions

Avoid release to the environment.

www.spanlab.in 09/04/2015 3/11

### Safety Data Sheet

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

#### 6.4. Reference to other sections

No additional information available

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

Hygiene measures

: Handle empty containers with care because residual vapours are flammable.

: No naked lights. No smoking. Use only non-sparking tools. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing.

: Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/... equipment. Comply with applicable regulations.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources.

Packaging materials : Do not store in corrodable metal.

#### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 73.14 g/mol
Colour : Clear Colorless.

Odour : fishy ammonical.

Odour threshold : No data available

pH : No data available

www.spanlab.in 09/04/2015 4/11

### Safety Data Sheet

Relative evaporation rate (butylacetate=1) : 16.9

Melting point : -50 °C

Freezing point : No data available

Boiling point : 55 - 58
Flash point : -28 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Highly flammable liquid and vapour

Vapour pressure : 195 mm Hg at 20°C

Relative vapour density at 20 °C : 2.5

Relative density : No data available

Density : 0.71 g/cm<sup>3</sup>

Solubility : Water: Miscible in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.018 - 0.101 vol %

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

### 10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Open flame. Direct sunlight.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates: Corrosive vapours.

www.spanlab.in 09/04/2015 5/11

### Safety Data Sheet

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful

if inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single : Not classified

exposure)

Additional information : Corrosive to the respiratory tract

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful if swallowed. Harmful in contact with skin.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

www.spanlab.in 09/04/2015 6/11

### Safety Data Sheet

#### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Additional information : Handle empty containers with care because residual vapours are flammable.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : 1154 UN-No. (IMDG) : 1154 UN-No.(IATA) : 1154 UN-No.(ADN) : 1154 UN-No. (RID) : 1154

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : DIETHYLAMINE
Proper Shipping Name (IMDG) : DIETHYLAMINE
Proper Shipping Name (IATA) : DIETHYLAMINE
Proper Shipping Name (ADN) : DIETHYLAMINE
Proper Shipping Name (RID) : DIETHYLAMINE

Transport document description (ADR) : UN 1154 DIETHYLAMINE, 3 (8), II, (D/E)
Transport document description (IMDG) : UN 1154 DIETHYLAMINE, 3 (8), II (-39°C c.c.)

Transport document description (IATA) : UN 1154 DIETHYLAMINE, 3 (8), II

Transport document description (ADN) : UN 1154 DIETHYLAMINE, 3 (8), II

Transport document description (RID) : UN 1154 DIETHYLAMINE, 3 (8), II

### 14.3. Transport hazard class(es)

### **ADR**

Transport hazard class(es) (ADR) : 3 (8)
Danger labels (ADR) : 3, 8



### **IMDG**

Transport hazard class(es) (IMDG) : 3 (8)
Danger labels (IMDG) : 3, 8



### **IATA**

Transport hazard class(es) (IATA) : 3 (8)

www.spanlab.in 09/04/2015 7/11

### Safety Data Sheet

Hazard labels (IATA) : 3, 8



### ADN

Transport hazard class(es) (ADN) : 3 (8)
Danger labels (ADN) : 3, 8



### RID

Transport hazard class(es) (RID) : 3 (8)
Danger labels (RID) : 3, 8



### 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

### - Overland transport

Classification code (ADR) : FC
Limited quantities (ADR) : 1L
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1

Tank code (ADR) : L4BH

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation : S2, S20

(ADR)

www.spanlab.in 09/04/2015 8/11

### Safety Data Sheet

Hazard identification number (Kemler No.) : 338

Orange plates :

338 1154

Tunnel restriction code (ADR) : D/E
EAC code : •2WE
APP code : A(fl)

### - Transport by sea

Limited quantities (IMDG) : 1 L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T7 : TP1 Tank special provisions (IMDG) EmS-No. (Fire) : F-E : S-C EmS-No. (Spillage) : E Stowage category (IMDG) : SW2 Stowage and handling (IMDG) Flash point (IMDG) : -39°C c.c. MFAG-No : 132

### - Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y340
PCA limited quantity max net quantity : 0.5L

(IATA)

PCA packing instructions (IATA) : 352
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 363
CAO max net quantity (IATA) : 5L
ERG code (IATA) : 3CH

### - Inland waterway transport

Classification code (ADN) : FC
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, EX, A

Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 1

### - Rail transport

Classification code (RID) : FC
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T7

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP1

Tank codes for RID tanks (RID) : L4BH
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7

www.spanlab.in 09/04/2015 9/11

### Safety Data Sheet

Hazard identification number (RID) : 338

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

DIETHYLAMINE FOR HPLC is not on the REACH Candidate List

DIETHYLAMINE FOR HPLC is not on the REACH Annex XIV List

### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to

VwVwS, Annex 2; WGK No 248)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be

followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

### Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H225	Highly flammable liquid and vapour

www.spanlab.in 09/04/2015 10/11

## Safety Data Sheet

H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H332	Harmful if inhaled
R11	Highly flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R35	Causes severe burns
С	Corrosive
F	Highly flammable
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.spanlab.in 09/04/2015 11/11