


ETHYL CHLOROFORMATE FOR SYNTHESIS MSDS

CAS-No.: 541-41-3 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
	:
EC Index-No.	: 607-020-00-4
EC-No.	: 208-778-5
CAS-No.	: 541-41-3
Product code	: 03724
Formula	: C ₃ H ₅ ClO ₂
Chemical structure	: 
Synonyms	: Ethyl chloroformate

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec	: Industrial For professional use only
----------------------------------	---

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB
UNIT NO. 14, SKY INDUSTRIAL ESTATE, WALIV, VASAI (E)
401208 Mumbai - INDIA
PH: +91 9820509929
info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Acute toxicity (oral), Category 4	H302
Acute toxicity (inhal.), Category 2	H330
Skin corrosion/irritation, Category 1B	H314

ETHYL CHLOROFORMATE FOR SYNTHESIS

Safety Data Sheet

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11
T+; R26
Xn; R22
C; R34

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS05

GHS06

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.
H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.
H330 - Fatal if inhaled.

Precautionary statements (CLP) : P210 - Keep away from heat, open flames, sparks. No smoking.
P260 - Do not breathe vapours, spray, dust, fume, gas.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P284 - Wear respiratory protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER/doctor

EUH-statements : EUH071 - Corrosive to the respiratory tract.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : ETHYL CHLOROFORMATE FOR SYNTHESIS
CAS-No. : 541-41-3
EC-No. : 208-778-5
EC Index-No. : 607-020-00-4

ETHYL CHLOROFORMATE FOR SYNTHESIS

Safety Data Sheet

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor. Wash with plenty of water/...
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: Fatal if inhaled.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
--------------------------------	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
------------------	---

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Collect spillage. On land, sweep or shovel into suitable containers.
-------------------------	--

ETHYL CHLOROFORMATE FOR SYNTHESIS

Safety Data Sheet

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling : Keep away from sources of ignition - No smoking. Use only non-sparking tools. Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Comply with applicable regulations.
Storage conditions : Keep in fireproof place. Keep container tightly closed.
Incompatible materials : Heat sources.
Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves
Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Molecular mass : 108.53 g/mol
Colour : Clear Colorless.
Odour : No data available
Odour threshold : No data available
pH : 7
Relative evaporation rate (butylacetate=1) : No data available
Melting point : -81 °C

ETHYL CHLOROFORMATE FOR SYNTHESIS

Safety Data Sheet

Freezing point	: No data available
Boiling point	: 93 °C
Flash point	: 10 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapour.
Vapour pressure	: 54 hPa at 20 °C
Relative vapour density at 20 °C	: 3.75
Relative density	: No data available
Density	: 1.135 g/cm ³
Solubility	: Water: Insoluble
Log Pow	: 0.3
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.037 - 0.126 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation: Fatal if inhaled.

ETHYL CHLOROFORMATE FOR SYNTHESIS

Safety Data Sheet

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 7
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 7
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Additional information	: Corrosive to the respiratory tract.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

ETHYL CHLOROFORMATE FOR SYNTHESIS (541-41-3)

Log Pow	0.3
---------	-----

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

ETHYL CHLOROFORMATE FOR SYNTHESIS

Safety Data Sheet

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1182
UN-No. (IMDG) : 1182
UN-No. (IATA) : 1182
UN-No. (ADN) : 1182
UN-No. (RID) : 1182

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ETHYL CHLOROFORMATE
Proper Shipping Name (IMDG) : ETHYL CHLOROFORMATE
Proper Shipping Name (IATA) : Ethyl chloroformate
Proper Shipping Name (ADN) : ETHYL CHLOROFORMATE
Proper Shipping Name (RID) : ETHYL CHLOROFORMATE
Transport document description (ADR) : UN 1182 ETHYL CHLOROFORMATE, 6.1 (3+8), I, (C/D)
Transport document description (IMDG) : UN 1182 ETHYL CHLOROFORMATE, 6.1 (3+8), I (16°C c.c.)
Transport document description (IATA) : UN 1182 Ethyl chloroformate, 6.1
Transport document description (ADN) : UN 1182 ETHYL CHLOROFORMATE, 6.1 (3+8), I
Transport document description (RID) : UN 1182 ETHYL CHLOROFORMATE, 6.1 (3+8), I

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 (3, 8)
Danger labels (ADR) : 6.1, 3, 8



IMDG

Transport hazard class(es) (IMDG) : 6.1 (3, 8)
Danger labels (IMDG) : 6.1, 3, 8



IATA

Transport hazard class(es) (IATA) : 6.1 (3, 8)

ADN

Transport hazard class(es) (ADN) : 6.1 (3, 8)
Danger labels (ADN) : 6.1, 3, 8

ETHYL CHLOROFORMATE FOR SYNTHESIS

Safety Data Sheet



RID

Transport hazard class(es) (RID) : 6.1 (3, 8)

Danger labels (RID) : 6.1, 3, 8



14.4. Packing group


Packing group (ADR) : I
Packing group (IMDG) : I
Packing group (IATA) : Not applicable
Packing group (ADN) : I
Packing group (RID) : I

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : TFC
Special provisions (ADR) : 354
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P602
Mixed packing provisions (ADR) : MP8, MP17
Portable tank and bulk container instructions (ADR) : T20
Portable tank and bulk container special provisions (ADR) : TP2
Tank code (ADR) : L10CH
Tank special provisions (ADR) : TU14, TU15, TE19, TE21
Vehicle for tank carriage : FL
Transport category (ADR) : 1
Special provisions for carriage - Loading, unloading and handling (ADR) : CV1, CV13, CV28
Special provisions for carriage - Operation (ADR) : S2, S9, S14
Hazard identification number (Kemler No.) : 663
Orange plates : 
Tunnel restriction code (ADR) : C/D
EAC code : •3WE

ETHYL CHLOROFORMATE FOR SYNTHESIS

Safety Data Sheet

APP code : A(fl)

- Transport by sea

Special provisions (IMDG) : 354
Limited quantities (IMDG) : 0
Excepted quantities (IMDG) : E0
Packing instructions (IMDG) : P602
Tank instructions (IMDG) : T20
Tank special provisions (IMDG) : TP2, TP13, TP37
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-C
Stowage category (IMDG) : D
Stowage and handling (IMDG) : SW2
Flash point (IMDG) : 16°C c.c.
Properties and observations (IMDG) : Colourless liquid. Flashpoint: 16°C c.c. Reacts and decomposes with water or heat, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.
MFAG-No : 155

- Air transport

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : Forbidden
PCA max net quantity (IATA) : Forbidden
CAO packing instructions (IATA) : Forbidden
CAO max net quantity (IATA) : Forbidden
ERG code (IATA) : 6CF

- Inland waterway transport

Classification code (ADN) : TFC
Special provisions (ADN) : 354, 802
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E0
Equipment required (ADN) : PP, EP, EX, TOX, A
Ventilation (ADN) : VE01, VE02
Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : TFC
Special provisions (RID) : 354
Limited quantities (RID) : 0
Excepted quantities (RID) : E0
Packing instructions (RID) : P602
Mixed packing provisions (RID) : MP8, MP17
Portable tank and bulk container instructions (RID) : T20
Portable tank and bulk container special provisions (RID) : TP2
Tank codes for RID tanks (RID) : L10CH
Special provisions for RID tanks (RID) : TU14, TU15, TU38, TE21, TE22
Transport category (RID) : 1
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW28, CW31
Hazard identification number (RID) : 663

ETHYL CHLOROFORMATE FOR SYNTHESIS

Safety Data Sheet

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

ETHYL CHLOROFORMATE FOR SYNTHESIS is not on the REACH Candidate List

ETHYL CHLOROFORMATE FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 1, low hazard to water (Classification according to AwSV; ID No. 7061)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Class for fire hazard : Class I-1

Store unit : 1 liter

Classification remarks : F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

ETHYL CHLOROFORMATE FOR SYNTHESIS

Safety Data Sheet

Full text of R-, H- and EUH-statements:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H330	Fatal if inhaled.
EUH071	Corrosive to the respiratory tract.
R11	Highly flammable
R22	Harmful if swallowed
R26	Very toxic by inhalation
R34	Causes burns
C	Corrosive
F	Highly flammable
T+	Very toxic
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product