



MATERIAL SAFETY DATA SHEET (MSDS)

| SECTION 1: Identifi | cation of the substance/mixture and of the company/undertaking | |
|---|--|--|
| 1.1. Product ide | entifier | |
| Product form | : Mixture | |
| | : | |
| Product code | : 03770 | |
| | | |
| 1.2. Relevant id | entified uses of the substance or mixture and uses advised against | |
| 1.2.1. Relevant id | entified uses | |
| Use of the substance | mixture : Industrial. For professional use only. | |
| | | |
| 1.2.2. Uses advis | ed against | |
| No additional information | ation available | |
| 1.3. Details of t | he supplier of the sofety data sheet | |
| T.S. Details of t | he supplier of the safety data sheet | |
| SPAN LAB | | |
| UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E) 401208 Mumbai - INDIA | | |
| PH: +91 9820509929 | | |
| info@spanlab.in wv | | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226 Category 3 Skin corrosion/irritation, H315 Category 2

Full text of classification categories and H statements : see section 16

Adverse physicochemical, human health and environmental effects No additional information available

Safety Data Sheet

| 2.2. | Label elements | |
|--------|----------------------------|---|
| Labell | ing according to Regulatio | n (EC) No. 1272/2008 [CLP] |
| Hazaro | d pictograms (CLP) | |
| | | GHS02 GHS07 |
| Signal | word (CLP) | : Warning |
| Hazaro | d statements (CLP) | : H226 - Flammable liquid and vapour H315 - Causes skin irritation |

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---------|--|
| Xylene | (CAS No) 1330-20-7 (EC no) 215-535-7 (EC index no) 601-022-00-9 | 50 - 75 | Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 STOT SE 3, H335 |
| Dibutyl phthalate substance listed as REACH Candidate (Dibutyl phthalate (DBP)) substance listed in REACH Annex XIV (Dibutyl phthalate (DBP)) | (CAS No) 84-74-2 (EC no) 201-557-4 (EC index no) 607-318-00-4 | 1 - 5 | Repr. 1B, H360D Repr. 2, H361f Aquatic Acute 1, H400 |

Full text of H-phrases: see section 16

| SECTION 4: First aid measures | | | | |
|--|------------|------------|------|--|
| 4.1. Description of first aid measure | | | | |
| 4.1. Description of first ald measure | 5 | | | |
| First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. | | | | |
| First-aid measures after skin contact : Gently wash with plenty of soap and water. Wash contaminated clothing before reuse. Get medical advice/attention. | | | | |
| www.spanlab.in | Version: 1 | 06/06/2016 | 2/10 | |

Safety Data Sheet

| ballety Data Officer | |
|---|--|
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing. Get medical advice/attention. |
| First-aid measures after ingestion | : Rinse mouth out with water. Do not induce vomiting. |
| 4.2. Most important symptoms an | d effects, both acute and delayed |
| Symptoms/injuries after skin contact | : Causes skin irritation. |
| 4.3. Indication of any immediate n | nedical attention and special treatment needed |
| No additional information available | |
| SECTION 5: Firefighting measures | |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Water spray. Foam. Dry powder. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |
| 5.2. Special hazards arising from | the substance or mixture |
| Fire hazard | : Flammable liquid and vapour. |
| Explosion hazard | : May form flammable/explosive vapour-air mixture. |
| | |
| 5.3. Advice for firefighters | |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |
| SECTION 6: Accidental release measu | ires |
| 6.1. Personal precautions, protect | tive equipment and emergency procedures |
| General measures | : Remove ignition sources. No naked lights. No smoking. Use special care to avoid static electric charges. |
| 6.1.1. For non-emergency personne | el de la constante de la const |
| Emergency procedures | : Evacuate unnecessary personnel. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Use personal protective equipment as required. |
| Emergency procedures | : Ventilate area. |
| 6.2. Environmental precautions | |
| Avoid release to the environment. | |
| 6.3. Methods and material for con | tainment and cleaning up |
| Methods for cleaning up | : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. |
| 6.4. Reference to other sections | |
| No additional information available | |
| SECTION 7: Handling and storage | |
| 7.1. Precautions for safe handling | |
| Additional hazards when processed | : Handle empty containers with care because residual vapours are flammable. |
| Precautions for safe handling | : Avoid contact with skin and eyes. Avoid breathing vapours, gas, mist, fume. Use only outdoors or in a well-ventilated area. |
| Hygiene measures | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. |
| | ncluding any incompatibilities |
| 7.2. Conditions for safe storage, in | |
| 7.2. Conditions for safe storage, in Storage conditions | : Keep container tightly closed. |

Safety Data Sheet

| 7.3. | Specific end use(s) |
|-------|--|
| No ad | ditional information available |
| SECT | ION 8: Exposure controls/personal protection |
| 8.1. | Control parameters |

No additional information available

| 8.2. Exposure controls | |
|--|--------------------------------------|
| Hand protection | : Protective gloves |
| Eye protection | : Chemical goggles or safety glasses |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : Wear respiratory protection |
| SECTION 9: Physical and chemical prop | erties |
| 9.1. Information on basic physical a | |
| Physical state | : Liquid |
| Colour | : Yellow liquid. |
| Odour | : irritating odour. |
| Odour threshold | : No data available |
| рН | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : 44.4 °C |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : Water: Insoluble in water |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| | |

| Safety Data Sheet | |
|--|--------------------------------------|
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |
| 9.2. Other information | |
| No additional information available | |
| SECTION 10: Stability and reactivity | |
| 10.1. Reactivity | |
| No additional information available | |
| 10.2. Chemical stability | |
| May form flammable/explosive vapour-air | r mixture. |
| 10.3. Possibility of hazardous react | ions |
| No additional information available | |
| 10.4. Conditions to avoid | |
| Open flame. Heat. Sparks. Overheating. | |
| | |
| 10.5.Incompatible materialsNo additional information available | |
| | |
| 10.6. Hazardous decomposition pro | oducts |
| No additional information available | |
| SECTION 11: Toxicological information | n |
| 11.1. Information on toxicological e | |
| Acute toxicity | : Not classified |
| - | |
| | |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Not classified : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | . Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single | : Not classified |
| exposure) | |
| Specific target organ toxicity (repeated | : Not classified |
| exposure) | |
| Aspiration hazard | : Not classified |
| • • • • • • • | |
| | |
| | |
| Potential adverse human health effects and symptoms | : Harmful in contact with skin. |

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

| Component | |
|-----------------------------|---|
| Dibutyl phthalate (84-74-2) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

| 12.6. Other adverse effects | |
|---|------------------------------------|
| No additional information available | |
| SECTION 13: Disposal considerations | |
| | |
| 13.1. Waste treatment methods | |
| Product/Packaging disposal recommendations | : Dispose of contents/container to |
| SECTION 14: Transport information | |

In accordance with ADR / RID / IMDG / IATA / ADN

| 14.1. UN number | | |
|---------------------------------------|---|--|
| UN-No. (ADR) | : 1993 | |
| UN-No. (IMDG) | : 1993 | |
| UN-No.(IATA) | : 1993 | |
| UN-No.(ADN) | : Not regulated | |
| UN-No. (RID) | : Not regulated | |
| | | |
| 14.2. UN proper shipping name | | |
| Proper Shipping Name (ADR) | : FLAMMABLE LIQUID, N.O.S. | |
| Proper Shipping Name (IMDG) | : FLAMMABLE LIQUID, N.O.S. | |
| Proper Shipping Name (IATA) | : FLAMMABLE LIQUID, N.O.S. | |
| Proper Shipping Name (ADN) | : Not regulated | |
| Proper Shipping Name (RID) | : Not regulated | |
| Transport document description (ADR) | : UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, (D/E) | |
| Transport document description (IMDG) | : UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III | |
| Transport document description (IATA) | : UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III | |
| | | |

Safety Data Sheet

| 14.3. Transport hazard class(es) | | | |
|---------------------------------------|--------------------------------|------------|------|
| ADR | | | |
| Transport hazard class(es) (ADR) | : 3 | | |
| Danger labels (ADR) | : 3 | | |
| | | | |
| | | | |
| | | | |
| | 3 | | |
| | × | | |
| IMDG | | | |
| Transport hazard class(es) (IMDG) | : 3 | | |
| Danger labels (IMDG) | : 3 | | |
| | | | |
| | : | | |
| | × | | |
| | <u>^</u> | | |
| | | | |
| | | | |
| ΙΑΤΑ | | | |
| Transport hazard class(es) (IATA) | : 3 | | |
| Hazard labels (IATA) | : 3 | | |
| | | | |
| | · | | |
| | × | | |
| | | | |
| | | | |
| ADN | | | |
| Transport hazard class(es) (ADN) | : Not regulated | | |
| | | | |
| RID | | | |
| Transport hazard class(es) (RID) | : Not regulated | | |
| 44.4 Deckies many | | | |
| 14.4.Packing groupPacking group (ADR) | : 111 | | |
| Packing group (IMDG) | : III | | |
| Packing group (IATA) | : 111 | | |
| Packing group (ADN) | : Not regulated | | |
| Packing group (RID) | : Not regulated | | |
| · · · · · · · · · · · · · · · · · · · | | | |
| 14.5. Environmental hazards | | | |
| Dangerous for the environment | : No | | |
| Marine pollutant | : No | | |
| Other information | : No supplementary information | available | |
| | | | |
| 14.6. Special precautions for user | | | |
| - Overland transport | | | |
| Classification code (ADR) | : F1 | | |
| Special provision (ADR) | : 274, 601, 640E | | |
| Limited quantities (ADR) | : 5L | | |
| | | | |
| www.spanlab.in | Version: 1 | 06/06/2016 | 7/10 |

Safety Data Sheet

| ···· , ···· | |
|--|---------------------------|
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T4 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP29 |
| Tank code (ADR) | : LGBF |
| Vehicle for tank carriage | : FL |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Packages (ADR) | : V12 |
| Special provisions for carriage - Operation (ADR) | : S2 |
| Hazard identification number (Kemler No.) | : 30 |
| Orange plates | 20 |
| | 30 |
| | 1993 |
| Tunnel restriction code (ADR) | : D/E |
| EAC code | : •3YE |
| | |
| - Transport by sea | |
| Special provision (IMDG) | : 223, 274, 955 |
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : P001, LP01 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T4 |
| Tank special provisions (IMDG) | : TP1, TP29 |
| EmS-No. (Fire) | : F-E |
| EmS-No. (Spillage) | : S-E |
| Stowage category (IMDG) | : A |
| MFAG-No | : 127;128 |
| - Air transport | |
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y344 |
| PCA limited quantity max net quantity | : 10L |
| (IATA) | . 10L |
| PCA packing instructions (IATA) | : 355 |
| PCA max net quantity (IATA) | : 60L |
| CAO packing instructions (IATA) | : 366 |
| CAO max net quantity (IATA) | : 220L |
| Special provision (IATA) | : A3 |
| ERG code (IATA) | : 3L |
| - Inland waterway transport | |
| - Inland waterway transport | |
| Not regulated | |
| | |

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Safety Data Sheet

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains substance on the candidate list in concentration \geq 0.1% or with a lower specific limit: Dibutyl phthalate (DBP) (EC 201-557-4, CAS 84-74-2)

Contains REACH Annex XIV substances:

| Substance name | Authorisation number | Sunset date | REACH authorization exemptions |
|---|----------------------|-------------|-----------------------------------|
| Dibutyl phthalate (DBP) (EC 201-557-4, CAS 84-74-2) | | 21/01/2015 | |

15.1.2. National regulations

| Germany | |
|---|--|
| AwSV/VwVwS Annex reference | : Water hazard class (WGK) 3, strongly hazardous to water (Classification according to AwSV, Annex 1) |
| 12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV | : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance) |
| | |
| Denmark | |
| Class for fire hazard | : Class II-1 |
| Store unit | : 5 liter |
| Classification remarks | R10 <h226;h315>; Emergency management guidelines for the storage of flammable liquids must be followed</h226;h315> |
| Recommendations Danish Regulation | : Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct |

contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-phrases:

| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 | |
|---------------------------|---|--|
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 | |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 | |
| | | |

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

Safety Data Sheet

| Flam. Liq. 3 | Flammable liquids, Category 3 |
|---------------|--|
| Repr. 1B | Reproductive toxicity, Category 1B |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H226 | Flammable liquid and vapour |
| H312 | Harmful in contact with skin |
| H315 | Causes skin irritation |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |
| H360D | May damage the unborn child |
| H361f | Suspected of damaging fertility |
| H400 | Very toxic to aquatic life |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product