

## CAS No: MSDS

## MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1.	Product identifier	
Produc	t form	: Mixture
		:
Produc	t code	: 04021
1.2.	Relevant identified uses of the	substance or mixture and uses advised against
1.2.1.	Relevant identified uses	
Use of	the substance/mixture	: Industrial. For professional use only
1.2.2.	Uses advised against	
No add	litional information available	
1.3.	Details of the supplier of the sa	afety data sheet
SPAN LAB UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929		

## **SECTION 2: Hazards identification**

info@spanlab.in www.spanlab.in

2.1.	<b>Classification</b>	of	the	substance	or	mixture	

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids,	H226
Category 3	
Acute toxicity (oral),	H302
Category 4	
Specific target organ	H370
toxicity — single	
exposure, Category 1	

Full text of classification categories and H statements : see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

## 2.2. Label elements

Labelling according to Regulation (EC) I	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07 GHS08
Signal word (CLP)	: Danger
Hazard statements (CLP)	<ul> <li>H226 - Flammable liquid and vapour</li> <li>H302 - Harmful if swallowed</li> <li>H370 - Causes damage to organs</li> </ul>
Precautionary statements (CLP)	: P260 - Do not breathe dust/fume/gas/mist/vapours/spray P307+P311 - IF exposed: Call a POISON CENTER or doctor/physician

#### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2,3-Propanetriol(glycerin)	(CAS No) 56-81-5 (EC no) 200-289-5	25 - 35	Not classified
Ethanol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5	5 - 10	Flam. Liq. 3, H226 Skin Corr. 1A, H314
ALUMINIUM AMMONIUM SULPHATE (DODECAHYDRATE) EXTRA	(CAS No) 7784-26-1	1 - 5	Eye Irrit. 2, H319 Skin Irrit. 2, H315 STOT SE 3, H335
HEMATOXYLIN STAIN `Certified` C.I.No.75290	(CAS No) 517-28-2	0.01 - 1	Eye Irrit. 2, H319 Skin Irrit. 2, H315 STOT SE 3, H335
MERCURIC OXIDE RED EXTRA PURE 99%	(CAS No) 21908-53-2	0.01 - 1	Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Acute Tox. 1 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

### Full text of H-phrases: see section 16

## **SECTION 4: First aid measures**

4.1. Description of first aid measure	S
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	Get medical advice/attention. : Get medical advice/attention. Wash with plenty of soap and water. Wash
	contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/injuries	: Causes damage to organs through prolonged or repeated exposure.
Symptoms/injuries after ingestion	: Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.
4.3. Indication of any immediate me	dical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	Nichan anna Eirem Drug andar Ordern d'acéda
Suitable extinguishing media	: Water spray. Foam. Dry powder. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from th	e substance or mixture
Fire hazard	: Extremely flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measure	95
6.1. Personal precautions, protectiv	e equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No naked
	lights. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.
5 71	
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for conta	inment and cleaning up
Methods for cleaning up	: Collect spillage. On land, sweep or shovel into suitable containers.
	· · · · · · · · · · · · · · · · · · ·
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
www.spanlab.in	Version: 1 23/06/2016 3/10

Safety Data Sheet

Precautions for safe handling	: No naked lights. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.	
7.2. Conditions for safe storage, in	ncluding any incompatibilities	
Technical measures	: Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment. Comply with applicable regulations.	
Storage conditions	: Keep in fireproof place. Keep container tightly closed.	
Incompatible materials	: Heat sources.	
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls/persor	nal protection	
8.1. Control parameters		

No additional information available

8.2. Exposure controls		
Hand protection	: Protective gloves	
Eye protection	: Chemical goggles or face shield	
Skin and body protection	: Wear suitable protective clothing	
Respiratory protection	: Wear respiratory protection	
SECTION 9: Physical and chemical prop	perties	
9.1. Information on basic physical a	nd chemical properties	
Physical state	: Liquid	
Colour	: Dark red.	
Odour	: odourless.	
Odour threshold	: No data available	
рH	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 42 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Extremely flammable liquid and vapour	
www.enepleh.in	Varaian: 1	22/06/2016

## Safety Data Sheet

Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density Solubility	: 1.038 g/cm³ at 20°C : No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

#### 10.2. Chemical stability

Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

No additional information available

## 10.4. Conditions to avoid

Sparks. Heat. Direct sunlight. Overheating. Open flame.

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information				
11.1. Information on toxicologic	al effects			
Acute toxicity	: Oral: Harmful if swallowed.			
ATE CLP (oral)	500 mg/kg bodyweight			
Skin corrosion/irritation	: Not classified			
Serious eye damage/irritation	: Not classified			
Respiratory or skin sensitisation	: Not classified			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Not classified			
www.spaplah.in	Version: 1	23/06/2016	5/10	

Safety Data Sheet

Specific target organ toxicity (single exposure)	: Causes damage to organs.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Harmful in contact with skin. Toxic if swallowed.

12.1. Toxicity	
Ecology - water	: Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability	
HAEMATOXYLIN (DELAFIELD'S) FOR MI	CROSCOPICAL STAINING
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assess	nent
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
	Dispose of contents/container to
recommendations	
Additional information	Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	Hazardous waste due to toxicity.
	·
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA	/ ADN

UN-No.	(IMDG)	: 1993	
UN-No.	(ADR)	: 1993	
14.1.	UN number		

Safety Data Sheet

UN-No.(IATA)	: 1993
UN-No.(ADN)	: Not regulated
UN-No. (RID)	: Not regulated

14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (ADN)	: Not regulated
Proper Shipping Name (RID)	: Not regulated
Transport document description (ADR)	: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, (D/E)
Transport document description (IMDG)	: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III
Transport document description (IATA)	: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III

# 14.3. Transport hazard class(es)

ADK
Transport hazard class(es) (ADR)
Danger labels (ADR)



: 3 : 3

: 3 : 3

: 3 : 3

## IMDG

Transport hazard class(es) (IMDG)	
Danger labels (IMDG)	



### IATA

Transport hazard class(es) (IATA)	
Hazard labels (IATA)	



### ADN

Transport hazard class(es) (ADN)	: Not regulated
RID	
Transport hazard class(es) (RID)	: Not regulated
14.4. Packing group	
Packing group (ADR)	: 111
Packing group (IMDG)	: 111
Packing group (IATA)	: 111

## Packing group (ADN)

: Not regulated

Safety Data Sheet

Packing group (RID)	: Not regulated
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

## 14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: F1
Special provision (ADR)	: 274, 601, 640E
Limited quantities (ADR)	: 5L
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	
	30
	1993
Tunnel restriction code (ADR)	: D/E
EAC code	: •3YE
- Transport by sea	000 074 055
Special provision (IMDG)	: 223, 274, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: A
MFAG-No	: 127;128
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
www.spanlab.in	Version: 1

Safety Data Sheet

CAO max net quantity (IATA)	: 220L
Special provision (IATA)	: A3
ERG code (IATA)	: 3L

#### - Inland waterway transport

Not regulated

### - Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

### 15.1.2. National regulations

<b>Germany</b> AwSV/VwVwS Annex reference 12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	<ul> <li>Water hazard class (WGK) 3, strongly hazardous to water (Classification according to AwSV, Annex 1)</li> <li>Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)</li> </ul>
Denmark	
Class for fire hazard	: Class II-1
Store unit	: 5 liter
Classification remarks	<ul> <li>R10 <h226;h302;h370>; Emergency management guidelines for the storage of flammable liquids must be followed</h226;h302;h370></li> </ul>
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with the product

No additional information available

### **SECTION 16: Other information**

## HAEMATOXYLIN (DELAFIELD'S) FOR MICROSCOPICAL STAINING Safety Data Sheet

#### Full text of H- and EUH-phrases:

Acute toxicity (dermal), Category 1	
Acute toxicity (oral), Category 1	
Acute toxicity (inhal.), Category 2	
Acute toxicity (oral), Category 4	
Hazardous to the aquatic environment — Acute Hazard, Category 1	
Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Serious eye damage/eye irritation, Category 2	
Flammable liquids, Category 3	
Skin corrosion/irritation, Category 1A	
Skin corrosion/irritation, Category 2	
Specific target organ toxicity — single exposure, Category 1	
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
Flammable liquid and vapour	
Fatal if swallowed	
Harmful if swallowed	
Fatal in contact with skin	
Causes severe skin burns and eye damage	
Causes skin irritation	
Causes serious eye irritation	
Fatal if inhaled	
May cause respiratory irritation	
Causes damage to organs	
Very toxic to aquatic life	
Very toxic to aquatic life with long lasting effects	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product