HEPTANE EXTRA PURE MSDS

CAS No: 142-82-5 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form	: Substance
	:
EC no	: 205-563-8
CAS No	: 142-82-5
Product code	: 00157
Chemical structure	CH ₃ (CH ₂) ₅ CH ₃

1.2. Relevant identified uses of the substance or mixture and uses advised aga	ainst	advised a	and uses a	or mixture a	substance	of the	uses	identified	Relevant	1.2.
--	-------	-----------	------------	--------------	-----------	--------	------	------------	----------	------

1.2.1. Relevant identified uses

Use of the substance/mixture

: Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929 info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquids, H225 Category 2 Skin corrosion/irritation, H315 Category 2 Specific target organ H336 toxicity - Single exposure, Category 3, Narcosis Aspiration hazard, H304 Category 1 Hazardous to the aquatic H410 environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11 Xn; R65 Xi; R38 N; R50/53 R67 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements	
Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07 GHS08 GHS09
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H225 - Highly flammable liquid and vapour H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H336 - May cause drowsiness or dizziness H410 - Very toxic to aquatic life with long lasting effects
Precautionary statements (CLP)	 P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P261 - Avoid breathing dust/fume/gas/mist/vapours/spray P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician P331 - Do NOT induce vomiting P501 - Dispose of contents/container to

2.3. Other hazards

No additional information available

3.1. Substance	
Name	: HEPTANE Extra Pure
CAS No	: 142-82-5
EC no	: 205-563-8

Safety Data Sheet

3.2. Mixture

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take o ffimmediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see on this label).
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.
4.3. Indication of any immediate med	ical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
SECTION 6: Accidental release measures	
6.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Avoid breathing dust/fume/gas/mist/vapours/spray.
Emergency procedures	: Stop release.
6.2. Environmental precautions	
Very toxic to aquatic life with long lasting effe	acte
very toxic to aquatic the with long lasting en	

6.3.	Methods and material for contai	nment and cleaning up	
Methods	s for cleaning up	: Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.	

Safety Data Sheet

6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.		
Precautions for safe handling	: No naked lights. No smoking. Use only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.		
Hygiene measures	: Wash thoroughly after handling.		
7.2. Conditions for safe storage, incl	uding any incompatibilities		
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment. 		
Storage conditions	: Keep in fireproof place. Keep container tightly closed.		
Incompatible materials	: Heat sources.		
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/personal	protection		
8.1. Control parameters			
No additional information available			

8.2. Exposure controls	
Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection
SECTION 9: Physical and chemical prop	erties
9.1. Information on basic physical a	nd chemical properties
Physical state	: Liquid
Molecular mass	: 100.21 g/mol
Colour	: Clear Colorless.
Odour	: mild odor - gasoline-like.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: 2.8
Melting point	: -91 °C
Freezing point	: No data available
Boiling point	: 98 °C

Safety Data Sheet		
Flash point	: -4 °C	
Auto-ignition temperature	: 223 °C	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Flammable Highly flammable liquid and vapour	
Vapour pressure	: 53.3 hPa at 20,0 °C	
Relative vapour density at 20 °C	: 3.5	
Relative density	: No data available	
Density Solubility	: 0.68 g/cm³ : Water: Insoluble in water	
Log Pow	: > 3	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: 0.011 - 0.07 vol %	
No additional information available SECTION 10: Stability and reactivity		
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
	ay form flammable/explosive vapour-air mixture.	
10.3. Possibility of hazardous rea	actions	
No additional information available		
10.4. Conditions to avoid		
Open flame. Direct sunlight.		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition p	products	
May release flammable gases.		
SECTION 11: Toxicological informat	ion	
11.1. Information on toxicologica	I effects	
Acute toxicity	: Not classified	

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified

Safety Data Sheet

Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single	: May cause drowsiness or dizziness.
exposure)	
Specific target organ toxicity (repeated	: Not classified
exposure)	
Aspiration hazard	: May be fatal if swallowed and enters airways.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - water	: Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability	
HEPTANE Extra Pure (142-82-5)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3.	Bioaccumulative potential	
HEPTANE Extra Pure (142-82-5)		
Log F	Pow	> 3

12.4. Mobility in soil					
12.4. mobility in soli	124	Mobility in soil			
	12	mobility in 30h			

12.5. Results of PBT and vPvB assessment

No additional information available

12.6.	Other adverse effects	
No add	itional information available	
SECTIO	ON 13: Disposal considerations	
13.1.	Waste treatment methods	
	/Packaging disposal	: Dispose of contents/container to

recommendations	
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Hazardous waste due to toxicity.

Safety Data Sheet

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: 1206
UN-No. (IMDG)	: 1206
UN-No.(IATA)	: 1206
UN-No.(ADN)	: 1206
UN-No. (RID)	: 1206
	. 1200
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: HEPTANES
Proper Shipping Name (IMDG)	: HEPTANES
Proper Shipping Name (IATA)	: HEPTANES
Proper Shipping Name (ADN)	: HEPTANES
Proper Shipping Name (RID)	: HEPTANES
Transport document description (ADR)	: UN 1206 HEPTANES, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1206 HEPTANES, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1206 HEPTANES, 3, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1206 HEPTANES, 3, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1206 HEPTANES, 3, II, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 3
Danger labels (ADR)	: 3



Transport hazard class(es) (IMDG)	
Danger labels (IMDG)	



: 3 : 3

: 3 : 3

IATA

Transport hazard class(es) (IATA)	
Hazard labels (IATA)	



ADN

Safety Data Sheet

Transport hazard class(es) (ADN)	: 3
Danger labels (ADN)	: 3
RID	
Transport hazard class(es) (RID)	: 3
Danger labels (RID)	: 3
14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
Packing group (ADN)	: 11
Packing group (RID)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available
14.6. Special precautions for use	r

- Overland transport		
Classification code (ADR)	:	F1
Limited quantities (ADR)	:	1L
Excepted quantities (ADR)	:	E2
Packing instructions (ADR)	:	P001, IBC02, R001
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	Τ4
Portable tank and bulk container special provisions (ADR)	:	TP1
Tank code (ADR)	:	LGBF
Vehicle for tank carriage	:	FL
Transport category (ADR)	:	2
Special provisions for carriage - Operation (ADR)	:	S2, S20
Hazard identification number (Kemler No.)	:	33
Orange plates	:	33
		1206
Tunnel restriction code (ADR)	:	D/E
EAC code	:	3YE

Safety Data Sheet

 Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) MFAG-No 	: 1 L : E2 : P001 : IBC02 : T4 : TP1 : F-E : S-D : B : 128
- Air transport PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA)	: E2 : Y341 : 1L
PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA)	: 353 : 5L : 364 : 60L : 3H
 Inland waterway transport Classification code (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Ventilation (ADN) Number of blue cones/lights (ADN) 	: F1 : 1 L : E2 : T : PP, EX, A : VE01 : 1
- Rail transport Classification code (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID)	: F1 : 1L : E2 : P001, IBC02, R001 : MP19 : T4
Portable tank and bulk container special provisions (RID) Tank codes for RID tanks (RID) Transport category (RID) Colis express (express parcels) (RID) Hazard identification number (RID)	: TP1 : LGBF : 2 : CE7 : 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Safety Data Sheet

HEPTANE Extra Pure is not on the REACH Candidate List HEPTANE Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference	: Water hazard class (WGK) 2, hazardous to water (KBwS-Beschluss; WGK No 120)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product

15.2.	Chemical	safety	assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H336	May cause drowsiness or dizziness	
H410	Very toxic to aquatic life with long lasting effects	
R11	Highly flammable	
R38	Irritating to skin	
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment	
R65	Harmful: may cause lung damage if swallowed	
R67	Vapours may cause drowsiness and dizziness	
F	Highly flammable	
Ν	Dangerous for the environment	
Xi	Irritant	
Xn	Harmful	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product