

CAS No: 78-84-2 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifier** 1.1. Product form : Substance • EC no : 201-149-6 CAS No : 78-84-2 Product code : 04213 Chemical structure H₃C Synonyms : 2-Methylpropionaldehyde 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. **Relevant identified uses** Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929 info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225 Category 2 Serious eye damage/eye H319 irritation, Category 2 Skin corrosion/irritation, H315 Category 2

Full text of classification categories and H statements : see section 16

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11 Xi; R36/38 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements	
Labelling according to Regulation (EC	J) NO. 1272/2008 [CLP]
Hazard pictograms (CLP)	GHS02 GHS07
Signal word (CLP)	: Danger
0 ()	5
Hazard statements (CLP)	: H225 - Highly flammable liquid and vapour H315 - Causes skin irritation H319 - Causes serious eye irritation
Precautionary statements (CLP)	: P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards

No additional information available

SECTION 3: Composition/in	iformation on ingredients
3.1. Substance	
Name	: ISO BUTYRALDEHYDE FOR SYNTHESIS
CAS No	: 78-84-2
EC no	: 201-149-6

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures	j
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: If eye irritation persists: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth out with water. If you feel unwell, seek medical advice.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
4.3. Indication of any immediate med	lical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
SECTION 6: Accidental release measures	
SECTION 6: Accidental release measures	
	equipment and emergency procedures
6.1. Personal precautions, protective	equipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No naked
6.1. Personal precautions, protective General measures	equipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No naked
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Stop release.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Stop release.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Stop release.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Stop release.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Stop release.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Stop release.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Stop release.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Stop release. Imment and cleaning up Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Handle empty containers with care because residual vapours are flammable.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Stop release.

Safety Data Sheet

Technical n	neasures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment.
		electrical ventilating/ighting/ equipment.
Storage co	nditions	: Keep in fireproof place. Keep container tightly closed.
Incompatib	le materials	: Heat sources.
7.3. Sp	pecific end use(s)	
No additior	al information available	
SECTION	3: Exposure controls/perso	nal protection
8.1. Co	ontrol parameters	
No additior	al information available	

8.2. Exposure controls	
Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask
SECTION 9: Physical and chemical prop	perties
9.1. Information on basic physical a	nd chemical properties
Physical state	: Liquid
Colour	: Clear Colorless.
Odour	: stench pungent odour.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -65 °C
Freezing point	: No data available
Boiling point	: 63 °C
Flash point	: -19 °C
Auto-ignition temperature	: 1900 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable Highly flammable liquid and vapour
Vapour pressure	: No data available
Relative vapour density at 20 °C	: 2.5

Safety Data Sheet

Relative density	: No data available
Density Solubility	: 0.79 g/cm³ : Water: 75 g/l @ 20°C
Log Pow	: 0.77
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.016 - 0.11 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information	on and a second s
11.1. Information on toxicological	effects
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified

Safety Data Sheet

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

12.1.	Toxicity	
No add	ditional information available	

SECTION 12: Ecological information

Persistence and degradability 12.2.

No additional information available

12.3. Bioaccumulative potential	
ISO BUTYRALDEHYDE FOR SYNTHESIS	5 (78-84-2)
Log Pow	0.77

12.4. **Mobility in soil**

No additional information available

Results of PBT and vPvB assessment 12.5.

No additional information available

12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to
Additional information	: Handle empty containers with care because residual vapours are flammable.
SECTION 14: Transport information	

In accordance with ADR / RID / IMDG / IATA / ADN

4.1. UN number	
N-No. (ADR)	: 2045
IN-No. (IMDG)	: 2045
UN-No.(IATA)	: 2045
UN-No.(ADN)	: 2045
UN-No. (RID)	: 2045
4.2. UN proper shipping name	
Proper Shipping Name (ADP)	

Proper Shipping Name (ADR)

: ISOBUTYRALDEHYDE (ISOBUTYL ALDEHYDE)

Safety Data Sheet

14.3.

Proper Shipping Name (IMDG)	: ISOBUTYL ALDEHYDE (ISOBUTYRALDEHYDE)
Proper Shipping Name (IATA)	: ISOBUTYL ALDEHYDE
Proper Shipping Name (ADN)	: ISOBUTYRALDEHYDE (ISOBUTYL ALDEHYDE)
Proper Shipping Name (RID)	: ISOBUTYRALDEHYDE (ISOBUTYL ALDEHYDE)
Transport document description (ADR)	: UN 2045 ISOBUTYRALDEHYDE (ISOBUTYL ALDEHYDE), 3, II, (D/E)
Transport document description (IMDG)	: UN 2045 ISOBUTYL ALDEHYDE (ISOBUTYRALDEHYDE), 3, II (-24°C c.c.)
Transport document description (IATA)	: UN 2045 ISOBUTYL ALDEHYDE, 3, II
Transport document description (ADN)	: UN 2045 ISOBUTYRALDEHYDE (ISOBUTYL ALDEHYDE), 3, II
Transport document description (RID)	: UN 2045 ISOBUTYRALDEHYDE (ISOBUTYL ALDEHYDE), 3, II

ADR Transport hazard class(es) (ADR) Danger labels (ADR)	: 3 : 3
IMDG Transport hazard class(es) (IMDG)	: 3
Danger labels (IMDG)	: 3
IATA Transport hazard class(es) (IATA)	: 3
Hazard labels (IATA)	: 3
ADN Transport hazard class(es) (ADN)	: 3
Danger labels (ADN)	: 3

Transport hazard class(es)

RID

Transport hazard class(es) (RID)	
Danger labels (RID)	

: 3 : 3

Safety Data Sheet



14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
Packing group (ADN)	: 11
Packing group (RID)	: 11
14.5. Environmental hazards	

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

Classification code (ADR):F1Limited quantities (ADR):1LExcepted quantities (ADR):E2Packing instructions (ADR):P001, IBC02, R001Mixed packing provisions (ADR):MP19Portable tank and bulk container:T4instructions (ADR):TP1Portable tank and bulk container special:TP1provisions (ADR):LGBFVehicle for tank carriage:FLTransport category (ADR):2Special provisions for carriage - Operation:S2, S20(ADR)::33Orange plates:33Zotage:33Zotage::Limited quantities (IMDG)::Packing instructions (IMDG)::IBC packing instructions (IMDG)::IBC packing instructions (IMDG)::Tank special provisions (IMDG)::Tank instructions (IMDG)::Hax special provisions (IMDG)::Stowage category (IMDG)::F-E::FmS-No. (Spillage):S-DStowage and handling (IMDG)::Stowage and handling (IMDG)::Stowage and handling (IMDG)::Hax and intermone::MFAG-No::Stowage and handling (IMDG):Stowage and handling (IMDG): <th>- Overland transport</th> <th></th>	- Overland transport	
Excepted quantities (ADR) : E2 Packing instructions (ADR) : P001, IBC02, R001 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container ispecial provisions (ADR) : T4 instructions (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : LGBF Vehicle for tank carriage - Operation is S2, S20 (ADR) : S2, S20 (ADR) Hazard identification number (Kemler No.) : 33 Orange plates : J2 Tunnel restriction code (ADR) : D/E EAC code : •2YE - Transport by sea Limited quantities (IMDG) : 1 L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : E2 Packing instructions (IMDG) : T4 Tank special provisions (IMDG) : T4 Tank special provisions (IMDG) : T91 EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-D Stowage category (IMDG) : SW2 Flash point (IMDG) : -24°C c.c.	Classification code (ADR)	: F1
Packing instructions (ADR):P001, IBC02, R001Mixed packing provisions (ADR):MP19Portable tank and bulk container:T4instructions (ADR):TP1Portable tank and bulk container special provisions (ADR):ID1Tank code (ADR):LGBFVehicle for tank carriage:FLTransport category (ADR):2Special provisions for carriage - Operation (ADR):33Hazard identification number (Kemler No.):33Orange plates:JD/EEAC code:•2YE- Transport by sea:.Limited quantities (IMDG):1 LExcepted quantities (IMDG):E2Packing instructions (IMDG):E2Packing instructions (IMDG):TP1EmS-No. (Fire):F-EEmS-No. (Spillage):S-DStowage category (IMDG):SW2Flash point (IMDG):SW2	Limited quantities (ADR)	: 1L
Mixed packing provisions (ADR): MP19Portable tank and bulk container: T4instructions (ADR): TP1Portable tank and bulk container special provisions (ADR): ICBFTank code (ADR): LGBFVehicle for tank carriage: FLTransport category (ADR): 2Special provisions for carriage - Operation (ADR): S2, S20Hazard identification number (Kemler No.): 33Orange plates: JJETunnel restriction code (ADR): D/EEAC code: •2YE- Transport by sea:Limited quantities (IMDG): 1 LExcepted quantities (IMDG): E2Packing instructions (IMDG): BC02Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): SW2Flash point (IMDG): SW2Flash point (IMDG): -24°C c.c.	Excepted quantities (ADR)	: E2
Portable tank and bulk container instructions (ADR)T4Portable tank and bulk container special provisions (ADR)T1Tank code (ADR)LGBFVehicle for tank carriageFLTransport category (ADR)2Special provisions for carriage - Operation (ADR)S2, S20Hazard identification number (Kemler No.)33Orange plates33Zonage plates33Tunnel restriction code (ADR)D/EEAC code• 2YE- Transport by sea1Limited quantities (IMDG)1 LExcepted quantities (IMDG)E2Packing instructions (IMDG)1 BC02Tank instructions (IMDG)T4Tank special provisions (IMDG)T4Tank special provisions (IMDG)5 D/EEmS-No. (Fire)F-EEmS-No. (Spillage)S-DStowage category (IMDG)EStowage and handling (IMDG)SW2Flash point (IMDG)5 SW2	Packing instructions (ADR)	: P001, IBC02, R001
instructions (ADR)Portable tank and bulk container special provisions (ADR): TP1Tank code (ADR): LGBFVehicle for tank carriage: FLTransport category (ADR): 2Special provisions for carriage - Operation (ADR): S2, S20Hazard identification number (Kemler No.): 33Orange plates: 33Zonage plates: JJTunnel restriction code (ADR): D/EEAC code: •2YE- Transport by sea:Limited quantities (IMDG): 1 LExcepted quantities (IMDG): BC02Tank instructions (IMDG): T4Tank special provisions (IMDG): T4Tank special provisions (IMDG): S-DStowage category (IMDG): S-DStowage and handling (IMDG): SW2Flash point (IMDG): SW2Flash point (IMDG): 24°C c.c.	Mixed packing provisions (ADR)	: MP19
provisions (ADR):LGBFTank code (ADR):LGBFVehicle for tank carriage:FLTransport category (ADR):2Special provisions for carriage - Operation (ADR):S2, S20Hazard identification number (Kemler No.):33Orange plates:33Zo45:33Tunnel restriction code (ADR):D/EEAC code:·2YE- Transport by sea::Limited quantities (IMDG):1 LExcepted quantities (IMDG):E2Packing instructions (IMDG):P001IBC packing instructions (IMDG):T4Tank special provisions (IMDG):T1EmS-No. (Fire):F-EEmS-No. (Spillage):S-DStowage category (IMDG):SW2Flash point (IMDG):::SW2Flash point (IMDG)::		: T4
Vehicle for tank carriage:FLTransport category (ADR):2Special provisions for carriage - Operation:S2, S20(ADR)::33Hazard identification number (Kemler No.)::33Orange plates:::Tunnel restriction code (ADR):D/EEAC code:::• Transport by sea:::Limited quantities (IMDG):1 LExcepted quantities (IMDG):E2Packing instructions (IMDG)::E2Tank instructions (IMDG)::T4Tank special provisions (IMDG)::TP1EmS-No. (Fire):::EmS-No. (Spillage):S-D:Stowage category (IMDG)::SW2Flash point (IMDG):: <td< td=""><td></td><td>: TP1</td></td<>		: TP1
Transport category (ADR): 2Special provisions for carriage - Operation (ADR): S2, S20Hazard identification number (Kemler No.) Orange plates: 33Orange plates: 33Tunnel restriction code (ADR): D/EEAC code: •2YE- Transport by sea: •2YELimited quantities (IMDG): 1 LExcepted quantities (IMDG): E2Packing instructions (IMDG): BC02Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): SW2Flash point (IMDG): SW2	Tank code (ADR)	: LGBF
Special provisions for carriage - Operation (ADR): S2, S20Hazard identification number (Kemler No.): 33Orange plates: 33Drange plates: 33Tunnel restriction code (ADR): D/EEAC code: •2YE- Transport by sea: •2YELimited quantities (IMDG): 1 LExcepted quantities (IMDG): E2Packing instructions (IMDG): BC02Tank instructions (IMDG): IBC02Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): EStowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.	Vehicle for tank carriage	: FL
(ADR)Hazard identification number (Kemler No.): 33Orange plates:33Orange plates:332045:2045Tunnel restriction code (ADR):D/EEAC code:•2YE- Transport by sea::Limited quantities (IMDG):1 LExcepted quantities (IMDG):E2Packing instructions (IMDG):P001IBC packing instructions (IMDG):IBC02Tank instructions (IMDG):T4Tank special provisions (IMDG):TP1EmS-No. (Fire):F-EEmS-No. (Spillage):S-DStowage category (IMDG):EStowage and handling (IMDG):SW2Flash point (IMDG)::	Transport category (ADR)	: 2
Orange plates:33 2045Tunnel restriction code (ADR):D/EEAC code:•2YE- Transport by sea::Limited quantities (IMDG):1 LExcepted quantities (IMDG):E2Packing instructions (IMDG):P001IBC packing instructions (IMDG):IBC02Tank instructions (IMDG):T4Tank special provisions (IMDG):TP1EmS-No. (Fire):F-EEmS-No. (Spillage):S-DStowage category (IMDG):EStowage and handling (IMDG):SW2Flash point (IMDG)::		: S2, S20
JailJailTunnel restriction code (ADR): D/EEAC code: •2YE- Transport by sea:Limited quantities (IMDG): 1 LExcepted quantities (IMDG): E2Packing instructions (IMDG): P001IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): EStowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.	Hazard identification number (Kemler No.)	: 33
Tunnel restriction code (ADR): D/EEAC code: •2YE- Transport by sea:Limited quantities (IMDG): 1 LExcepted quantities (IMDG): E2Packing instructions (IMDG): P001IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): EStowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.	Orange plates	33
EAC code: •2YE- Transport by seaLimited quantities (IMDG): 1 LExcepted quantities (IMDG): E2Packing instructions (IMDG): P001IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): EStowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.		
- Transport by seaLimited quantities (IMDG): 1 LExcepted quantities (IMDG): E2Packing instructions (IMDG): P001IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): EStowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.		2045
Limited quantities (IMDG): 1 LExcepted quantities (IMDG): E2Packing instructions (IMDG): P001IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): EStowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.		: D/E
Excepted quantities (IMDG): E2Packing instructions (IMDG): P001IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): EStowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.		: D/E
Packing instructions (IMDG): P001IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): EStowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.	EAC code	: D/E
IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): EStowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.	EAC code - Transport by sea	: D/E : •2YE
Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): EStowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.	EAC code - Transport by sea Limited quantities (IMDG)	: D/E : •2YE : 1 L
Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): EStowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.	EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG)	: D/E : •2YE : 1 L : E2
EmS-No. (Fire):F-EEmS-No. (Spillage):S-DStowage category (IMDG):EStowage and handling (IMDG):SW2Flash point (IMDG):-24°C c.c.	EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG)	: D/E : •2YE : 1 L : E2 : P001
EmS-No. (Spillage): S-DStowage category (IMDG): EStowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.	EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG)	: D/E : •2YE : 1 L : E2 : P001 : IBC02
Stowage category (IMDG): EStowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.	EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG)	: D/E : •2YE : 1 L : E2 : P001 : IBC02 : T4
Stowage and handling (IMDG): SW2Flash point (IMDG): -24°C c.c.	EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG)	: D/E : •2YE : 1 L : E2 : P001 : IBC02 : T4 : TP1
Flash point (IMDG) : -24°C c.c.	EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire)	: D/E : •2YE : 1 L : E2 : P001 : IBC02 : T4 : TP1 : F-E
	EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage)	: D/E : •2YE : 1 L : E2 : P001 : IBC02 : T4 : TP1 : F-E : S-D
MFAG-No : 130	EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Stowage and handling (IMDG)	: D/E : •2YE : 1 L : E2 : P001 : IBC02 : T4 : TP1 : F-E : S-D : E
	EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Stowage and handling (IMDG)	: D/E : •2YE : 1 L : E2 : P001 : IBC02 : T4 : TP1 : F-E : S-D : E : SW2

Safety Data Sheet

- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3H
- Inland waterway transport	
Classification code (ADN)	: F1
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: F1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

ISO BUTYRALDEHYDE FOR SYNTHESIS is not on the REACH Candidate List ISO BUTYRALDEHYDE FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Safety Data Sheet

Germany	
AwSV/VwVwS Annex reference	: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 2; WGK No 1136)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H225	Highly flammable liquid and vapour
H315	Causes skin irritation
H319	Causes serious eye irritation
R11	Highly flammable
R36/38	Irritating to eyes and skin
F	Highly flammable
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product