

CAS-No.: MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
:
Product code : 04647

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB
UNIT NO. 14, SKY INDUSTRIAL ESTATE, WALIV, VASAI (E)
401208 Mumbai - INDIA
PH: +91 9820509929
info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226
Category 3
Skin corrosion/irritation, H314
Category 1A

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

METHYLENE BLUE ALKALINE LOFFLER'S

Safety Data Sheet

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.
H314 - Causes severe skin burns and eye damage.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---------------------|--|--------|--|
| Water | (CAS-No.) 7732-18-5 (EC-No.) 231-791-2 | 76.572 | Not classified |
| Ethanol | (CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 | 23 | Flam. Liq. 3, H226 Skin Corr. 1A, H314 |
| METHYLENE BLUE | (CAS-No.) 61-73-4 | 0.42 | Acute Tox. 4 (Oral), H302 |
| Potassium hydroxide | (CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 | 0.008 | Skin Corr. 1A, H314 Eye Dam. 1, H318 Acute Tox. 4 (Oral), H302 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
- First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

METHYLENE BLUE ALKALINE LOFFLER'S

Safety Data Sheet

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : Heating may cause a fire or explosion.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing.

Hygiene measures : Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container tightly closed. Store in original container. Store in a dry place. Store in a well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

METHYLENE BLUE ALKALINE LOFFLER'S

Safety Data Sheet

8.2. Exposure controls

| | |
|--------------------------|-------------------------------------|
| Hand protection | : protective gloves |
| Eye protection | : Chemical goggles or face shield |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : Wear respiratory protection. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|---------------------------|
| Physical state | : Liquid |
| Colour | : Clear Blue. |
| Odour | : No data available |
| Odour threshold | : 100 ppm |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : -114.1 °C |
| Freezing point | : No data available |
| Boiling point | : 78.5 °C |
| Flash point | : 12.78 °C |
| Critical temperature | : 243 °C |
| Auto-ignition temperature | : 363 °C |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Flammable |
| Vapour pressure | : 5.7 kPa (at 20°C) |
| Relative vapour density at 20 °C | : 1.59 |
| Relative density | : No data available |
| Density | : 0.93 g/cm ³ |
| Solubility | : Water: Soluble in water |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : 0.033 - 0.19 vol % |

METHYLENE BLUE ALKALINE LOFFLER'S

Safety Data Sheet

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Highly flammable liquid and vapour.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

METHYLENE BLUE ALKALINE LOFFLER'S

Safety Data Sheet

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

| | |
|---------------|--------|
| UN-No. (ADR) | : 1993 |
| UN-No. (IMDG) | : 1993 |
| UN-No. (IATA) | : 1993 |
| UN-No. (ADN) | : 1993 |
| UN-No. (RID) | : 1993 |

14.2. UN proper shipping name

| | |
|---------------------------------------|---|
| Proper Shipping Name (ADR) | : FLAMMABLE LIQUID, N.O.S. |
| Proper Shipping Name (IMDG) | : FLAMMABLE LIQUID, N.O.S. |
| Proper Shipping Name (IATA) | : Flammable liquid, n.o.s. |
| Proper Shipping Name (ADN) | : FLAMMABLE LIQUID, N.O.S. |
| Proper Shipping Name (RID) | : FLAMMABLE LIQUID, N.O.S. |
| Transport document description (ADR) | : UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, (D/E) |
| Transport document description (IMDG) | : UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III |
| Transport document description (IATA) | : UN 1993 Flammable liquid, n.o.s., 3, III |
| Transport document description (ADN) | : UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III |
| Transport document description (RID) | : UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III |

14.3. Transport hazard class(es)

ADR

| | |
|----------------------------------|-----|
| Transport hazard class(es) (ADR) | : 3 |
| Danger labels (ADR) | : 3 |

METHYLENE BLUE ALKALINE LOFFLER'S

Safety Data Sheet



IMDG

Transport hazard class(es) (IMDG) : 3

Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3

Hazard labels (IATA) : 3



ADN

Transport hazard class(es) (ADN) : 3

Danger labels (ADN) : 3



RID

Transport hazard class(es) (RID) : 3

Danger labels (RID) : 3



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

METHYLENE BLUE ALKALINE LOFFLER'S

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

| | |
|---|---------------------------|
| Classification code (ADR) | : F1 |
| Special provisions (ADR) | : 274, 601, 640H |
| Limited quantities (ADR) | : 5I |
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P001, IBC02, LP01, R001 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T4 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP29 |
| Tank code (ADR) | : LGBF |
| Vehicle for tank carriage | : FL |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Operation (ADR) | : S2 |
| Hazard identification number (Kemler No.) | : 33 |
| Orange plates | : |



| | |
|-------------------------------|--------|
| Tunnel restriction code (ADR) | : D/E |
| EAC code | : •3YE |

- Transport by sea

| | |
|---------------------------------|-----------------|
| Special provisions (IMDG) | : 223, 274, 955 |
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : P001, LP01 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T4 |
| Tank special provisions (IMDG) | : TP1, TP29 |
| EmS-No. (Fire) | : F-E |
| EmS-No. (Spillage) | : S-E |
| Stowage category (IMDG) | : A |
| MFAG-No | : 127;128 |

- Air transport

| | |
|--|--------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y344 |
| PCA limited quantity max net quantity (IATA) | : 10L |
| PCA packing instructions (IATA) | : 355 |
| PCA max net quantity (IATA) | : 60L |
| CAO packing instructions (IATA) | : 366 |
| CAO max net quantity (IATA) | : 220L |
| Special provisions (IATA) | : A3 |
| ERG code (IATA) | : 3L |

- Inland waterway transport

| | |
|---------------------------|------------------|
| Classification code (ADN) | : F1 |
| Special provisions (ADN) | : 274, 601, 640E |
| Limited quantities (ADN) | : 5 L |

METHYLENE BLUE ALKALINE LOFFLER'S

Safety Data Sheet

| | |
|-----------------------------------|-------------|
| Excepted quantities (ADN) | : E1 |
| Carriage permitted (ADN) | : T |
| Equipment required (ADN) | : PP, EX, A |
| Ventilation (ADN) | : VE01 |
| Number of blue cones/lights (ADN) | : 0 |

- Rail transport

| | |
|---|---------------------------|
| Classification code (RID) | : F1 |
| Special provisions (RID) | : 274, 601, 640E |
| Limited quantities (RID) | : 5L |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (RID) | : MP19 |
| Portable tank and bulk container instructions (RID) | : T4 |
| Portable tank and bulk container special provisions (RID) | : TP1, TP29 |
| Tank codes for RID tanks (RID) | : LGBF |
| Transport category (RID) | : 3 |
| Special provisions for carriage – Packages (RID) | : W12 |
| Colis express (express parcels) (RID) | : CE4 |
| Hazard identification number (RID) | : 30 |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Ethanol is listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : Ethanol is listed

METHYLENE BLUE ALKALINE LOFFLER'S

Safety Data Sheet

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : Ethanol is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : Ethanol is listed

Denmark

Class for fire hazard : Class I-1

Store unit : 1 liter

Classification remarks : F <Flam. Liq. 3>; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

| | |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1A |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.