NICKEL SULPHATE HEXAHYDRATE EXTRA PURE MSDS

CAS No: 10101-97-0 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the con	

1.1.	Product identifier	
Product	form	: Substance
		:
CAS No	1	: 10101-97-0
Product	code	: 04889

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture

: Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929 info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of	f the substance or mixture
Classification according	to Regulation (EC) No. 1272/2008 [CLP]
Acute toxicity (oral), Category 4	H302
Acute toxicity (inhal.), Category 4	H332
Skin corrosion/irritation, Category 2	H315
Sensitisation — Respiratory, category 1	H334
Sensitisation — Skin, category 1	H317
Germ cell mutagenicity, Category 2	H341
Carcinogenicity (inhalation) Category 1A	H350i
Reproductive toxicity, Category 1A	H360D
Specific target organ toxicity — Repeated exposure, Category 1	H372
Hazardous to the aquatic	H410

Safety Data Sheet

environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.1; R49 Muta.Cat.3; R68 Repr.Cat.1; R61 T; R48/23 Xn; R20/22 R42 Xi; R38 R43 N; R50/53 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) I Hazard pictograms (CLP)	No. 1272/2008 [CLP]
	GHS07 GHS08 GHS09
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H302+H332 - Harmful if swallowed or if inhaled H315 - Causes skin irritation H317 - May cause an allergic skin reaction H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled H341 - Suspected of causing genetic defects H350i - May cause cancer by inhalation H360D - May damage the unborn child H372 - Causes damage to organs through prolonged or repeated exposure H410 - Very toxic to aquatic life with long lasting effects
Precautionary statements (CLP)	 P201 - Obtain special instructions before use P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P284 - [In case of inadequate ventilation] wear respiratory protection P308+P313 - IF exposed or concerned: Get medical advice/attention

P501 - Dispose of contents/container to ...

2.3. Other hazards

No additional information available

Safety Data Sheet

SECTION 3: Composition/information on ingredients		
3.1. Substance		
Name	: NICKEL SULPHATE HEXAHYDRATE Extra Pure	
CAS No	: 10101-97-0	

Full text of R- and H-phrases: see section 16

3.2.	Mixture	
Not applicable		

SECTION 4: First aid measures			
4.1. Description of first aid measure	S		
First-aid measures after inhalation	 If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. 		
First-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Gently wash with plenty of soap and water.		
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.		
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.		
4.2. Most important symptoms and	effects, both acute and delayed		
Symptoms/injuries	: May cause damage to organs. Causes damage to organs through prolonged or repeated exposure. May cause genetic defects.		
Symptoms/injuries after inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Harmful if inhaled. May cause cancer by inhalation.		
Symptoms/injuries after skin contact	: Causes skin irritation.		
Symptoms/injuries after eye contact	: Causes serious eye irritation.		
Symptoms/injuries after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.		
Chronic symptoms	: May damage the unborn child.		
4.3. Indication of any immediate me	dical attention and special treatment needed		

Treat symptomatically.

SECTIC	SECTION 5: Firefighting measures			
5.1.	Extinguishing media			
Suitable	extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).		
Unsuital	ole extinguishing media	: Do not use a heavy water stream.		
5.2.	Special hazards arising from the	substance or mixture		
No addi	No additional information available			
5.3.	Advice for firefighters			
Protectio	on during firefighting	: Do not attempt to take action without suitable protective equipment.		
SECTIC	N 6: Accidental release measures	5		
6.1.	Personal precautions, protective	equipment and emergency procedures		

6.1.1. For non-emergency personnel

Emergency procedures

: Evacuate unnecessary personnel.

Safety Data Sheet

6.1.2. For emergency responders	5
Protective equipment	: Avoid breathing dust/fume/gas/mist/vapours/spray.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	3
Avoid release to the environment.	
6.3. Methods and material for c	containment and cleaning up
Methods for cleaning up	: Clear up rapidly by scoop or vacuum.
6.4. Reference to other section	S
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handl	ing
Precautions for safe handling	 Avoid breathing dust/fume/gas/mist/vapours/spray. Do not breathe dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage conditions	: Store in original container. Keep container tightly closed. Store in a dry place.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/per	sonal protection
8.1. Control parameters	
No additional information available	

8.2. Exposure controls		
Personal protective equipment	: Wash thoroughly after handling.	
Hand protection	: protective gloves	
Eye protection	: Chemical goggles or safety glasses	
Skin and body protection	: Wear suitable protective clothing	
Respiratory protection	: Wear respiratory protection	
Other information	: Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product.	
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	

Colour	: Emerald green crystalline.
Odour	: odourless.
Odour threshold	: No data available

Safety Data Sheet

Safety Data Sheet	: 4.5	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: 1000 °C	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density Solubility	: 2.03 g/cm³ : Water: 75.6 g/100 cc water	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information No additional information available SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions No additional information available		
10.4. Conditions to avoid		
Direct sunlight.		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition prod	ucts	

No additional information available

Safety Data Sheet

SECTION 11: Toxicological information	
11.1. Information on toxicological e	ffects
Acute toxicity	: Oral: Harmful if swallowed. Inhalation: Harmful if inhaled.
Skin corrosion/irritation	: Causes skin irritation. pH: 4.5
Serious eye damage/irritation	: Not classified pH: 4.5
Respiratory or skin sensitisation	 May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: May cause cancer by inhalation.
Reproductive toxicity	: May damage the unborn child.
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Harmful if swallowed.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - water	: Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability		
NICKEL SULPHATE HEXAHYDRATE Extra Pure (10101-97-0)		
Persistence and degradability May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal	: Dispose of contents/container to
recommendations	
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IA	
In accordance with ADR / RID / IMDG / IA	IA/ ADN
14.1. UN number	
UN-No. (ADR)	: 3288
UN-No. (IMDG)	: 3288
UN-No.(IATA)	: 3288
UN-No.(ADN)	: 3288
UN-No. (RID)	: 3288
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: TOXIC SOLID, INORGANIC, N.O.S.
Proper Shipping Name (IMDG)	: TOXIC SOLID, INORGANIC, N.O.S.
Proper Shipping Name (IATA)	: TOXIC SOLID, INORGANIC, N.O.S.
Proper Shipping Name (ADN)	: TOXIC SOLID, INORGANIC, N.O.S.
Proper Shipping Name (RID)	: TOXIC SOLID, INORGANIC, N.O.S.
Transport document description (ADR)	: UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, III, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1



: 6.1

: 6.1

IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)

Safety Data Sheet

ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 6.1
Hazard labels (IATA)	: 6.1
	6
ADN	
Transport hazard class(es) (ADN) Danger labels (ADN)	: 6.1 : 6.1
Danger labels (ADN)	. 0.1
RID	
Transport hazard class(es) (RID)	: 6.1
Danger labels (RID)	: 6.1
	6
14.4.Packing groupPacking group (ADR)	: 111
Packing group (IMDG)	: 111
Packing group (IATA)	: 111
Packing group (ADN)	: 111
Packing group (RID)	: 111
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant Other information	: Yes : No supplementary information available
14.6. Special precautions for user	
- Overland transport	
Classification code (ADR)	: T5
Special provision (ADR)	: 274
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR) Packing instructions (ADR)	:E1 :P002, IBC08, LP02, R001

: B3

: T1

: MP10

instructions (ADR)

Special packing provisions (ADR)

Mixed packing provisions (ADR)

Portable tank and bulk container

Safety Data Sheet

Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAH, L4BH
Tank special provisions (ADR)	: TU15, TE19
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Bulk	: VC1, VC2, AP7
(ADR)	
Special provisions for carriage - Loading,	: CV13, CV28
unloading and handling (ADR)	00
Special provisions for carriage - Operation (ADR)	: S9
Hazard identification number (Kemler No.)	: 60
Orange plates	
	60
	3288
	5200
Tunnel restriction code (ADR)	: E
EAC code	: 2X
- Transport by sea	
Special provision (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-A
Stowage category (IMDG)	: A
MFAG-No	: 151
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y645
PCA limited quantity max net quantity	: 10kg
(IATA)	
PCA packing instructions (IATA)	: 670
PCA max net quantity (IATA)	: 100kg
CAO packing instructions (IATA)	: 677
CAO max net quantity (IATA)	: 200kg
Special provision (IATA)	: A3, A5
ERG code (IATA)	: 6L
- Inland waterway transport	
Classification code (ADN)	: T5
Special provisions (ADN)	: 274, 802
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
- Rail transport	
Classification code (RID)	: T5

Safety Data Sheet

Special provision (RID)	: 274
Limited quantities (RID)	: 5kg
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: B3
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T1
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAH, L4BH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 2
Special provisions for carriage – Bulk (RID)	: VC1, VC2, AP7
Special provisions for carriage – Loading and unloading (RID)	: CW13, CW28, CW31
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

NICKEL SULPHATE HEXAHYDRATE Extra Pure is not on the REACH Candidate List NICKEL SULPHATE HEXAHYDRATE Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BlmSchV

Denmark

Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with the product
	The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

Safety Data Sheet

15.2. Chemical safety assessment

No additional information available

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 1A	Carcinogenicity (inhalation) Category 1A
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1A	Reproductive toxicity, Category 1A
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects
H350i	May cause cancer by inhalation
H360D	May damage the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
R20/22	Harmful by inhalation and if swallowed
R38	Irritating to skin
R42	May cause sensitization by inhalation
R43	May cause sensitisation by skin contact
R48/23	Toxic: danger of serious damage to health by prolonged exposure through inhalation
R49	May cause cancer by inhalation
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R61	May cause harm to the unborn child
R68	Possible risk of irreversible effects
Ν	Dangerous for the environment
Т	Toxic
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product