



# MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the s	ubstance/mixture and of the company/undertaking	
1.1. Product identifier		
Product form	: Mixture	
	:	
Product code	: 05113	
1.2. Relevant identified uses of	of the substance or mixture and uses advised against	
1.2.1. Relevant identified uses		
Use of the substance/mixture	: Industrial. For professional use only	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of	the safety data sheet	
SPAN LAB		
UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E)		
401208 Mumbai - INDIA		
PH: +91 9820509929		

info@spanlab.in www.spanlab.in

### SECTION 2: Hazards identification

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 4	H312
Acute toxicity (inhalation:gas) Category 4	H332
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity — single exposure, Category 1	H370

Full text of classification categories and H statements : see section 16

Safety Data Sheet

### Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements	
Labelling according to Regulation (EC) N	o. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07 GHS08
Signal word (CLP)	: Danger
Hazard statements (CLP)	<ul> <li>H225 - Highly flammable liquid and vapour</li> <li>H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled</li> <li>H319 - Causes serious eye irritation</li> <li>H370 - Causes damage to organs</li> </ul>
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P240 - Ground/bond container and receiving equipment P302+P352 - IF ON SKIN: Wash with plenty of soap and water P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308+P311 - IF exposed or concerned: Call a POISON CENTER/doctor/ P403+P235 - Store in a well-ventilated place. Keep cool</li> </ul>

### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5	75 - 99	Flam. Liq. 3, H226 Skin Corr. 1A, H314
Methanol	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	1 - 5	Flam. Liq. 2, H225 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Oral), H301 STOT SE 1, H370
Water	(CAS No) 7732-18-5 (EC no) 231-791-2	1 - 5	Not classified

## Safety Data Sheet

EOSINE YELLOW C.I.No.45380	(CAS No) 17372-87-1	0.01 - 1	Eye Irrit. 2, H319
BISMARK BROWN (R) C.I.NO.21010	(CAS No) 5421-66-9	0.1 - 1	Not classified
PHOSPHOTUNGSTIC ACID EXTRA PURE	(CAS No) 12501-23-4	0.01 - 1	Skin Corr. 1B, H314
FAST AREEN FCF C.I.No.42053	(CAS No) 2353-45-9	0.01 - 1	STOT SE 2, H371

Full text of H-phrases: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measure	e .		
First-aid measures after inhalation		esh air and keep at rest in a position comfortable	for breathing.
		POISON CENTER or doctor/physician.	ier zreennig.
First-aid measures after skin contact		mediately all contaminated clothing. Rinse skin w ediately call a POISON CENTER or doctor/physic	
First-aid measures after eye contact		h water for several minutes. Remove contact lens ntinue rinsing. Immediately call a POISON CENTE	
First-aid measures after ingestion	: Rinse mouth. Do N doctor/physician.	OT induce vomiting. Immediately call a POISON 0	CENTER or
4.2. Most important symptoms and	effects, both acute an	d delayed	
Symptoms/injuries	: Causes damage to	organs through prolonged or repeated exposure.	
Symptoms/injuries after inhalation	: Harmful if inhaled.		
Symptoms/injuries after skin contact	: Harmful in contact	vith skin.	
Symptoms/injuries after eye contact	: Causes serious eye	irritation.	
Symptoms/injuries after ingestion	: Harmful if swallowe	d.	
4.3. Indication of any immediate me	dical attention and sp	ecial treatment needed	
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: dry chemical powde	er, alcohol-resistant foam, carbon dioxide (CO2).	
Unsuitable extinguishing media	: Do not use a heavy	water stream.	
5.2. Special hazards arising from the	e substance or mixtur	e	
Fire hazard	: Highly flammable li	quid and vapour.	
Hazardous decomposition products in case of fire	: Thermal decompos	tion generates : Corrosive vapours.	
5.3. Advice for firefighters			
Firefighting instructions		ea without proper protective equipment, including the extinguishing fluids by bunding. In case of fire	
Protection during firefighting	: Do not attempt to ta	ke action without suitable protective equipment.	
SECTION 6: Accidental release measure	es.		
6.1. Personal precautions, protectiv	e equipment and eme	rgency procedures	
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecess	ary personnel. Do not breathe vapours.	
		- , ,	
6.1.2. For emergency responders			
Protective equipment	: Use personal prote	ctive equipment as required.	
www.spanlab.in	Version: 1	20/02/2018	3/10

Safety Data Sheet

<b>,</b>	
Emergency procedures	: Ventilate area. Stop release.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for con	ntainment and cleaning up
Methods for cleaning up	: Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	3
Precautions for safe handling	Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing. Obtain special instructions before use. Use personal protective equipment as required. Do not handle until all safety precautions have been read and understood.
Hygiene measures	: Wash thoroughly after handling.
7.2. Conditions for safe storage, i	including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container tightly closed. Store in a well-ventilated place. Store in a dry place.
Incompatible products	: Oxidizing agent.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/perso	nal protection
8.1. Control parameters	

No additional information available

8.2. Exposure controls	
Hand protection	: protective gloves
Eye protection	: Chemical goggles or face shield
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection
<b>SECTION 9: Physical and chemica</b>	l properties
9.1. Information on basic phys	ical and chemical properties
Physical state	: Liquid
Colour	: Green purple.
Odour	: alcoholic odour.
Odour threshold	: 160 ppm
рН	: 7

## Safety Data Sheet

Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: -97.8 °C	
Freezing point	: No data available	
Boiling point	: 64.5 °C	
Flash point	: 12 °C	
Auto-ignition temperature	: 422 °C	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Flammable	
Vapour pressure	: 97.68 mm Hg at 20°	C)
Relative vapour density at 20 °C	: 1.59	
Relative density	: No data available	
Density Solubility	: 0.81 g/cm³ : Water: Soluble in wa	ater
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: 0.06 - 0.365 vol %	

9.2.	Other information	
No addi	tional information available	

**SECTION 10: Stability and reactivity** 

#### 10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

### 10.2. Chemical stability

Highly flammable liquid and vapour.

#### 10.3. Possibility of hazardous reactions

Highly reactive material.

### 10.4. Conditions to avoid

Overheating. Direct sunlight. Open flame. Heat. Sparks.

### 10.5. Incompatible materials

No additional information available

### **10.6.** Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

Safety Data Sheet

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation:gas: Harmful if inhaled.	
ATE CLP (oral)	500 mg/kg bodyweight	
ATE CLP (dermal)	1100 mg/kg bodyweight	
ATE CLP (gases)	4500 ppmv/4h	
Skin corrosion/irritation	: Not classified pH: 7	
Serious eye damage/irritation	: Causes serious eye irritation. pH: 7	
Respiratory or skin sensitisation	Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Causes damage to organs.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	

SECTI	ION 12: Ecological information	
12.1.	Toxicity	
No add	ditional information available	

12.2.	Persistence and degradability		
No add	No additional information available		
12.3.	Bioaccumulative potential		
No add	No additional information available		
12.4.	Mobility in soil		
No additional information available			
12.5.	Results of PBT and vPvB assessment		
No additional information available			

www.spanlab.in

Safety Data Sheet

12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal	: Dispose of contents/container to
recommendations	
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IAT	A / ADN
14.1. UN number	
UN-No. (ADR)	: 1992
UN-No. (IMDG)	: 1992
UN-No.(IATA)	: 1992
UN-No.(ADN)	: Not regulated
UN-No. (RID)	: Not regulated
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
Proper Shipping Name (IATA)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
Proper Shipping Name (ADN)	: Not regulated
Proper Shipping Name (RID)	: Not regulated
Transport document description (ADR)	: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II, (D/E)
Transport document description (IMDG)	: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II
Transport document description (IATA)	: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 3 (6.1)
Danger labels (ADR)	: 3, 6.1
	3 6 1
IMDG	
Transport hazard class(es) (IMDG)	: 3 (6.1)
Danger labels (IMDG)	: 3, 6.1
	6
ΙΑΤΑ	
IAIA Transport hazard class(es) (IATA)	: 3 (6.1)
Hazard labels (IATA)	: 3, 6.1
	. 0, 0.1

Safety Data Sheet



<b>ADN</b> Transport hazard class(es) (ADN)	: Not regulated
<b>RID</b> Transport hazard class(es) (RID)	: Not regulated
14.4. Packing group	
Packing group (ADR)	: II
Packing group (IMDG)	: II
Packing group (IATA)	: II
Packing group (ADN)	: Not regulated
Packing group (RID)	: Not regulated
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

### 14.6. Special precautions for user

- Overland transport		
Classification code (ADR)	:	FT1
Special provision (ADR)	:	274
Limited quantities (ADR)	:	1L
Excepted quantities (ADR)	:	E2
Packing instructions (ADR)	:	P001, IBC02
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	Τ7
Portable tank and bulk container special provisions (ADR)	:	TP2
Tank code (ADR)	:	L4BH
Tank special provisions (ADR)	:	TU15
Vehicle for tank carriage	:	FL
Transport category (ADR)	:	2
Special provisions for carriage - Loading, unloading and handling (ADR)	:	CV13, CV28
Special provisions for carriage - Operation (ADR)	:	S2, S22
Hazard identification number (Kemler No.)	:	336
Orange plates	:	336
		1992
Tunnel restriction code (ADR)	:	D/E
EAC code	:	•3WE
APP code	:	A(fl)
- Transport by sea		
Special provision (IMDG)	:	274
www.enenlah.in		Varaian. 1

## Safety Data Sheet

Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2, TP13
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
MFAG-No	: 131
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 352
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provision (IATA)	: A3
ERG code (IATA)	: 3HP
- Inland waterway transport	

Not regulated

#### - Rail transport

Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

### 15.1.2. National regulations

### Germany

AwSV/VwVwS Annex reference	:	Water hazard class (WGK) 3, strongly hazardous to water (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	:	Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Safety Data Sheet

Denmark	
Class for fire hazard	: Class I-1
Store unit	: 1 liter
Classification remarks	: F <flam. 2="" liq.="">; Emergency management guidelines for the storage of flammable liquids must be followed</flam.>
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

#### 15.2. Chemical safety assessment

### No additional information available

#### SECTION 16: Other information

#### Full text of H- and EUH-phrases:

Full lext of H- and EOH-philases	•
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H370	Causes damage to organs
H371	May cause damage to organs

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product