### SODIUM ARSENITE AR MSDS

CAS No: 7784-46-5 MSDS



### **MATERIAL SAFETY DATA SHEET (MSDS)**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

Product form : Substance

CAS No : 7784-46-5 Product code : 05775

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14, SKY INDUSTRIAL ESTATE, WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929 info@spanlab.in www.spanlab.in

### **SECTION 2: Hazards identification**

## Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H300 Category 1 Acute toxicity (oral), H301

Category 3 Acute toxicity (inhal.), H331

Category 3

Carcinogenicity, Category H350

Hazardous to the aquatic H400

environment — Acute Hazard, Category 1

Full text of classification categories and H statements : see section 16

www.spanlab.in 09/04/2015 1/11

### Safety Data Sheet

### Classification according to Directive 67/548/EEC or 1999/45/EC

T; R23/25 N; R50/53

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS06

: Danger

GHS08

GHS09

Signal word (CLP)

Hazard statements (CLP) : H300 - Fatal if swallowed

H301+H331 - Toxic if swallowed or if inhaled

H350 - May cause cancer H400 - Very toxic to aquatic life

Precautionary statements (CLP)

: P201 - Obtain special instructions before use

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P264 - Wash ... thoroughly after handling P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Name : SODIUM ARSENITE AR

CAS No : 7784-46-5

Full text of R- and H-phrases: see section 16

### 3.2. Mixture

Not applicable

www.spanlab.in 09/04/2015 2/11

### Safety Data Sheet

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary.

First-aid measures after skin contact : Gently wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/attention.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously

with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : If you feel unwell, seek medical advice. Rinse mouth out with water.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Toxic if inhaled.

Symptoms/injuries after ingestion : Fatal if swallowed. Toxic if swallowed.

Chronic symptoms : May cause cancer.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

### 6.4. Reference to other sections

No additional information available

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

Protect from moisture.

www.spanlab.in 09/04/2015 3/11

### Safety Data Sheet

#### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : White powder.

Odour : odourless.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 35.5 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 1.87 g/cm<sup>3</sup>

Solubility : Water: Soluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

www.spanlab.in 09/04/2015 4/11

### Safety Data Sheet

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Fatal if swallowed. Oral: Toxic if swallowed. Inhalation: Toxic if inhaled.

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer.

Reproductive toxicity : Not classified Specific target organ toxicity (single : Not classified

exposure)

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

www.spanlab.in 09/04/2015 5/11

## Safety Data Sheet

Potential adverse human health effects

and symptoms

: Toxic if swallowed.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - water

: Very toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

| SODIUM ARSENITE AR (7784-46-5) |   |
|--------------------------------|---|
| Persistence and degradability  | May cause long-term adverse effects in the environment. |

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Ecology - waste materials

: Hazardous waste due to toxicity.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

 UN-No. (ADR)
 : 2027

 UN-No. (IMDG)
 : 2027

 UN-No.(IATA)
 : 2027

 UN-No.(ADN)
 : 2027

 UN-No. (RID)
 : 2027

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : SODIUM ARSENITE, SOLID
Proper Shipping Name (IMDG) : SODIUM ARSENITE, SOLID
Proper Shipping Name (IATA) : SODIUM ARSENITE, SOLID
Proper Shipping Name (ADN) : SODIUM ARSENITE, SOLID
Proper Shipping Name (RID) : SODIUM ARSENITE, SOLID

Transport document description (ADR) : UN 2027 SODIUM ARSENITE, SOLID, 6.1, II, (D/E), ENVIRONMENTALLY

**HAZARDOUS** 

www.spanlab.in 09/04/2015 6/11

### Safety Data Sheet

Transport document description (IMDG) : UN 2027 SODIUM ARSENITE, SOLID, 6.1, II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 2027 SODIUM ARSENITE, SOLID, 6.1, II, ENVIRONMENTALLY HAZARDOUS : UN 2027 SODIUM ARSENITE, SOLID, 6.1, II, ENVIRONMENTALLY HAZARDOUS Transport document description (RID) : UN 2027 SODIUM ARSENITE, SOLID, 6.1, II, ENVIRONMENTALLY HAZARDOUS

### 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



### **IMDG**

Transport hazard class(es) (IMDG) : 6.1
Danger labels (IMDG) : 6.1



### IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



### ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



### RID

Transport hazard class(es) (RID) : 6.1 Danger labels (RID) : 6.1



www.spanlab.in 09/04/2015 7/11

### Safety Data Sheet

### 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

### 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

### 14.6. Special precautions for user

### - Overland transport

Classification code (ADR) : T5
Special provision (ADR) : 43
Limited quantities (ADR) : 500g
Excepted quantities (ADR) : E4

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP33

Tank code (ADR) : SGAH
Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V1

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13, CV28

Special provisions for carriage - Operation : S9, S19

(ADR)

00 040

Hazard identification number (Kemler No.) : 60

Orange plates

60 2027

Tunnel restriction code (ADR) : D/E EAC code : 2Z

### - Transport by sea

Special provision (IMDG) : 43 Limited quantities (IMDG) : 500 g Excepted quantities (IMDG) : E4 Packing instructions (IMDG) : P002 IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B2, B4 Tank instructions (IMDG) : T3 Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-A

www.spanlab.in 09/04/2015 8/11

### Safety Data Sheet

Stowage category (IMDG) : A
MFAG-No : 151

### - Air transport

PCA Excepted quantities (IATA) : E4
PCA Limited quantities (IATA) : Y644
PCA limited quantity max net quantity : 1kg

(IATA)

PCA packing instructions (IATA) : 669
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 676
CAO max net quantity (IATA) : 100kg
Special provision (IATA) : A6
ERG code (IATA) : 6L

### - Inland waterway transport

Classification code (ADN) : T5

Special provisions (ADN) : 43, 802

Limited quantities (ADN) : 500 g

Excepted quantities (ADN) : E4

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 2

### - Rail transport

Classification code (RID) : T5
Special provision (RID) : 43
Limited quantities (RID) : 500g
Excepted quantities (RID) : E4

Packing instructions (RID) : P002, IBC08

Special packing provisions (RID) : B4

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : SGAH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2
Special provisions for carriage – Packages : W11

(RID)

Special provisions for carriage - Loading

and unloading (RID)

: CW13, CW28, CW31

Colis express (express parcels) (RID) : CE9
Hazard identification number (RID) : 60

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP33

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SODIUM ARSENITE AR is not on the REACH Candidate List

SODIUM ARSENITE AR is not on the REACH Annex XIV List

www.spanlab.in 09/04/2015 9/11

### Safety Data Sheet

### 15.1.2. National regulations

### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according

to VwVwS, Annex 2; WGK No 368)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### **Denmark**

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

### Full text of R-, H- and EUH-phrases:

| Acute Tox. 1 (Oral)       | Acute toxicity (oral), Category 1   |
|---------------------------|---|
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3   |
| Acute Tox. 3 (Oral)       | Acute toxicity (oral), Category 3   |
| Aquatic Acute 1           | Hazardous to the aquatic environment — Acute Hazard, Category 1                                 |
| Carc. 1A                  | Carcinogenicity, Category 1A  |
| H300                      | Fatal if swallowed  |
| H301                      | Toxic if swallowed  |
| H331                      | Toxic if inhaled  |
| H350                      | May cause cancer  |
| H400                      | Very toxic to aquatic life  |
| R23/25                    | Toxic by inhalation and if swallowed  |
| R50/53                    | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment |
| N                         | Dangerous for the environment   |
| Т                         | Toxic   |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.spanlab.in 09/04/2015 10/11

Safety Data Sheet

www.spanlab.in 09/04/2015 11/11