CAS No: 10034-82-9 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance

CAS No : 10034-82-9 Product code : 05828

Chemical structure Na₂CrO₄ • 4H₂O

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses 1.2.1.

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14, SKY INDUSTRIAL ESTATE, WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929

info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

Classification of the substance or mixture

H317

H340

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301 Category 3 Acute toxicity (dermal), H312 Category 4

H330 Acute toxicity (inhal.),

Category 2

Skin corrosion/irritation, H314 Category 1B

Sensitisation -

H334

Respiratory, category 1 Sensitisation — Skin,

category 1

Germ cell mutagenicity,

Category 1A

Carcinogenicity, Category H350

Reproductive toxicity, H360FD

Category 1A

09/04/2015 1/12 www.spanlab.in

Safety Data Sheet

Specific target organ

H372

toxicity - Repeated exposure, Category 1

Hazardous to the aquatic H410

environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.1: R45 Muta.Cat.1; R46 Repr.Cat.1; R60 Repr.Cat.1; R61 T+: R26 T: R25 T: R48/23 Xn; R21 R42

C; R34 R43

N; R50/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. **Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS09

GHS05

GHS06 GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H301 - Toxic if swallowed

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction

H330 - Fatal if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

H360FD - May damage fertility. May damage the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

: P201 - Obtain special instructions before use Precautionary statements (CLP)

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - [In case of inadequate ventilation] wear respiratory protection P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

www.spanlab.in 09/04/2015 2/12

Safety Data Sheet

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : SODIUM CHROMATE TETRAHYDRATE AR

CAS No : 10034-82-9

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. If breathing is difficult,

remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Immediately call a POISON CENTER or doctor/physician. Specific measures (see ...

on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse. Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see ... on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Specific

treatment (see ... on this label). Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. Causes damage to organs through

prolonged or repeated exposure.

Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Harmful in contact with skin.

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious

health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

www.spanlab.in 09/04/2015 3/12

Safety Data Sheet

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling. Wash contaminated clothing before reuse. Contaminated work clothing

should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

Protect from moisture.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

www.spanlab.in 09/04/2015 4/12

Safety Data Sheet

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of inadequate ventilation wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 234.07 g/mol Colour : Lemon yellow.

Odour : odourless.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 2.723 g/cm³

Solubility : Water: Soluble in cold water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

www.spanlab.in 09/04/2015 5/12

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Harmful in contact with skin. Inhalation: Fatal if

inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage.
Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction.

Germ cell mutagenicity : May cause genetic defects.

Carcinogenicity : May cause cancer.

Reproductive toxicity : May damage fertility. May damage the unborn child.

Specific target organ toxicity (single

exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

: Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful in contact with skin. Toxic if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

www.spanlab.in 09/04/2015 6/12

Safety Data Sheet

12.2. Persistence and degradability

SODIUM CHROMATE TETRAHYDRATE AR (10034-82-9)

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Ecology - waste materials : Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 3288

 UN-No. (IMDG)
 : 3288

 UN-No.(IATA)
 : 3288

 UN-No.(ADN)
 : 3288

 UN-No. (RID)
 : 3288

14.2. UN proper shipping name

Proper Shipping Name (ADR)

Proper Shipping Name (IMDG)

Proper Shipping Name (IMDG)

Proper Shipping Name (IATA)

Proper Shipping Name (ADN)

Proper Shipping Name (ADN)

TOXIC SOLID, INORGANIC, N.O.S.

TOXIC SOLID, INORGANIC, N.O.S.

TOXIC SOLID, INORGANIC, N.O.S.

Proper Shipping Name (RID)

TOXIC SOLID, INORGANIC, N.O.S.

Transport document description (ADR) : UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, II, (D/E), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG) : UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, II, ENVIRONMENTALLY

HAZARDOUS

Transport document description (ADN) : UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, II, ENVIRONMENTALLY

HAZARDOUS

Transport document description (RID) : UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, II, ENVIRONMENTALLY

HAZARDOUS

www.spanlab.in 09/04/2015 7/12

Safety Data Sheet

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1
Danger labels (ADR) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1
Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1 Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

www.spanlab.in 09/04/2015 8/12

Safety Data Sheet

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T5
Special provision (ADR) : 274
Limited quantities (ADR) : 500g
Excepted quantities (ADR) : E4

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : SGAH, L4BH
Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V11

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13, CV28

: TP33

Special provisions for carriage - Operation : \$9, \$19

(ADR)

Hazard identification number (Kemler No.) : 60

Orange plates

60 3288

Tunnel restriction code (ADR) : D/E EAC code : 2X

- Transport by sea

Special provision (IMDG) : 274 Limited quantities (IMDG) : 500 g Excepted quantities (IMDG) : E4 : P002 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B2, B4 Tank instructions (IMDG) : T3 Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-A Stowage category (IMDG) : B MFAG-No : 151

- Air transport

PCA Excepted quantities (IATA) : E4
PCA Limited quantities (IATA) : Y644

www.spanlab.in 09/04/2015 9/12

Safety Data Sheet

PCA limited quantity max net quantity : 1kg

(IATA)

PCA packing instructions (IATA) : 669
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 676
CAO max net quantity (IATA) : 100kg
Special provision (IATA) : A3, A5
ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T5

Special provisions (ADN) : 274, 802

Limited quantities (ADN) : 500 g

Excepted quantities (ADN) : E4

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : T5
Special provision (RID) : 274
Limited quantities (RID) : 500g
Excepted quantities (RID) : E4

Packing instructions (RID) : P002, IBC08

Special packing provisions (RID) : B4

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special : TP33

provisions (RID)

Tank codes for RID tanks (RID) : SGAH, L4BH

Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2
Special provisions for carriage – Packages : W11

(RID)

Special provisions for carriage - Loading

and unloading (RID)

: CW13, CW28, CW31

Colis express (express parcels) (RID) : CE9
Hazard identification number (RID) : 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SODIUM CHROMATE TETRAHYDRATE AR is not on the REACH Candidate List SODIUM CHROMATE TETRAHYDRATE AR is not on the REACH Annex XIV List

www.spanlab.in 09/04/2015 10/12

Safety Data Sheet

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Muta. 1A	Germ cell mutagenicity, Category 1A
Repr. 1A	Reproductive toxicity, Category 1A
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H301	Toxic if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H340	May cause genetic defects
H350	May cause cancer
H360FD	May damage fertility. May damage the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
R21	Harmful in contact with skin
R25	Toxic if swallowed
R26	Very toxic by inhalation
R34	Causes burns
R42	May cause sensitization by inhalation

www.spanlab.in 09/04/2015 11/12

Safety Data Sheet

R43	May cause sensitisation by skin contact
R45	May cause cancer
R46	May cause heritable genetic damage
R48/23	Toxic: danger of serious damage to health by prolonged exposure through inhalation
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R60	May impair fertility
R61	May cause harm to the unborn child
С	Corrosive
N	Dangerous for the environment
Т	Toxic
T+	Very toxic
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.spanlab.in 09/04/2015 12/12