CAS No: 13600-98-1 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

CAS No : 13600-98-1
Product code : 05839

Chemical structure : Na₃Co(NO₂)₆

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB

UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E)

401208 Mumbai - INDIA PH: +91 9820509929

info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H272

Category 2

Skin corrosion/irritation.

H315

Category 2

H319

Serious eye damage/eye irritation, Category 2

Sensitisation —

H334

Respiratory, category 1 Sensitisation — Skin,

H317

category 1

. . . .

Specific target organ toxicity — Single

H335

exposure, Category 3, Respiratory tract irritation

Full text of classification categories and H statements : see section 16

www.spanlab.in 09/04/2015 1/11

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.3; R40 O; R8

Xi: R36/37/38

R43

R42

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS03

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H272 - May intensify fire; oxidiser

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

Precautionary statements (CLP) : P220 - Keep/Store away from clothing/.../combustible materials

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER or

doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : SODIUM COBALTINITRITE EXTRA PURE

CAS No : 13600-98-1

Full text of R- and H-phrases: see section 16

www.spanlab.in 09/04/2015 2/11

Safety Data Sheet

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Gently wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/attention.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously

with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May intensify fire; oxidiser.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing.

www.spanlab.in 09/04/2015 3/11

Safety Data Sheet

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

Protect from moisture.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 403.94 g/mol Colour : Brownish yellow.

Odour : odourless.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 220 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

www.spanlab.in 09/04/2015 4/11

Safety Data Sheet

Relative density : No data available

Solubility : Water: Soluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : The substance or mixture is classified as oxidizing with the subcategory 2.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May cause or intensify fire; oxidizer.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single

exposure)

: May cause respiratory irritation.

www.spanlab.in 09/04/2015 5/11

Safety Data Sheet

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1479 UN-No. (IMDG) : 1479 UN-No.(IATA) : 1479 UN-No. (ADN) : 1479 UN-No. (RID) : 1479

14.2. UN proper shipping name

Proper Shipping Name (ADR) : OXIDIZING SOLID, N.O.S.
Proper Shipping Name (IMDG) : OXIDIZING SOLID, N.O.S.
Proper Shipping Name (IATA) : OXIDIZING SOLID, N.O.S.
Proper Shipping Name (ADN) : OXIDIZING SOLID, N.O.S.
Proper Shipping Name (RID) : OXIDIZING SOLID, N.O.S.

www.spanlab.in 09/04/2015 6/11

Safety Data Sheet

Transport document description (ADR)

: UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II, (E)

: UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II

: UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II

: UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II

Transport document description (ADN)

: UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II

Transport document description (RID)

: UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 5.1
Danger labels (ADR) : 5.1



IMDG

Transport hazard class(es) (IMDG) : 5.1 Danger labels (IMDG) : 5.1



IATA

Transport hazard class(es) (IATA) : 5.1 Hazard labels (IATA) : 5.1



ADN

Transport hazard class(es) (ADN) : 5.1
Danger labels (ADN) : 5.1



RID

Transport hazard class(es) (RID) : 5.1 Danger labels (RID) : 5.1



www.spanlab.in 09/04/2015 7/11

Safety Data Sheet

14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : O2
Special provision (ADR) : 274
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4
Mixed packing provisions (ADR) : MP2
Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP33

Tank code (ADR) : SGAN
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V11

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV24

Hazard identification number (Kemler No.) : 50

Orange plates

50 1479

Tunnel restriction code (ADR) : E EAC code : 1Y

- Transport by sea

Special provision (IMDG) : 274.900 Limited quantities (IMDG) : 1 kg Excepted quantities (IMDG) : E2 : P002 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B2, B4 Tank instructions (IMDG) : T3 Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A : S-Q EmS-No. (Spillage) Stowage category (IMDG) : B

Segregation (IMDG) : SG38, SG49, SG60, SG61

www.spanlab.in 09/04/2015 8/11

Safety Data Sheet

MFAG-NO . 140	MFAG-No	: 140
---------------	---------	-------

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y544
PCA limited quantity max net quantity : 2.5kg

(IATA)

PCA packing instructions (IATA) : 558
PCA max net quantity (IATA) : 5kg
CAO packing instructions (IATA) : 562
CAO max net quantity (IATA) : 25kg
Special provision (IATA) : A3
ERG code (IATA) : 5L

- Inland waterway transport

Classification code (ADN) : O2
Special provisions (ADN) : 274
Limited quantities (ADN) : 1 kg
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : O2
Special provision (RID) : 274
Limited quantities (RID) : 1kg
Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC08

Special packing provisions (RID) : B4

Mixed packing provisions (RID) : MP2

Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : SGAN
Special provisions for RID tanks (RID) : TU3
Transport category (RID) : 2
Special provisions for carriage – Packages : W11

(RID)

Special provisions for carriage - Loading : CW24

and unloading (RID)

Colis express (express parcels) (RID) : CE10 Hazard identification number (RID) : 50

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP33

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SODIUM COBALTINITRITE EXTRA PURE is not on the REACH Candidate List SODIUM COBALTINITRITE EXTRA PURE is not on the REACH Annex XIV List

www.spanlab.in 09/04/2015 9/11

Safety Data Sheet

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 2	Oxidising Solids, Category 2
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
R36/37/38	Irritating to eyes, respiratory system and skin
R40	Limited evidence of a carcinogenic effect
R42	May cause sensitization by inhalation
R43	May cause sensitisation by skin contact
R8	Contact with combustible material may cause fire
0	Oxidising
Xi	Irritant

www.spanlab.in 09/04/2015 10/11

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.spanlab.in 09/04/2015 11/11