CAS-No.: 7789-12-0 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance

EC Index-No. : 024-004-01-4 EC-No. : 234-190-3 CAS-No. : 7789-12-0 Product code : 05850

Chemical structure $Na_2Cr_2O_7 \cdot 2H_2O$

: Sodium bichromate Synonyms

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses 1.2.1.

Industrial/Professional use spec : Industrial

For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14, SKY INDUSTRIAL ESTATE, WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929

info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H272 Category 2 H301 Acute toxicity (oral), Category 3 Acute toxicity (dermal), H312 Category 4 Acute toxicity H330 (inhalation:gas) Category

Skin corrosion/irritation, H314

Category 1

Respiratory sensitisation, H334

Category 1

13/02/2019 1/13 www.spanlab.in

Safety Data Sheet

Skin sensitisation,

H317

Category 1

Germ cell mutagenicity,

H340

Category 1A

Carcinogenicity, Category H350

1A

Reproductive toxicity,

H360FD

Category 1B

Specific target organ

H335

toxicity — Single exposure, Category 3, Respiratory tract irritation

Specific target organ toxicity — Repeated

H372

exposure. Category 1 Hazardous to the aquatic H410

environment — Chronic Hazard, Category 1

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.2; R45 Muta.Cat.2; R46 Repr.Cat.2; R60 Repr.Cat.2; R61

O; R8 T+; R26 T; R25 T; R48/23 Xn; R21 R42 C; R34 R43 N; R50/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. **Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)











GHS03

GHS05

GHS06

GHS08

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H272 - May intensify fire; oxidiser.

H301 - Toxic if swallowed.

H312 - Harmful in contact with skin.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H330 - Fatal if inhaled.

www.spanlab.in 13/02/2019 2/13

Safety Data Sheet

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 - May cause respiratory irritation. H340 - May cause genetic defects.

H350 - May cause cancer.

H360FD - May damage fertility. May damage the unborn child.

H372 - Causes damage to organs through prolonged or repeated exposure.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - IF exposed or concerned: Get medical advice/attention.

P310 - Immediately call a POISON CENTER/doctor

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water .

P273 - Avoid release to the environment.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : SODIUM DICHROMATE DIHYDRATE EXTRA PURE

CAS-No. : 7789-12-0 EC-No. : 234-190-3 EC Index-No. : 024-004-01-4

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/doctor. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms:

Call a POISON CENTER/doctor.

First-aid measures after skin contact : IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of

water before removing clothes. Immediately call a POISON CENTER/doctor. Specific measures (see supplemental first aid instruction on this label). Wash with plenty of water/.... Wash contaminated clothing before reuse. Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid

instruction on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER/doctor. Specific treatment (see

supplemental first aid instruction on this label). Do NOT induce vomiting.

www.spanlab.in 13/02/2019 3/13

Safety Data Sheet

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage. May cause genetic defects. May cause cancer. May damage the unborn child. May damage fertility. Causes damage to

organs through prolonged or repeated exposure.

Symptoms/effects after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction. Fatal if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact : Harmful in contact with skin.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Toxic if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause fire or explosion; strong oxidiser.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing

risk of burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to

the risk of explosion.

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Hazardous waste due to potential risk of explosion.

Precautions for safe handling : Take any precaution to avoid mixing with combustibles... Do not breathe

dust/fume/gas/mist/vapours/spray. Avoid breathing

dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Eliminate all

ignition sources if safe to do so.

www.spanlab.in 13/02/2019 4/13

Safety Data Sheet

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face

thoroughly after handling. Wash contaminated clothing before reuse. Contaminated

work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Comply

with applicable regulations.

Storage conditions : Keep in fireproof place. Store in original container. Store in a dry place. Protect from

moisture.

Incompatible materials : Heat sources. combustible materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment : Wear fire/flame resistant/retardant clothing.

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 298 g/mol

Colour : Orange Crystalline.

Odour : odourless.

Odour threshold : No data available

pH : 3.5 - 4

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 91 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

www.spanlab.in 13/02/2019 5/13

Safety Data Sheet

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : 10

Relative density : No data available

Density : 2.35 g/cm³

Solubility : Water: Soluble in water (73%)

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : May cause fire or explosion; strong oxidiser.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

May cause fire or explosion; strong oxidiser.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Heat. Sparks. Overheating. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Toxic if swallowed. Harmful in contact with skin. Fatal if inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 3.5 - 4

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 3.5 - 4

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction.

Germ cell mutagenicity : May cause genetic defects.

www.spanlab.in 13/02/2019 6/13

Safety Data Sheet

Carcinogenicity : May cause cancer.

Reproductive toxicity : May damage fertility. May damage the unborn child.

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful in contact with skin. Toxic if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

SODIUM DICHROMATE DIHYDRATE EXTRA PURE (7789-12-0)

Persistence and degradability

May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

SODIUM DICHROMATE DIHYDRATE EXTRA PURE (7789-12-0)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : Hazardous waste due to potential risk of explosion.

Ecology - waste materials : Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

www.spanlab.in 13/02/2019 7/13

Safety Data Sheet

14.1. UN number

UN-No. (ADR) : 3087 UN-No. (IMDG) : 3087 UN-No. (IATA) : 3087 UN-No. (ADN) : 3087 UN-No. (RID) : 3087

14.2. UN proper shipping name

Proper Shipping Name (ADR) : OXIDIZING SOLID, TOXIC, N.O.S.
Proper Shipping Name (IMDG) : OXIDIZING SOLID, TOXIC, N.O.S.

Proper Shipping Name (IATA) : Oxidizing solid, toxic, n.o.s.

Proper Shipping Name (ADN) : OXIDIZING SOLID, TOXIC, N.O.S.
Proper Shipping Name (RID) : OXIDIZING SOLID, TOXIC, N.O.S.

Transport document description (ADR) : UN 3087 OXIDIZING SOLID, TOXIC, N.O.S., 5.1, II, (E), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG) : UN 3087 OXIDIZING SOLID, TOXIC, N.O.S., 5.1 (6.1), II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 3087 Oxidizing solid, toxic, n.o.s., 5.1, II, ENVIRONMENTALLY HAZARDOUS Transport document description (ADN) : UN 3087 OXIDIZING SOLID, TOXIC, N.O.S., 5.1 (6.1), II, ENVIRONMENTALLY

HAZARDOUS

Transport document description (RID) : UN 3087 OXIDIZING SOLID, TOXIC, N.O.S., 5.1 (6.1), II, ENVIRONMENTALLY

HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 5.1 (6.1)

:



IMDG

Transport hazard class(es) (IMDG) : 5.1 (6.1)
Danger labels (IMDG) : 5.1, 6.1





IATA

Transport hazard class(es) (IATA) : 5.1 (6.1) Hazard labels (IATA) : 5.1, 6.1





ADN

Transport hazard class(es) (ADN) : 5.1 (6.1)
Danger labels (ADN) : 5.1, 6.1

www.spanlab.in 13/02/2019 8/13

Safety Data Sheet



RID

Transport hazard class(es) (RID) : 5.1 (6.1)

Danger labels (RID) : 5.1, 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : OT2
Special provisions (ADR) : 274
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC06

Mixed packing provisions (ADR) : MP2
Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special : TP33

provisions (ADR)

Tank code (ADR) : SGAN
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V11

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 56

Orange plates

: CV24, CV28

0.) . 30

3087

56

Tunnel restriction code (ADR) : E EAC code : 1W

www.spanlab.in 13/02/2019 9/13

Safety Data Sheet

- Transport by sea

Special provisions (IMDG) : 274, 900 Limited quantities (IMDG) : 1 kg Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P002 IBC packing instructions (IMDG) : IBC06 IBC special provisions (IMDG) : B2 Tank instructions (IMDG) : T3 : TP33 Tank special provisions (IMDG) EmS-No. (Fire) : F-A : S-Q EmS-No. (Spillage) Stowage category (IMDG) : B

Segregation (IMDG) : SG38, SG49, SG60

MFAG-No : 141

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y543
PCA limited quantity max net quantity : 1kg
(IATA)

PCA packing instructions (IATA) : 558
PCA max net quantity (IATA) : 5kg
CAO packing instructions (IATA) : 562
CAO max net quantity (IATA) : 25kg
Special provisions (IATA) : A3
ERG code (IATA) : 5P

- Inland waterway transport

Classification code (ADN) : OT2

Special provisions (ADN) : 274, 802

Limited quantities (ADN) : 1 kg

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : OT2
Special provisions (RID) : 274
Limited quantities (RID) : 1kg
Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC06

Mixed packing provisions (RID) : MP2
Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : SGAN
Special provisions for RID tanks (RID) : TU3
Transport category (RID) : 2
Special provisions for carriage – Packages : W11

(RID)

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW24, CW28

: TP33

Colis express (express parcels) (RID) : CE10 Hazard identification number (RID) : 56

www.spanlab.in 13/02/2019 10/13

Safety Data Sheet

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Sodium dichromate is on the REACH Candidate List

Sodium dichromate is on the REACH Annex XIV List:

Authorisation number	Sunset date	REACH authorisation exemptions
	21/09/2017	

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to

AwSV; ID No. 56)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : SODIUM DICHROMATE DIHYDRATE EXTRA PURE is listed

SZW-lijst van mutagene stoffen : SODIUM DICHROMATE DIHYDRATE EXTRA PURE is listed

NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve liist van voor de voortplanting giftige stoffen -

Vruchtbaarheid

: SODIUM DICHROMATE DIHYDRATE EXTRA PURE is listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: SODIUM DICHROMATE DIHYDRATE EXTRA PURE is listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

Chemical safety assessment

No additional information available

SECTION 16: Other information

www.spanlab.in 13/02/2019 11/13

Safety Data Sheet

Full text of R-, H- and EUH-statements:

Full text of R-, H- and EUH-states	
Acute Tox. 1 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 1
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Muta. 1A	Germ cell mutagenicity, Category 1A
Ox. Sol. 2	Oxidising Solids, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
R21	Harmful in contact with skin
R25	Toxic if swallowed
R26	Very toxic by inhalation
R34	Causes burns
R42	
R42	May cause sensitization by inhalation
	May cause sensitisation by skin contact
R45	May cause cancer
R46	May cause heritable genetic damage
R48/23	Toxic: danger of serious damage to health by prolonged exposure through inhalation
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R60	May impair fertility
R61	May cause harm to the unborn child
R8	Contact with combustible material may cause fire
С	Corrosive
N	Dangerous for the environment
0	Oxidising
Т	Toxic
T+	Very toxic
Xn	Harmful
	1

www.spanlab.in 13/02/2019 12/13

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

www.spanlab.in 13/02/2019 13/13