CAS-No.: 151-21-3 MSDS



# **MATERIAL SAFETY DATA SHEET (MSDS)**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

CAS-No. : 151-21-3 Product code : 05926

Product code : 05926
Chemical structure :

CH<sub>3</sub>(CH<sub>2</sub>)<sub>10</sub>CH<sub>2</sub>O-S-ONa

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Laboratory chemicals

1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E)

401208 Mumbai - INDIA PH: +91 9820509929

info@spanlab.in www.spanlab.in

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable solids, H228 Category 1

Acute toxicity (dermal), H312

Category 4
Acute toxicity (oral),
Category 4

H302

Serious eye damage/eye irritation, Category 2 Skin corrosion/irritation,

H319

Category 2

H315

Specific target organ

H335

toxicity — Single exposure, Category 3, Respiratory tract irritation

www.spanlab.in 10/04/2019 1/11

# Safety Data Sheet

Full text of H statements: see section 16

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 Xn; R21/22 Xi; R36/37/38

Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS07

GHS05 GHS06

Signal word (CLP) : Danger

Hazard statements (CLP) : H228 - Flammable solid.

H302+H312 - Harmful if swallowed or in contact with skin

H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

## 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Name : SODIUM LAURYL SULPHATE POWDER EXTRA PURE

CAS-No. : 151-21-3

Full text of R- and H-statements: see section 16

## 3.2. Mixtures

Not applicable

www.spanlab.in 10/04/2019 2/11

Safety Data Sheet

# SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Immediately call a POISON CENTER/doctor. Specific measures (see supplemental

first aid instruction on this label). Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific

treatment (see supplemental first aid instruction on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER/doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Harmful in contact with skin. Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Harmful if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use extinguishing media containing water.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable solid.

Explosion hazard : May form flammable/explosive vapour-air mixture.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open

flames. No smoking.

# 6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin, eyes and clothing.

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures WStop release.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up immediately by sweeping or vacuum. Clean contaminated surfaces with an

excess of water.

# 6.4. Reference to other sections

No additional information available

www.spanlab.in 10/04/2019 3/11

# Safety Data Sheet

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Handle empty containers with care because residual vapours are flammable.

: No open flames. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray.

Use only outdoors or in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face

thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting equipment.

Storage conditions : Heat sources. Direct sunlight. Keep in fireproof place. Keep container tightly closed.

#### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection.

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 288.38 g/mol

Colour : Off white to pale yellow.

Odour : slight fatty odour.

Odour threshold : No data available

pH : 7.2

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 204 - 207 °C

Freezing point : No data available

Boiling point : No data available

Flash point : > 100 °C

Auto-ignition temperature : No data available

www.spanlab.in 10/04/2019 4/11

# Safety Data Sheet

Decomposition temperature : No data available

Flammability (solid, gas) : The substance or mixture is a

flammable solid with the subcategory 1

Flammable solid.

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 0.37 g/cm<sup>3</sup>

Solubility : Water: Soluble in water

Log Pow : 1.6

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

## 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Flammable solid. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

No additional information available

## 10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

# 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

May release flammable gases.

#### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Harmful in contact with skin. Harmful if swallowed.

Skin corrosion/irritation : Causes skin irritation.

pH: 7.2

Serious eye damage/irritation : Causes serious eye irritation.

pH: 7.2

www.spanlab.in 10/04/2019 5/11

# Safety Data Sheet

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful if swallowed. Harmful in contact with skin.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

SODIUM LAURYL SULPHATE POWDER EXTRA PURE (151-21-3)	
Log Pow	1.6

# 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapours are flammable.

#### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

www.spanlab.in 10/04/2019 6/11

# Safety Data Sheet

# 14.1. UN number

UN-No. (ADR) : 2926 UN-No. (IMDG) : 2926 UN-No. (IATA) : 2926 UN-No. (ADN) : 2926 UN-No. (RID) : 2926

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S.
Proper Shipping Name (IMDG) : FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S.

Proper Shipping Name (IATA) : Flammable solid, toxic, organic, n.o.s.

Proper Shipping Name (ADN) : FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S. Proper Shipping Name (RID) : FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S.

Transport document description (ADR) : UN 2926 FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S., 4.1 (6.1), II, (E) Transport document description (IMDG) : UN 2926 FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S., 4.1 (6.1), II

Transport document description (IATA) : UN 2926 Flammable solid, toxic, organic, n.o.s., 4.1, II

Transport document description (ADN) : UN 2926 FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S., 4.1 (6.1), II
Transport document description (RID) : UN 2926 FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S., 4.1 (6.1), II

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 4.1 (6.1)
Danger labels (ADR) : 4.1, 6.1



#### **IMDG**

Transport hazard class(es) (IMDG) : 4.1 (6.1)
Danger labels (IMDG) : 4.1, 6.1



#### IATA

Transport hazard class(es) (IATA) : 4.1 (6.1) Hazard labels (IATA) : 4.1, 6.1



# ADN

Transport hazard class(es) (ADN) : 4.1 (6.1) Danger labels (ADN) : 4.1, 6.1

www.spanlab.in 10/04/2019 7/11

# Safety Data Sheet



RID

Transport hazard class(es) (RID) : 4.1 (6.1)

Danger labels (RID) : 4.1, 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

# 14.6. Special precautions for user

# - Overland transport

Classification code (ADR) : FT1
Special provisions (ADR) : 274
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC06

Mixed packing provisions (ADR) : MP10
Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special : TP33

provisions (ADR)

Tank code (ADR) : SGAN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V11

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 46

Orange plates

46 2926

: CV28

Tunnel restriction code (ADR) : E EAC code : 1X

www.spanlab.in 10/04/2019 8/11

# Safety Data Sheet

# - Transport by sea

Special provisions (IMDG) : 274, 915 Packing instructions (IMDG) : P002 IBC packing instructions (IMDG) : IBC06 IBC special provisions (IMDG) : B21 Tank instructions (IMDG) : T3 Tank special provisions (IMDG) : TP33 : F-A EmS-No. (Fire) : S-G EmS-No. (Spillage) Stowage category (IMDG) : B Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Toxic if swallowed, by skin contact or by dust inhalation. Should be handled with

care to minimize exposure, particularly to dust.

MFAG-No : 134

#### - Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y440 PCA limited quantity max net quantity : 1kg

(IATA)

PCA packing instructions (IATA) : 445 PCA max net quantity (IATA) : 15kg CAO packing instructions (IATA) : 448 CAO max net quantity (IATA) : 50kg Special provisions (IATA) : A3, A803

: 3P ERG code (IATA)

# - Inland waterway transport

Classification code (ADN) : FT1 : 274.802 Special provisions (ADN) Limited quantities (ADN) : 1 kg : E2 Excepted quantities (ADN) : PP, EP Equipment required (ADN) Number of blue cones/lights (ADN) : 2

# - Rail transport

Classification code (RID) : FT1 Special provisions (RID) : 274 : E2 Excepted quantities (RID)

Packing instructions (RID) : P002, IBC06

Mixed packing provisions (RID) : MP10 Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP33

Tank codes for RID tanks (RID) : SGAN Transport category (RID) : 2 Special provisions for carriage - Packages

(RID)

: CW28

Special provisions for carriage - Loading, unloading and handling (RID)

Colis express (express parcels) (RID) : CE10 Hazard identification number (RID) : 46

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

#### Not applicable

www.spanlab.in 10/04/2019 9/11

Safety Data Sheet

# **SECTION 15: Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SODIUM LAURYL SULPHATE POWDER EXTRA PURE is not on the REACH Candidate List SODIUM LAURYL SULPHATE POWDER EXTRA PURE is not on the REACH Annex XIV List

#### 15.1.2. National regulations

#### Germany

: Water hazard class (WGK) 2, Significantly hazardous to water (Classification Reference to AwSV

according to AwSV; ID No. 664)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : The substance is not listed : The substance is not listed SZW-lijst van mutagene stoffen NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen -

Vruchtbaarheid

: The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: The substance is not listed

# **Denmark**

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

#### 15.2. **Chemical safety assessment**

No additional information available

#### **SECTION 16: Other information**

#### Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Sol. 1	Flammable solids, Category 1

www.spanlab.in 10/04/2019 10/11

Safety Data Sheet

Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H228	Flammable solid.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
R11	Highly flammable
R21/22	Harmful in contact with skin and if swallowed
R36/37/38	Irritating to eyes, respiratory system and skin
F	Highly flammable
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

www.spanlab.in 10/04/2019 11/11