

# STRONTIUM NITRATE (ANHYDROUS) EXTRA PURE MSDS



CAS No: 10042-76-9 MSDS

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
:  
CAS No : 10042-76-9  
Product code : 06138  
Chemical structure :  $\text{Sr}(\text{NO}_3)_2$

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

SPAN LAB  
UNIT NO. 14, SKY INDUSTRIAL ESTATE, WALIV, VASAI (E)  
401208 Mumbai - INDIA  
PH: +91 9820509929  
[info@spanlab.in](mailto:info@spanlab.in) [www.spanlab.in](http://www.spanlab.in)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 2 H272  
Acute toxicity (oral), Category 4 H302  
Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 2 H319  
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H335

Full text of classification categories and H statements : see section 16

# STRONTIUM NITRATE (ANHYDROUS) EXTRA PURE

## Safety Data Sheet

### Classification according to Directive 67/548/EEC or 1999/45/EC

O; R8

Xn; R22

Xi; R36/37/38

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS03

GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H272 - May intensify fire; oxidiser  
H302 - Harmful if swallowed  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation

Precautionary statements (CLP) : P220 - Keep/Store away from clothing/.../combustible materials  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name : STRONTIUM NITRATE (ANHYDROUS) EXTRA PURE

CAS No : 10042-76-9

Full text of R- and H-phrases: see section 16

### 3.2. Mixture

Not applicable

# STRONTIUM NITRATE (ANHYDROUS) EXTRA PURE

## Safety Data Sheet

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after skin contact : Causes skin irritation.
- Symptoms/injuries after eye contact : Causes serious eye irritation.
- Symptoms/injuries after ingestion : Harmful if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : May intensify fire; oxidiser.

#### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.
- Emergency procedures : Stop release.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clear up rapidly by scoop or vacuum.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Do not get in eyes, on skin, or on clothing.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after handling.

# STRONTIUM NITRATE (ANHYDROUS) EXTRA PURE

## Safety Data Sheet

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place. Protect from moisture.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection : protective gloves  
Eye protection : Chemical goggles or safety glasses  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : Wear respiratory protection

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid  
Molecular mass : 211.63 g/mol  
Colour : White crystalline.  
Odour : odourless.  
Odour threshold : No data available  
pH : 5.0 - 7  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point : 570 °C  
Freezing point : No data available  
Boiling point : No data available  
Flash point : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability (solid, gas) : No data available  
Vapour pressure : No data available  
Relative vapour density at 20 °C : No data available  
Relative density : No data available  
Density : 2.98 g/cm<sup>3</sup>

# STRONTIUM NITRATE (ANHYDROUS) EXTRA PURE

## Safety Data Sheet

Solubility	: Water: 71 g/100ml at 180C
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture. Overheating.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Oral: Harmful if swallowed.
Skin corrosion/irritation	: Causes skin irritation. pH: 5.0 - 7
Serious eye damage/irritation	: Causes serious eye irritation. pH: 5.0 - 7
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified

# STRONTIUM NITRATE (ANHYDROUS) EXTRA PURE

## Safety Data Sheet

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful if swallowed.

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR)	: 1507
UN-No. (IMDG)	: 1507
UN-No.(IATA)	: 1507
UN-No.(ADN)	: 1507
UN-No. (RID)	: 1507

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: STRONTIUM NITRATE
Proper Shipping Name (IMDG)	: STRONTIUM NITRATE
Proper Shipping Name (IATA)	: STRONTIUM NITRATE
Proper Shipping Name (ADN)	: STRONTIUM NITRATE

# STRONTIUM NITRATE (ANHYDROUS) EXTRA PURE

## Safety Data Sheet

Proper Shipping Name (RID)	: STRONTIUM NITRATE
Transport document description (ADR)	: UN 1507 STRONTIUM NITRATE, 5.1, III, (E)
Transport document description (IMDG)	: UN 1507 STRONTIUM NITRATE, 5.1, III
Transport document description (IATA)	: UN 1507 STRONTIUM NITRATE, 5.1, III
Transport document description (ADN)	: UN 1507 STRONTIUM NITRATE, 5.1, III
Transport document description (RID)	: UN 1507 STRONTIUM NITRATE, 5.1, III

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 5.1
Danger labels (ADR)	: 5.1



#### IMDG

Transport hazard class(es) (IMDG)	: 5.1
Danger labels (IMDG)	: 5.1



#### IATA

Transport hazard class(es) (IATA)	: 5.1
Hazard labels (IATA)	: 5.1



#### ADN

Transport hazard class(es) (ADN)	: 5.1
Danger labels (ADN)	: 5.1



#### RID

Transport hazard class(es) (RID)	: 5.1
Danger labels (RID)	: 5.1



# STRONTIUM NITRATE (ANHYDROUS) EXTRA PURE

## Safety Data Sheet

### 14.4. Packing group

Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: III
Packing group (ADN)	: III
Packing group (RID)	: III

### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: O2
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP6, AP7
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Hazard identification number (Kemler No.)	: 50
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 1Z

#### - Transport by sea

Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: A
MFAG-No	: 140



# STRONTIUM NITRATE (ANHYDROUS) EXTRA PURE

## Safety Data Sheet

### - Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y546
PCA limited quantity max net quantity (IATA)	: 10kg
PCA packing instructions (IATA)	: 559
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 563
CAO max net quantity (IATA)	: 100kg
ERG code (IATA)	: 5L

### - Inland waterway transport

Classification code (ADN)	: O2
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: B
Equipment required (ADN)	: PP
Provisions prior to loading (ADN)	: LO04
Provisions for carriage in bulk (ADN)	: CO02
Number of blue cones/lights (ADN)	: 0
Additional requirements/Remarks (ADN)	: CO02 and LO04 apply only when this substance is carried in bulk or without packaging

### - Rail transport

Classification code (RID)	: O2
Limited quantities (RID)	: 5kg
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: B3
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T1
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAV
Special provisions for RID tanks (RID)	: TU3
Transport category (RID)	: 3
Special provisions for carriage – Bulk (RID)	: VC1, VC2, AP6, AP7
Special provisions for carriage – Loading and unloading (RID)	: CW24
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 50

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

STRONTIUM NITRATE (ANHYDROUS) EXTRA PURE is not on the REACH Candidate List

STRONTIUM NITRATE (ANHYDROUS) EXTRA PURE is not on the REACH Annex XIV List

# STRONTIUM NITRATE (ANHYDROUS) EXTRA PURE

## Safety Data Sheet

### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex 3; WGK No 3250)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 2	Oxidising Solids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
R22	Harmful if swallowed
R36/37/38	Irritating to eyes, respiratory system and skin
R8	Contact with combustible material may cause fire
O	Oxidising
Xi	Irritant
Xn	Harmful

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*