TOLUENE RECTIFIED FOR SYNTHESIS MSDS



CAS-No.: 108-88-3 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the su	bstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Substance
	:
EC Index-No.	: 601-021-00-3
EC-No.	: 203-625-9
CAS-No.	: 108-88-3
Product code	: 00325
Formula	: C7H8 - (C(CH3)CHCHCHCHCH)
Chemical structure	CH ₃
Synonyms	: Methylbenzene
1.2. Relevant identified uses of	the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture

: Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929 info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids,	H225
Category 2	
Skin corrosion/irritation,	H315
Category 2	
Reproductive toxicity,	H361d
Category 2	
Specific target organ	H336
toxicity — Single	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

exposure, Category 3, Narcosis Specific target organ H373 toxicity — Repeated exposure, Category 2 Aspiration hazard, H304 Category 1

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Repr.Cat.3; R63 F; R11 Xn; R65 Xn; R48/20 Xi; R38 R67 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements	
Labelling according to Regulation (EC) No	o. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07 GHS08
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H225 - Highly flammable liquid and vapour. H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H336 - May cause drowsiness or dizziness. H361d - Suspected of damaging the unborn child. H373 - May cause damage to organs through prolonged or repeated exposure.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 - Do not breathe vapours, dust, fume, gas. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P310 - IF SWALLOWED: Immediately call a doctor. P331 - Do NOT induce vomiting.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.1. Substances	
Name	: TOLUENE RECTIFIED For Synthesis
CAS-No.	: 108-88-3
EC-No.	: 203-625-9
EC Index-No.	: 601-021-00-3
Full text of R- and H-statements: see sec	tion 16
3.2. Mixtures	
Not applicable	
SECTION 4: First aid measures	
4.1. Description of first aid measu	res
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Wash with plenty of water/ Wash contaminated clothing before reuse. Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Immediately call a POISON CENTER/doctor. Rinse mouth.
	d effects, both acute and delayed
Symptoms/effects	: Causes damage to organs.
Symptoms/effects after inhalation	: May cause respiratory irritation. May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways.
4.3. Indication of any immediate m	nedical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media	: Do not use extinguishing media containing water.
5.2. Special hazards arising from t	
Fire hazard Explosion hazard	:Highly flammable liquid and vapour. :May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measu	res
6.1. Personal precautions, protect	ive equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No oper flames. No smoking.
6.1.1. For non-emergency personne	I. Construction of the second s
Emergency procedures	: Evacuate unnecessary personnel.
	15/04/0016 01/

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ccording to Regulation (EC) No. 1907/2006 (REACH	
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for con	tainment and cleaning up
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Collect spillage.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	J
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: Keep away from sources of ignition - No smoking. Use only non-sparking tools. Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area. Do not breathe vapours.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, i	ncluding any incompatibilities
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.
Storage conditions	: Keep in fireproof place. Keep container tightly closed.
Incompatible materials	: Heat sources.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/perso	nal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Hand protection	: Protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
	· Wear respiratory protoction
Respiratory protection	: Wear respiratory protection.
SECTION 9: Physical and chemical pr	
	operties
SECTION 9: Physical and chemical pr	operties

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour	: aromatic benzene-like.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: 2.24
Melting point	: -93 °C
Freezing point	: No data available
Boiling point	: 110 - 111 °C
Flash point	: 4 °C
Auto-ignition temperature	: 535 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable Highly flammable liquid and vapour.
Vapour pressure	: 22 at 20°C
Relative vapour density at 20 °C	: 3.14
Relative density	: No data available
Density Solubility	: 0.86 g/cm ³ : Water: 0.05 @ 20°C (gm/100gm water)
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.012 - 0.07 vol %
9.2. Other information No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	

io.ii. iteaeting
No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Heat. Sparks.

10.5. Incompatible materials

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.6. Hazardous decomposition products May release flammable gases. SECTION 11: Toxicological information 11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Causes skin irritation. Not classified Not classified Not classified Not classified 	
Reproductive toxicity STOT-single exposure	Suspected of damaging the unborn child.May cause drowsiness or dizziness.	
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	: May be fatal if swallowed and enters airways.	

SECTIC	N 12: Ecological information
12.1.	Toxicity
	ional information available

12.2. Persistence and degradability No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Hazardous waste due to toxicity.


SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: 1294
UN-No. (IMDG)	: 1294
UN-No. (IATA)	: 1294
UN-No. (ADN)	: 1294
UN-No. (RID)	: 1294
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: TOLUENE
Proper Shipping Name (IMDG)	: TOLUENE
Proper Shipping Name (IATA)	: Toluene
Proper Shipping Name (ADN)	: TOLUENE
Proper Shipping Name (RID)	: TOLUENE
Transport document description (ADR)	: UN 1294 TOLUENE, 3, II, (D/E)
Transport document description (IMDG)	: UN 1294 TOLUENE, 3, II (7°C c.c.)
Transport document description (IATA)	: UN 1294 Toluene, 3, II
Transport document description (ADN)	: UN 1294 TOLUENE, 3, II
Transport document description (RID)	: UN 1294 TOLUENE, 3, II
11.2 Transmer harver along (ac)	
14.3. Transport hazard class(es) ADR	
Transport hazard class(es) (ADR)	: 3 : 3
Danger labels (ADR)	. 3
	3
	•
IMDG	
Transport hazard class(es) (IMDG)	: 3
Danger labels (IMDG)	: 3
	:
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



: 11
: 11
: 11
: 11
: 11
: No
: No
: No supplementary information available

- Overland transport	
Classification code (ADR)	: F1
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2

Special precautions for user

14.6.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	33
	33
	1294
Tunnel restriction code (ADR)	: D/E
EAC code	: 3YE
- Transport by sea	
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: B
Flash point (IMDG)	: 7°C c.c.
Properties and observations (IMDG)	 Colourless liquid with a benzene-like odour. Flashpoint: 7°C c.c. Explosive limits: 1.27% to 7% Immiscible with water.
MFAG-No	: 130
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity	: 1L
(IATA)	
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3L
- Inland waterway transport	
Classification code (ADN)	: F1
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
Reil frenenert	
- Rail transport	. E1
Classification code (RID)	: F1 : 11
Limited quantities (RID)	: 1L : E2
Excepted quantities (RID)	
Packing instructions (RID)	: P001, IBC02, R001 : MP19
Mixed packing provisions (RID) Portable tank and bulk container	: T4
instructions (RID)	. 14
Portable tank and bulk container special	: TP1
provisions (RID)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
	• =
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

TOLUENE RECTIFIED For Synthesis is not on the REACH Candidate List TOLUENE RECTIFIED For Synthesis is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	:	Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Netherlands		
SZW-lijst van kankerverwekkende stoffen	:	The substance is not listed
SZW-lijst van mutagene stoffen	:	The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	:	The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	:	The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	:	TOLUENE RECTIFIED For Synthesis is listed
Denmark		
Class for fire hazard	:	Class I-1
Store unit	:	1 liter
Classification remarks	:	F <flam. 2="" liq.="">; Emergency management guidelines for the storage of flamm liquids must be followed</flam.>
Recommendations Danish Regulation	:	Young people below the age of 18 years are not allowed to use the product
		Pregnant/breastfeeding women working with the product must not be in direct contact with the product
		The requirements from the Danish Working Environment Authorities regarding

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

flammable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

6	
e.	
Irritating to skin	
hrough inhalation	
Vapours may cause drowsiness and dizziness	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product