## TRICHLOROETHYLENE AR MSDS

CAS-No.: 79-01-6 MSDS



## **MATERIAL SAFETY DATA SHEET (MSDS)**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product form : Substance

EC Index-No. : 602-027-00-9 EC-No. : 201-167-4 CAS-No. : 79-01-6 Product code : 00331

#### Relevant identified uses of the substance or mixture and uses advised against 1.2.

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. **Uses advised against**

No additional information available

### Details of the supplier of the safety data sheet

SPAN LAB

UNIT NO. 14, SKY INDUSTRIAL ESTATE, WALIV, VASAI (E)

401208 Mumbai - INDIA PH: +91 9820509929

info@spanlab.in www.spanlab.in

### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1.

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

H336

Carcinogenicity, Category H350

1B

Germ cell mutagenicity, H341

Category 2

Serious eye damage/eye H319

irritation, Category 2

Skin corrosion/irritation, H315

Category 2

Specific target organ toxicity — Single

exposure, Category 3,

**Narcosis** 

Hazardous to the aquatic H412

environment — Chronic Hazard, Category 3

Full text of H statements : see section 16

05/02/2019 1/11 www.spanlab.in

## Safety Data Sheet

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

T; Carc.Cat.2; Muta.Cat.3; R36/38-45-52/53-67

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness. H341 - Suspected of causing genetic defects.

H350 - May cause cancer.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P261 - Avoid breathing vapours, dust, fume, gas.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - IF exposed or concerned: Get medical advice/attention.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name : TRICHLOROETHYLENE AR

CAS-No. : 79-01-6 EC-No. : 201-167-4 EC Index-No. : 602-027-00-9

Full text of R- and H-statements: see section 16

www.spanlab.in 05/02/2019 2/11

### Safety Data Sheet

#### 3.2. Mixtures

Not applicable

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash with plenty of water/.... Wash contaminated clothing before reuse. Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Suspected of causing genetic defects. May cause cancer.

Symptoms/effects after inhalation : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media : Do not use extinguishing media containing water.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Collect spillage.

### 6.4. Reference to other sections

No additional information available

www.spanlab.in 05/02/2019 3/11

## Safety Data Sheet

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Use personal protective equipment as

required. Avoid contact with skin and eyes. Do not breathe vapours. Use only

outdoors or in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed

areas with mild soap and water before eating, drinking or smoking and when leaving

work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Store in a well-ventilated place.

: No data available

### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Odour threshold

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 131.79 g/mol Colour : Clear Colorless.

Odour : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -84 °C

Freezing point : No data available

Boiling point : 86.7 °C

Flash point : No data available

Auto-ignition temperature : 410 °C

Decomposition temperature : No data available

www.spanlab.in 05/02/2019 4/11

## Safety Data Sheet

Flammability (solid, gas) : No data available

Vapour pressure : 81.3 hPa at 20°C

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 1.463 g/cm<sup>3</sup>

Solubility : No data available

Log Pow : 2.29

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.08 - 0.105 vol %

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Direct sunlight. Heat. High temperature. Open flame.

### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

No additional information available

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Suspected of causing genetic defects.

Carcinogenicity : May cause cancer.

Reproductive toxicity : Not classified

www.spanlab.in 05/02/2019 5/11

# Safety Data Sheet

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

### **TRICHLOROETHYLENE AR (79-01-6)**

Persistence and degradability May cause long-term adverse effects in the environment.

#### 12.3. Bioaccumulative potential

### **TRICHLOROETHYLENE AR (79-01-6)**

Log Pow 2.29

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

### **TRICHLOROETHYLENE AR (79-01-6)**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : 1710 UN-No. (IMDG) : 1710 UN-No. (IATA) : 1710 UN-No. (ADN) : 1710

www.spanlab.in 05/02/2019 6/11

## Safety Data Sheet

UN-No. (RID) : 1710

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : TRICHLOROETHYLENE
Proper Shipping Name (IMDG) : TRICHLOROETHYLENE

Proper Shipping Name (IATA) : Trichloroethylene

Proper Shipping Name (ADN) : TRICHLOROETHYLENE
Proper Shipping Name (RID) : TRICHLOROETHYLENE

Transport document description (ADR) : UN 1710 TRICHLOROETHYLENE, 6.1, III, (E) Transport document description (IMDG) : UN 1710 TRICHLOROETHYLENE, 6.1, III

Transport document description (IATA) : UN 1710 Trichloroethylene, 6.1, III

Transport document description (ADN) : UN 1710 TRICHLOROETHYLENE, 6.1, III
Transport document description (RID) : UN 1710 TRICHLOROETHYLENE, 6.1, III

### 14.3. Transport hazard class(es)

### **ADR**

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



### **IMDG**

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1



### **IATA**

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



## ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



### RID

Transport hazard class(es) (RID) : 6.1

www.spanlab.in 05/02/2019 7/11

## Safety Data Sheet

Danger labels (RID) : 6.1

14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

### - Overland transport

Classification code (ADR) : T1
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T4

instructions (ADR)

Portable tank and bulk container special : TP1

provisions (ADR)

Tank code (ADR) : L4BH
Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Loading, : CV13, CV28

unloading and handling (ADR)

Special provisions for carriage - Operation : S9

(ADR)

Hazard identification number (Kemler No.) : 60

Orange plates :

60 1710

Tunnel restriction code (ADR) : E EAC code : 2Z

### - Transport by sea

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4

www.spanlab.in 05/02/2019 8/11

### Safety Data Sheet

Tank special provisions (IMDG) : TP1
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-A
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW2
MFAG-No : 160

#### - Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y642
PCA limited quantity max net quantity : 2L

(IATA)

PCA packing instructions (IATA) : 655
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 663
CAO max net quantity (IATA) : 220L
ERG code (IATA) : 6A

### - Inland waterway transport

Classification code (ADN) : T1
Special provisions (ADN) : 802
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, TOX, A

Ventilation (ADN) : VE02 Number of blue cones/lights (ADN) : 0

#### - Rail transport

Classification code (RID) : T1
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T4

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : L4BH Special provisions for RID tanks (RID) : TU15 Transport category (RID) : 2 Special provisions for carriage – Packages : W12

(RID)

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW13, CW28, CW31

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 60

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP1

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### No REACH Annex XVII restrictions

www.spanlab.in 05/02/2019 9/11

## Safety Data Sheet

Trichloroethylene is on the REACH Candidate List Trichloroethylene is on the REACH Annex XIV List:

Authorisation number	Sunset date	REACH authorisation exemptions
	21/04/2016	

### 15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to

AwSV; ID No. 199)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : TRICHLOROETHYLENE AR is listed

SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen –

Vruchtbaarheid

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: The substance is not listed

: TRICHLOROETHYLENE AR is listed

**Denmark** 

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

## 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

### Full text of R-, H- and EUH-statements:

Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Carc. 1B	Carcinogenicity, Category 1B
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis

www.spanlab.in 05/02/2019 10/11

# Safety Data Sheet

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H412	Harmful to aquatic life with long lasting effects.
Т	Toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

www.spanlab.in 05/02/2019 11/11