

CAS No: 5970-45-6 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form	: Substance
	:
CAS No	: 5970-45-6
Product code	: 06540
Chemical structure	$\begin{bmatrix} 0 \\ H_3 C & 0 \end{bmatrix}_2 Z n^{2+} \cdot 2H_2 O$

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture

: Industrial. For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929 info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H302 Category 4 Serious eye damage/eye H319 irritation, Category 2 Hazardous to the aquatic H400 environment — Acute Hazard, Category 1

Full text of classification categories and H statements : see section 16

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R22 Xi; R36 N; R50/53 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements	
Labelling according to Regulation (EC) N	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	GHS07 GHS09
Signal word (CLP)	: Warning
Hazard statements (CLP)	 H302 - Harmful if swallowed H319 - Causes serious eye irritation H400 - Very toxic to aquatic life
Precautionary statements (CLP)	 P273 - Avoid release to the environment P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

2.3. **Other hazards**

No additional information available

SECTION 3: Composition/information on ingredients		
3.1.	Substance	
Name		TATE DIHYDRATE EXTRA PURE
CAS No	No : 5970-45-6	

Full text of R- and H-phrases: see section 16

3.2.	Mixture
Not app	cable

SECTION 4: First aid measures		
4.1. Description of first aid measured	es	
First-aid measures after inhalation	: Assure fresh air breathing. If breathing is difficult, at rest in a position comfortable for breathing.	remove victim to fresh air and keep
First-aid measures after skin contact	: Wash with plenty of soap and water. Remove affe skin area with mild soap and water, followed by w advice/attention.	
www.spanlab.in	04/10/2	016 2/10

Safety Data Sheet

First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms and	l effects, both acute and delayed
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Harmful if swallowed.
4.3. Indication of any immediate m	edical attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from t	he substance or mixture
No additional information available	
5.3. Advice for firefighters	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory
	protection.
SECTION 6: Accidental release measure	res
6.1. Personal precautions, protecti	ve equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Stop release.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for cont	ainment and cleaning up
Methods for cleaning up	: Clear up rapidly by scoop or vacuum.
6.4 Deference to other costing	
6.4. Reference to other sections No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Avoid dust formation. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep container tightly closed. Store in original container. Keep container tightly closed.
7.3. Specific end use(s)	
No additional information available	

No additional information available

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear fire/flame resistant/retardant clothing
Respiratory protection	: Wear respiratory protection
SECTION 9: Physical and chemical prop	erties
9.1. Information on basic physical a	
Physical state	: Solid
Colour	: Colorless crystalline.
Odour	: acetic acid odour.
Odour threshold	: No data available
pH	: 6 - 8 at 50 g/l at 25 °C
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 237 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density Solubility	: 1.84 g/cm³ : Water: 430 g/l at 20 °C
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available

Safety Data Sheet

Safety Data Sheet	
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reaction	ons
No additional information available	
10.4. Conditions to avoid	
Direct sunlight. Air contact. Moisture.	
10.5. Incompatible materials	
Oxidizing agent.	
10.6. Hazardous decomposition prod	lucts
No additional information available	
SECTION 11: Toxicological information	
11.1. Information on toxicological eff	facto
Acute toxicity	: Oral: Harmful if swallowed.
, louis toxicity	
Skin corrosion/irritation	: Not classified
	pH: 6 - 8 at 50 g/l at 25 °C
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 6 - 8 at 50 g/l at 25 °C
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Assigntion hore-	. Net clossified
Aspiration hazard	: Not classified
Potential adverse human health effects	: Harmful if swallowed.
Potential adverse human health effects and symptoms	: Harmful if swallowed.

Safety Data Sheet

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - water	: Very toxic to aquatic life with long lasting effects.
12.2. Persistence and degradability	
ZINC ACETATE DIHYDRATE EXTRA PU	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB asses	sement
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IAT	ra / Adn
14.1. UN number	
JN-No. (ADR)	: 3077
JN-No. (IMDG)	: 3077
JN-No.(IATA)	: 3077
UN-No.(ADN)	: 3077
JN-No. (RID)	: 3077
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (IATA)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Transport document description (ADR)	: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, (E)
Transport document description (IMDG)	: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III
Transport document description (ADN)	: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III
www.spanlab.in	04/10/2016 6/1

Safety Data Sheet

Transport document description (RID) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III

Transport document description (RD)	. UN 3077 ENVIRONMENTALET HAZANDOUS SUBSTANCE, SUED, N.O.S., 9, III
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 9
Danger labels (ADR)	: 9
IMDG	
Transport hazard class(es) (IMDG)	: 9
Danger labels (IMDG)	: 9
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 9
Hazard labels (IATA)	: 9
ADN	
Transport hazard class(es) (ADN)	: 9
Danger labels (ADN)	: 9
RID	
Transport hazard class(es) (RID)	: 9
Danger labels (RID)	: 9
14.4. Packing group	
Packing group (ADR)	: 111
/// //	

: 111

: 111

: 111

Safety Data Sheet

Packing group (RID)	: 111
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport		
Classification code (ADR)	: M7	
Special provision (ADR)	: 274, 335, 601, 375	
Limited quantities (ADR)	: 5kg	
Excepted quantities (ADR)	: E1	
Packing instructions (ADR)	: P002, IBC08, LP02, R001	
Special packing provisions (ADR)	: PP12, B3	
Mixed packing provisions (ADR)	: MP10	
Portable tank and bulk container instructions (ADR)	: T1, BK1, BK2	
Portable tank and bulk container special provisions (ADR)	: TP33	
Tank code (ADR)	: SGAV, LGBV	
Vehicle for tank carriage	: AT	
Transport category (ADR)	: 3	
Special provisions for carriage - Packages (ADR)	: V13	
Special provisions for carriage - Bulk (ADR)	: VC1, VC2	
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13	
Hazard identification number (Kemler No.)	: 90	
Orange plates	· 90	
	3077	
Tunnel restriction code (ADR)	3077	
Tunnel restriction code (ADR) EAC code		
EAC code	: E	
EAC code - Transport by sea	: E : 2Z	
EAC code - Transport by sea Special provision (IMDG)	: E : 2Z : 274, 335, 966, 967, 969	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG)	: E : 2Z	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG)	: E : 2Z : 274, 335, 966, 967, 969 : 5 kg : E1	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG)	: E : 2Z : 274, 335, 966, 967, 969 : 5 kg	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG)	 E 2Z 274, 335, 966, 967, 969 5 kg E1 P002, LP02 	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Packing provisions (IMDG)	 E 2Z 274, 335, 966, 967, 969 5 kg E1 P002, LP02 PP12 	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG)	 E 2Z 274, 335, 966, 967, 969 5 kg E1 P002, LP02 PP12 IBC08 	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG)	 E 2Z 274, 335, 966, 967, 969 5 kg E1 P002, LP02 PP12 IBC08 B3 	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG)	 E 2Z 274, 335, 966, 967, 969 5 kg E1 P002, LP02 PP12 IBC08 B3 T1, BK1, BK2, BK3 	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Packing provisions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG)	 E 2Z 274, 335, 966, 967, 969 5 kg E1 P002, LP02 PP12 IBC08 B3 T1, BK1, BK2, BK3 TP33 	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Packing provisions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire)	 E 2Z 274, 335, 966, 967, 969 5 kg E1 P002, LP02 PP12 IBC08 B3 T1, BK1, BK2, BK3 TP33 F-A 	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Packing provisions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	 E 2Z 274, 335, 966, 967, 969 5 kg E1 P002, LP02 PP12 IBC08 B3 T1, BK1, BK2, BK3 TP33 F-A S-F 	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Packing provisions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	 E 2Z 274, 335, 966, 967, 969 5 kg E1 P002, LP02 PP12 IBC08 B3 T1, BK1, BK2, BK3 TP33 F-A S-F A 	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Packing provisions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Stowage and handling (IMDG) MFAG-No	 E 2Z 274, 335, 966, 967, 969 5 kg E1 P002, LP02 PP12 IBC08 B3 T1, BK1, BK2, BK3 TP33 F-A S-F A SW23 	
EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Packing provisions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	 E 2Z 274, 335, 966, 967, 969 5 kg E1 P002, LP02 PP12 IBC08 B3 T1, BK1, BK2, BK3 TP33 F-A S-F A SW23 	

Safety Data Sheet

•	
PCA Limited quantities (IATA)	: Y956
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956
CAO max net quantity (IATA)	: 400kg
Special provision (IATA)	: A97, A158, A179, A197
ERG code (IATA)	: 9L
- Inland waterway transport	
Classification code (ADN)	: M7
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T* B**
Equipment required (ADN)	: PP, A
Number of blue cones/lights (ADN)	: 0
- Rail transport	
Classification code (RID)	: M7
Special provision (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5kg
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: PP12, B3
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T1, BK1, BK2
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAV, LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W13
Special provisions for carriage – Bulk (RID)	: VC1, VC2
Special provisions for carriage – Loading and unloading (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 90

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions ZINC ACETATE DIHYDRATE EXTRA PURE is not on the REACH Candidate List ZINC ACETATE DIHYDRATE EXTRA PURE is not on the REACH Annex XIV List Safety Data Sheet

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Immission Control Act - 12.BImSchV	

Denmark

Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product
-----------------------------------	---

15.2. Chemical safety assessment No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
R22	Harmful if swallowed
R36	Irritating to eyes
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Ν	Dangerous for the environment
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product