CAS No: 7699-45-8 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

CAS No : 7699-45-8 Product code : 06543

Chemical structure

ZnBr₂

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial. For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB
UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E)
401208 Mumbai - INDIA
PH: +91 9820509929
info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, H314 Category 1B Acute toxicity (oral), H302

Category 4
Sensitisation — Skin, H317
category 1

Hazardous to the aquatic H411

environment — Chronic Hazard, Category 2

Full text of classification categories and H statements : see section 16

www.spanlab.in 04/10/2016 1/10

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R22 C; R34 R43 N; R51/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS05

GHS07

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : ZINC BROMIDE ANHYDROUS FOR SYNTHESIS

CAS No : 7699-45-8

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

www.spanlab.in 04/10/2016 2/10

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Wash with plenty of soap

and water. Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : May cause an allergic skin reaction.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Minimize generation of dust. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe vapours. Avoid contact with skin and eyes. Provide good ventilation

in process area to prevent formation of vapour.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using

this product.

www.spanlab.in 04/10/2016 3/10

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 225.19 g/mol Colour : Cream color.

Odour : No data available

Odour threshold : No data available

pH : 4 (aqueous solution)

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 394 °C

Freezing point : No data available

Boiling point : 650 °C

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 4.5 g/cm³

www.spanlab.in 04/10/2016 4/10

Safety Data Sheet

Solubility : Water: Complete (100%)

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 4 (aqueous solution)

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 4 (aqueous solution)

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single

exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

www.spanlab.in 04/10/2016 5/10

Safety Data Sheet

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

ZINC BROMIDE ANHYDROUS FOR SYNTHESIS (7699-45-8)

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 3260

 UN-No. (IMDG)
 : 3260

 UN-No.(IATA)
 : 3260

 UN-No.(ADN)
 : 3260

 UN-No. (RID)
 : 3260

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
Proper Shipping Name (IMDG) : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

www.spanlab.in 04/10/2016 6/10

Safety Data Sheet

Proper Shipping Name (IATA) : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
Proper Shipping Name (ADN) : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

Proper Shipping Name (RID) : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

Transport document description (ADR) : UN 3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S., 8, III, (E),

ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG) : UN 3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S., 8, III, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S., 8, III,

ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN) : UN 3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S., 8, III,

ENVIRONMENTALLY HAZARDOUS

Transport document description (RID) : UN 3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S., 8, III,

ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8

www.spanlab.in 04/10/2016 7/10

Safety Data Sheet

Danger labels (RID) : 8



14.4. **Packing group**

Packing group (ADR) : 111 Packing group (IMDG) : 111 : 111 Packing group (IATA) : 111 Packing group (ADN) Packing group (RID) : 111

Environmental hazards

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

: C2 Classification code (ADR) : 274 Special provision (ADR) Limited quantities (ADR) : 5kg Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3 Mixed packing provisions (ADR) : MP10 Portable tank and bulk container : T1

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : SGAV Vehicle for tank carriage : AT Transport category (ADR) : VC1, VC2, AP7

Special provisions for carriage - Bulk

(ADR)

Hazard identification number (Kemler No.)

Orange plates

80 **3260**

: TP33

Tunnel restriction code (ADR) : E EAC code : 2X

- Transport by sea

Special provision (IMDG) : 223, 274 Limited quantities (IMDG) : 5 kg Excepted quantities (IMDG) : E1

: P002, LP02 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B3 Tank instructions (IMDG) : T1 Tank special provisions (IMDG) : TP33

www.spanlab.in 04/10/2016 8/10

Safety Data Sheet

: F-A EmS-No. (Fire) : S-B EmS-No. (Spillage) Stowage category (IMDG) : A MFAG-No : 154

- Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y845 PCA limited quantity max net quantity : 5kg

(IATA)

PCA packing instructions (IATA) : 860 PCA max net quantity (IATA) : 25kg CAO packing instructions (IATA) : 864 CAO max net quantity (IATA) : 100kg Special provision (IATA) : A3 ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C2 : 274 Special provisions (ADN) Limited quantities (ADN) : 5 kg Excepted quantities (ADN) : E1 Equipment required (ADN) : PP, EP Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C2 Special provision (RID) : 274 Limited quantities (RID) : 5kg Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3 : MP10 Mixed packing provisions (RID) Portable tank and bulk container : T1

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: SGAV

: TP33

Tank codes for RID tanks (RID) Transport category (RID) : 3

Special provisions for carriage - Bulk

(RID)

: VC1, VC2, AP7

: CE11 Colis express (express parcels) (RID) Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

ZINC BROMIDE ANHYDROUS FOR SYNTHESIS is not on the REACH Candidate List ZINC BROMIDE ANHYDROUS FOR SYNTHESIS is not on the REACH Annex XIV List

www.spanlab.in 04/10/2016 9/10

Safety Data Sheet

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federa Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Sensitisation — Skin, category 1
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects
R22	Harmful if swallowed
R34	Causes burns
R43	May cause sensitisation by skin contact
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
С	Corrosive
N	Dangerous for the environment
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.spanlab.in 04/10/2016 10/10