## N-BUTYL BROMIDE FOR SYNTHESIS MSDS



## CAS-No.: 109-65-9 MSDS

### MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.	Product identifier		
Product form		: Substance	
		:	
CAS-No	р.	: 109-65-9	
Product	t code	: 02382	
Chemic	al structure	H <sub>3</sub> C	3r
Synony	ms	: Butyl bromide	

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Industrial/Professional use spec

: Industrial For professional use only

### 1.2.2. Uses advised against

No additional information available

### **1.3.** Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929 info@spanlab.in www.spanlab.in

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225 Category 2 Skin corrosion/irritation, H315 Category 2 Serious eye damage/eye H319 irritation, Category 2 Specific target organ H335 toxicity - Single exposure, Category 3, Respiratory tract irritation Hazardous to the aquatic H411 environment — Chronic Hazard, Category 2

Full text of H statements : see section 16

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 Xi; R36 Xi; R37 Xi; R38 N; R51/53 Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements	
Labelling according to Regulation (EC) N	lo. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07 GHS09
Signal word (CLP)	: Danger
Hazard statements (CLP)	<ul> <li>H225 - Highly flammable liquid and vapour.</li> <li>H315 - Causes skin irritation.</li> <li>H319 - Causes serious eye irritation.</li> <li>H335 - May cause respiratory irritation.</li> <li>H411 - Toxic to aquatic life with long lasting effects.</li> </ul>
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P261 - Avoid breathing vapours, dust, fume, gas.</li> <li>P273 - Avoid release to the environment.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> </ul>

### 2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients			
3.1.	Substances		
Name		: n-BUTYL BROMIDE For synthesis	
CAS-No	Э.	: 109-65-9	

Full text of R- and H-statements: see section 16

#### 3.2. **Mixtures**

Not applicable

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.	
First-aid measures after skin contact	: Wash with plenty of water/ Wash contaminated clothing before reuse. Get medical advice/attention.	
rst-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. Get medical advice/attention.		
First-aid measures after ingestion : Rinse mouth. Do not induce vomiting.		
4.2. Most important symptoms and ef	fects, both acute and delayed	
Symptoms/effects after inhalation	: May cause respiratory irritation.	
	: Causes skin irritation.	
	: Causes serious eye irritation.	
4.3. Indication of any immediate med	ical attention and special treatment needed	
Treat symptomatically.		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
	: Carbon dioxide. Dry powder. Foam. Water spray.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Special hazards arising from the	substance or mixture	
Fire hazard	: Highly flammable liquid and vapour.	
Explosion hazard	: May form flammable/explosive vapour-air mixture.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	equipment and emergency procedures	
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
	: Use personal protective equipment as required.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Toxic to aquatic life with long lasting effects.		
6.3. Methods and material for contain	ment and cleaning up	
	: Collect spillage. On land, sweep or shovel into suitable containers.	
6.4. Reference to other sections		
No additional information available		

7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area. Do not breathe vapours.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, i	ncluding any incompatibilities
Technical measures	<ul> <li>Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.</li> </ul>
Storage conditions	: Keep in fireproof place. Keep container tightly closed.
Incompatible materials	: Heat sources.
7.3. Specific end use(s)	
7.3.Specific end use(s)No additional information available	
No additional information available	nal protection
	nal protection

8.2. Exposure controls	
Hand protection	: Protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: [In case of inadequate ventilation] wear respiratory protection.
SECTION 9: Physical and chemical prop	erties
9.1. Information on basic physical a	nd chemical properties
Physical state	: Liquid
Colour	: Clear Colorless to light yellow.
Odour	: characteristic odor.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -112 °C
Freezing point	: No data available
Boiling point	: 100 - 101
Flash point	: 16 °C

Safety Data Sheet	5	
Auto-ignition temperature	: 509 °C	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Flammable liquid & vapor Highly flammable liquid and vapour.	
Vapour pressure	: 34 mm Hg at 20°C	
Relative vapour density at 20 °C	: 4.72	
Relative density	: No data available	
Density	: 1.27 g/cm³	
Solubility	: Water: Insoluble	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: 0.026 - 0.07 vol %	
9.2. Other information No additional information available		
SECTION 10: Stability and reactivity		
10.1.ReactivityNo additional information available		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous rea	actions	
No additional information available		
10.4. Conditions to avoid		
Open flame. Sparks. Heat.		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition	products	
May release flammable gases.		
<b>SECTION 11: Toxicological informat</b>	tion	
11.1. Information on toxicologica	al effects	
Acute toxicity	: Not classified	

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - water	: May cause long lasting harmful effects to aquatic life.

12.2. Persistence and degradability	
n-BUTYL BROMIDE For synthesis (10	9-65-9)
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB asses	ssment
No additional information available	bonon
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
	Dianage of contents/container to becardous or encoded waste collection point in
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Handle empty containers with care because residual vapours are flammable.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IA	ΤΑ / ΑΠΝ
14.1. UN number	
	1100

		10/00/0010
UN-No. (IMDG)	: 1126	
UN-No. (ADR)	: 1126	

Safety Data Sheet

UN-No. (IATA)	: 1126
UN-No. (ADN)	: 1126
UN-No. (RID)	: 1126

14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: 1-BROMOBUTANE
Proper Shipping Name (IMDG)	: 1-BROMOBUTANE
Proper Shipping Name (IATA)	: 1-Bromobutane
Proper Shipping Name (ADN)	: 1-BROMOBUTANE
Proper Shipping Name (RID)	: 1-BROMOBUTANE
Transport document description (ADR)	: UN 1126 1-BROMOBUTANE, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1126 1-BROMOBUTANE, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS (13°C c.c.)
Transport document description (IATA)	: UN 1126 1-Bromobutane, 3, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1126 1-BROMOBUTANE, 3, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1126 1-BROMOBUTANE, 3, II, ENVIRONMENTALLY HAZARDOUS

### 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) Danger labels (ADR)





### IMDG

Transport hazard class(es) (IMDG)	
Danger labels (IMDG)	





ΙΑΤΑ	
Transport hazard class(es) (IATA)	
Hazard labels (IATA)	



### ADN

Transport hazard class(es) (ADN) Danger labels (ADN)

: 3 : 3

: 3 : 3



### RID

Transport hazard class(es) (RID)	
Danger labels (RID)	





14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
Packing group (ADN)	: 11
Packing group (RID)	: II
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

#### 14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: F1
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	33
	1126
Tunnel restriction code (ADR)	: D/E
EAC code	: 2YE
- Transport by sea	
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
www.spanlab.in	

Safety Data Sheet

EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Flash point (IMDG)	: 13°C c.c.
MFAG-No	: 130
MFAG-NO	. 150
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3L
- Inland waterway transport	
Classification code (ADN)	: F1
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: F1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

**SECTION 15: Regulatory information** 

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

n-BUTYL BROMIDE For synthesis is not on the REACH Candidate List n-BUTYL BROMIDE For synthesis is not on the REACH Annex XIV List

Safety Data Sheet

### 15.1.2. National regulations

Germany	
Reference to AwSV	<ul> <li>Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV; ID No. 2343)</li> </ul>
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: The substance is not listed
Denmark	
Class for fire hazard	: Class I-1
Store unit	: 1 liter
Classification remarks	: F <flam. 2="" liq.="">; Emergency management guidelines for the storage of flammable liquids must be followed</flam.>
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

### Full text of R-, H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
R11	Highly flammable
R36	Irritating to eyes
R37	Irritating to respiratory system
R38	Irritating to skin
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
F	Highly flammable
www.spaplab.in	12/02/2019 10/11

Safety Data Sheet

N	Dangerous for the environment
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.