O-TOLUIDINE FOR SYNTHESIS MSDS

CAS No: 95-53-4 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

EC index no : 612-091-00-X
EC no : 202-429-0
CAS No : 95-53-4
Product code : 06344

Chemical structure

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929

info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Carcinogenicity, Category H350

1B

Acute toxicity (inhal.), H331
Category 3
Acute toxicity (oral), H301
Category 3

Serious eye damage/eye H319

irritation, Category 2

www.spanlab.in 09/04/2015 1/11

Safety Data Sheet

Hazardous to the aquatic H400 environment — Acute Hazard, Category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.2; R45 T; R23/25 Xi; R36 N; R50

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS06

GHS08

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H301+H331 - Toxic if swallowed or if inhaled

H319 - Causes serious eye irritation

H350 - May cause cancer H400 - Very toxic to aquatic life

Precautionary statements (CLP) : P201 - Obtain special instructions before use

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P273 - Avoid release to the environment

P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P311 - Call a POISON CENTER or doctor/physician

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : o-TOLUIDINE FOR SYNTHESIS

CAS No : 95-53-4

www.spanlab.in 09/04/2015 2/11

Safety Data Sheet

EC no : 202-429-0 EC index no : 612-091-00-X

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Rinse mouth. Obtain emergency medical attention. Immediately call a POISON

CENTER or doctor/physician. Specific treatment (see ... on this label).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause cancer.
Symptoms/injuries after inhalation : Toxic if inhaled.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Toxic if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Very toxic to aquatic life.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills

with inert solids, such as clay or diatomaceous earth as soon as possible.

www.spanlab.in 09/04/2015 3/11

Safety Data Sheet

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions

have been read and understood.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place. Store

in a well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 107.16 g/mol

Colour : Clear Colorless to yellow.

Odour : amine like.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 230 °C

Freezing point : No data available

Boiling point : 1990 - 2000

Flash point : $40 \ge 50$

Auto-ignition temperature : 4800 °C

www.spanlab.in 09/04/2015 4/11

Safety Data Sheet

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 0.2 mbar at 200C

Relative vapour density at 20 °C : 3.7

Relative density : No data available

Density : 1.004 g/cm³

Solubility : Water: 1.5 g/100ml (25°C)

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Overheating. Heat.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Inhalation: Toxic if inhaled. Oral: Toxic if swallowed.

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer.

www.spanlab.in 09/04/2015 5/11

Safety Data Sheet

Reproductive toxicity

: Not classified

Specific target organ toxicity (single

exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard Not classified

Potential adverse human health effects

and symptoms

: Toxic if swallowed.

SECTION 12: Ecological information

12.1. **Toxicity**

Ecology - water : Very toxic to aquatic life.

Persistence and degradability

No additional information available

12.3. **Bioaccumulative potential**

No additional information available

12.4. **Mobility in soil**

No additional information available

12.5. Results of PBT and vPvB assessment

o-TOLUIDINE FOR SYNTHESIS (95-53-4)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. **Waste treatment methods**

Product/Packaging disposal

Ecology - waste materials

: Dispose of contents/container to ...

recommendations

: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

www.spanlab.in 09/04/2015 6/11

Safety Data Sheet

14.1. UN number

UN-No. (ADR) : 1708 UN-No. (IMDG) : 1708 UN-No.(IATA) : 1708 UN-No.(ADN) : 1708 UN-No. (RID) : 1708

14.2. UN proper shipping name

Proper Shipping Name (ADR) : TOLUIDINES, LIQUID
Proper Shipping Name (IMDG) : TOLUIDINES, LIQUID
Proper Shipping Name (IATA) : TOLUIDINES, LIQUID
Proper Shipping Name (ADN) : TOLUIDINES, LIQUID
Proper Shipping Name (RID) : TOLUIDINES, LIQUID

Transport document description (ADR) : UN 1708 TOLUIDINES, LIQUID, 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG) : UN 1708 TOLUIDINES, LIQUID, 6.1, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 1708 TOLUIDINES, LIQUID, 6.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN) : UN 1708 TOLUIDINES, LIQUID, 6.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID) : UN 1708 TOLUIDINES, LIQUID, 6.1, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1
Danger labels (ADR) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1

www.spanlab.in 09/04/2015 7/11

Safety Data Sheet



RID

Transport hazard class(es) (RID) : 6.1 Danger labels (RID) : 6.1



14.4. Packing group

: II Packing group (ADR) Packing group (IMDG) : 11 Packing group (IATA) : 11 Packing group (ADN) : II Packing group (RID) : 11

Environmental hazards

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T1 : 279 Special provision (ADR) Limited quantities (ADR) : 100ml Excepted quantities (ADR) : E4

Packing instructions (ADR) : P001, IBC02 Mixed packing provisions (ADR) : MP15 Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special : TP2

provisions (ADR)

Tank code (ADR) : L4BH Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT Transport category (ADR) : 2

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13, CV28

Special provisions for carriage - Operation : S9, S19

(ADR)

Hazard identification number (Kemler No.)

Orange plates

60 1708

Tunnel restriction code (ADR) : D/E EAC code : •3X

www.spanlab.in 09/04/2015 8/11

Safety Data Sheet

- Transport by sea

Special provision (IMDG) : 279 Limited quantities (IMDG) : 100 ml Excepted quantities (IMDG) : E4 : P001 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP2 : F-A EmS-No. (Fire) EmS-No. (Spillage) : S-A Stowage category (IMDG) : A MFAG-No : 153

- Air transport

: E4 PCA Excepted quantities (IATA) PCA Limited quantities (IATA) : Y641 PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 654 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 662 CAO max net quantity (IATA) : 60L Special provision (IATA) : A113 ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T1 : 279, 802 Special provisions (ADN) : 100 ml Limited quantities (ADN) Excepted quantities (ADN) : E4 Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, TOX, A

Ventilation (ADN) : VE02 Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : T1 Special provision (RID) : 279 Limited quantities (RID) : 100ml Excepted quantities (RID) : E4

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15 Portable tank and bulk container : T7

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: L4BH Tank codes for RID tanks (RID) Special provisions for RID tanks (RID) : TU15 Transport category (RID)

Special provisions for carriage - Loading

: CW13, CW28, CW31 and unloading (RID)

: TP2

Colis express (express parcels) (RID) : CE5 Hazard identification number (RID) : 60

www.spanlab.in 09/04/2015 9/11

Safety Data Sheet

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

o-Toluidine is on the REACH Candidate List

o-TOLUIDINE FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (KBwS-Beschluss; WGK

No 195)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be

followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301	Toxic if swallowed
H319	Causes serious eye irritation

www.spanlab.in 09/04/2015 10/11

Safety Data Sheet

H331	Toxic if inhaled
H350	May cause cancer
H400	Very toxic to aquatic life
R23/25	Toxic by inhalation and if swallowed
R36	Irritating to eyes
R45	May cause cancer
R50	Very toxic to aquatic organisms
N	Dangerous for the environment
Т	Toxic
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.spanlab.in 09/04/2015 11/11