CAS-No.: 7601-90-3 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.	Product identifier		
Product form		:	Mixture
		:	
EC Ind	ex-No.	:	017-006-00-4
EC-No		:	231-512-4
CAS-N	lo.	:	7601-90-3
Produc	ct code	:	0241F
Formu	la	:	HCIO4

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

: Industrial For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPAN LAB UNIT NO. 14,SKY INDUSTRIAL ESTATE,WALIV, VASAI (E) 401208 Mumbai - INDIA PH: +91 9820509929 info@spanlab.in www.spanlab.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Liquids, Category 1	H271
Corrosive to metals,	H290
Category 1	L1202
Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation,	H314
Category 1A	
Specific target organ	H373
toxicity — Repeated exposure, Category 2	
exposure, category z	

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements		
Labelling according to Regulation (EC) N	lo. 1272/2008 [CLP]	
Hazard pictograms (CLP)		
	GHS03 GHS05 GHS07 GHS08	
Signal word (CLP)	: Danger	
Hazard statements (CLP)	 H271 - May cause fire or explosion; strong oxidiser. H290 - May be corrosive to metals. H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H373 - May cause damage to organs through prolonged or repeated exposure. 	
Precautionary statements (CLP)	 P210 - Keep away from heat, open flames, sparks. No smoking. P260 - Do not breathe vapours, fume. P280 - Wear protective clothing, protective gloves, face protection, eye protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P370+P378 - In case of fire: Use extinguishing powder to extinguish. P371+P380+P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. 	

2.3. Other hazards

No additional information available

SECTI	ION 3: Composition/information on ingredients	
3.1.	Substances	
Not applicable		

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Perchloric acid	(CAS-No.) 7601-90-3 (EC-No.) 231-512-4 (EC Index-No.) 017-006-00-4	<= 70	Ox. Liq. 1, H271 Skin Corr. 1A, H314 Eye Dam. 1, H318

Safety Data Sheet

ACETIC ACID GLACIAL AR	(CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6	30	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 Eye Dam. 1, H318
------------------------	--	----	---

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measure	e
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
First-aid measures after skin contact	 Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Wash with plenty of water/ Immediately call a POISON CENTER/doctor.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.
4.2. Most important symptoms and e	effects, both acute and delayed
Symptoms/effects	: Causes severe skin burns and eye damage. May cause damage to organs.
Symptoms/effects after ingestion	: Harmful if swallowed.
4.3. Indication of any immediate me	dical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.4 Fastis suis bis sure alla	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media	: Do not use extinguishing media containing water.
5.2. Special hazards arising from the	e substance or mixture
Fire hazard	: May cause fire or explosion; strong oxidiser.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Heating may cause an explosion.
5.3. Advice for firefighters	
Firefighting instructions	: In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. DO NOT fight fire when fire reaches explosives. Evacuate area.
SECTION 6: Accidental release measure	S
6.1. Personal precautions, protective	e equipment and emergency procedures
General measures	 No open flames. No smoking. Remove ignition sources. Use special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment.	

Safety Data Sheet

6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Collect spillage.		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Hazardous waste due to potential risk of explosion.		
Precautions for safe handling	: Provide good ventilation in process area to prevent formation of vapour. Do not breathe vapours. Avoid contact during pregnancy/while nursing. Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes.		
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.		
7.2. Conditions for safe storage, incl	luding any incompatibilities		
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Comply with applicable regulations.		
Storage conditions	: Keep in fireproof place. Keep container tightly closed.		
Incompatible materials	: Heat sources. combustible materials.		
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/personal	protection		
8.1. Control parameters			
No additional information available			

8.2. Exposure controls	
Personal protective equipment	: Wear fire/flame resistant/retardant clothing.
Hand protection	: Protective gloves
Eye protection	: Chemical goggles or face shield
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
Physical state	: Liquid
Molecular mass	: 100.46 g/mol
Colour	: Clear Colorless.
Odour	: odourless.
Odour threshold	: No data available
pH	: No data available

Safety Data Sheet

Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Heating may cause an explosion.
Oxidising properties	: The substance or mixture is classified as oxidizing with the subcategory 1. May cause fire or explosion; strong oxidiser.
Explosive limits	: No data available

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours. May be corrosive to metals.

10.2. Chemical stability

May cause fire or explosion; strong oxidiser. Heating may cause an explosion. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Sparks. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

Safety Data Sheet

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Harmful if swallowed.	
ATE CLP (oral)	500 mg/kg bodyweight	
Skin corrosion/irritation	: Causes severe skin burns and eye damage.	
Serious eye damage/irritation	: Serious eye damage, category 1, implicit	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	: Not classified	

12.1. Toxicity No additional information available

12.2. Persistence and degradability

ACETIC ACID GLACIAL AR (64-19-7)			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
ACETIC ACID GLACIAL AR (64-19-)		
-) 0.17		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

Safety Data Sheet

SECTION 13: Disposal considerations 13.1. Waste treatment methods	
Product/Packaging disposal recommendations Additional information	 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Hazardous waste due to potential risk of explosion.
SECTION 14: Transport information	

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: 1873
UN-No. (IMDG)	: 1873
UN-No. (IATA)	: 1873
UN-No. (ADN)	: 1873
UN-No. (RID)	: 1873
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: PERCHLORIC ACID
Proper Shipping Name (IMDG)	: PERCHLORIC ACID
Proper Shipping Name (IATA)	: Perchloric acid
Proper Shipping Name (ADN)	: PERCHLORIC ACID
Proper Shipping Name (RID)	: PERCHLORIC ACID
Transport document description (ADR)	: UN 1873 PERCHLORIC ACID, 5.1 (8), I, (B/E)
Transport document description (IMDG)	: UN 1873 PERCHLORIC ACID, 5.1 (8), I
Transport document description (IATA)	: UN 1873 Perchloric acid, 5.1, I
Transport document description (ADN)	: UN 1873 PERCHLORIC ACID, 5.1 (8), I
Transport document description (RID)	: UN 1873 PERCHLORIC ACID, 5.1 (8), I
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 5.1 (8)
Danger labels (ADR)	: 5.1, 8
IMDG	
Transport hazard class(es) (IMDG)	: 5.1 (8)
Danger labels (IMDG)	: 5.1, 8
ΙΑΤΑ	
Transport bazard class(oc) (IATA)	• 5 1 (8)

Safety Data Sheet



ADN

Transport hazard class(es) (ADN) Danger labels (ADN) : 5.1 (8) : 5.1, 8



RID
Transport hazard class(es) (RID)
Danger labels (RID)





14.4. Packing group	
Packing group (ADR)	: 1
Packing group (IMDG)	: 1
Packing group (IATA)	: 1
Packing group (ADN)	: 1
Packing group (RID)	: 1
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: OC1
Special provisions (ADR)	: 60
Limited quantities (ADR)	: 0
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P502
Special packing provisions (ADR)	: PP28
Mixed packing provisions (ADR)	: MP3
Portable tank and bulk container instructions (ADR)	: T10
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: L4DN(+)
Tank special provisions (ADR)	: TU3, TU28
Vehicle for tank carriage	: AT
Transport category (ADR)	: 1

Safety Data Sheet

Callety Data Officer	
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Special provisions for carriage - Operation (ADR)	: S20
Hazard identification number (Kemler No.)	: 558
Orange plates	·
0.1	558
	1873
Tunnel restriction code (ADR)	: B/E
EAC code	: 2P
- Transport by sea	
Special provisions (IMDG)	: 900
Limited quantities (IMDG)	: 0
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P502
Special packing provisions (IMDG)	: PP28
Tank instructions (IMDG)	: T10
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: D
Segregation (IMDG)	: SG16
MFAG-No	: 143
- Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: 553
CAO max net quantity (IATA)	: 2.5L
ERG code (IATA)	: 5C
- Inland waterway transport	
Classification code (ADN)	: OC1
Special provisions (ADN)	: 60
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
- Rail transport	
Classification code (RID)	: OC1
Special provisions (RID)	: 60
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P502
Special packing provisions (RID)	: PP28
Mixed packing provisions (RID)	: MP3
Portable tank and bulk container	: T10
instructions (RID)	
· · ·	

Safety Data Sheet

Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: L4DN(+)
Special provisions for RID tanks (RID)	: TU3, TU28, TE16
Transport category (RID)	: 1
Special provisions for carriage - Loading, unloading and handling (RID)	: CW24
Hazard identification number (RID)	: 558

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Connaily		
Reference to AwSV	:	Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	:	Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Netherlands		
SZW-lijst van kankerverwekkende stoffen	:	None of the components are listed
SZW-lijst van mutagene stoffen	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	:	None of the components are listed
Denmark		
Recommendations Danish Regulation	:	Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

Safety Data Sheet

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Met. Corr. 1	Corrosive to metals, Category 1
Ox. Liq. 1	Oxidising Liquids, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H226	Flammable liquid and vapour.
H271	May cause fire or explosion; strong oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.