

---

**MATERIAL SAFETY DATA SHEET (MSDS)**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product form : Mixture  
:  
Product code : US098

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**1.2.1. Relevant identified uses**

Industrial/Professional use spec : Industrial  
For professional use only

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

SPAN LAB  
UNIT NO. 14, SKY INDUSTRIAL ESTATE, WALIV, VASAI (E)  
401208 Mumbai - INDIA  
PH: +91 9820509929  
[info@spanlab.in](mailto:info@spanlab.in) [www.spanlab.in](http://www.spanlab.in)

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Skin corrosion/irritation, H314  
Category 1

Full text of H statements : see section 16

**Adverse physicochemical, human health and environmental effects**

No additional information available

# SODIUM CHLORIDE TS ALKALINE ACC TO USP

## Safety Data Sheet

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) :

P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER/doctor

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name  | Product identifier                        | %        | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|----------|---|
| WATER AR  | (CAS-No.) 7732-18-5<br>(EC-No.) 231-791-2 | 98 - 100 | Not classified  |
| SODIUM HYDROXIDE PELLETS (OR PEARLS) EXTRA PURE | (CAS-No.) 1310-73-2                       | 2 - 3    | Skin Corr. 1A, H314<br>Eye Dam. 1, H318                         |
| SODIUM CHLORIDE AR/ACS                          | (CAS-No.) 7647-14-5<br>(EC-No.) 231-598-3 |          | Not classified  |

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.

# SODIUM CHLORIDE TS ALKALINE ACC TO USP

## Safety Data Sheet

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing media : Do not use extinguishing media containing water.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin, eyes and clothing.

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up immediately by sweeping or vacuum.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Store in a well-ventilated place. Keep cool.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

# SODIUM CHLORIDE TS ALKALINE ACC TO USP

## Safety Data Sheet

### 8.2. Exposure controls

|                          |                                      |
|--------------------------|--------------------------------------|
| Hand protection          | : Protective gloves                  |
| Eye protection           | : Chemical goggles or safety glasses |
| Skin and body protection | : Wear suitable protective clothing  |
| Respiratory protection   | : Wear respiratory protection.       |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |                     |
|--|---------------------|
| Physical state                             | : Liquid            |
| Colour                                     | : Clear colourless. |
| Odour                                      | : No data available |
| Odour threshold                            | : No data available |
| pH   | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point                              | : No data available |
| Freezing point                             | : No data available |
| Boiling point                              | : No data available |
| Flash point                                | : No data available |
| Auto-ignition temperature                  | : No data available |
| Decomposition temperature                  | : No data available |
| Flammability (solid, gas)                  | : No data available |
| Vapour pressure                            | : No data available |
| Relative vapour density at 20 °C           | : No data available |
| Relative density                           | : No data available |
| Solubility                                 | : No data available |
| Log Pow                                    | : No data available |
| Viscosity, kinematic                       | : No data available |
| Viscosity, dynamic                         | : No data available |
| Explosive properties                       | : No data available |
| Oxidising properties                       | : No data available |
| Explosive limits                           | : No data available |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

# SODIUM CHLORIDE TS ALKALINE ACC TO USP

## Safety Data Sheet

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Direct sunlight.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

# SODIUM CHLORIDE TS ALKALINE ACC TO USP

## Safety Data Sheet

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

No additional information available

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

|               |        |
|---------------|--------|
| UN-No. (ADR)  | : 3266 |
| UN-No. (IMDG) | : 3266 |
| UN-No. (IATA) | : 3266 |
| UN-No. (ADN)  | : 3266 |
| UN-No. (RID)  | : 3266 |

### 14.2. UN proper shipping name

|                                       |   |
|---------------------------------------|---|
| Proper Shipping Name (ADR)            | : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.                      |
| Proper Shipping Name (IMDG)           | : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.                      |
| Proper Shipping Name (IATA)           | : Corrosive liquid, basic, inorganic, n.o.s.                      |
| Proper Shipping Name (ADN)            | : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.                      |
| Proper Shipping Name (RID)            | : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.                      |
| Transport document description (ADR)  | : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, III, (E) |
| Transport document description (IMDG) | : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, III      |
| Transport document description (IATA) | : UN 3266 Corrosive liquid, basic, inorganic, n.o.s., 8, III      |
| Transport document description (ADN)  | : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, III      |
| Transport document description (RID)  | : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, III      |

### 14.3. Transport hazard class(es)

#### ADR

|                                  |     |
|----------------------------------|-----|
| Transport hazard class(es) (ADR) | : 8 |
| Danger labels (ADR)              | : 8 |



#### IMDG

|                                   |     |
|-----------------------------------|-----|
| Transport hazard class(es) (IMDG) | : 8 |
| Danger labels (IMDG)              | : 8 |

# SODIUM CHLORIDE TS ALKALINE ACC TO USP

## Safety Data Sheet



### IATA

Transport hazard class(es) (IATA) : 8

Hazard labels (IATA) : 8



### ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8



### RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



## 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

## 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

## 14.6. Special precautions for user

### - Overland transport

Classification code (ADR) : C5

Special provisions (ADR) : 274

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1


Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

# SODIUM CHLORIDE TS ALKALINE ACC TO USP

## Safety Data Sheet

Portable tank and bulk container instructions (ADR) : T7  
Portable tank and bulk container special provisions (ADR) : TP1, TP28  
Tank code (ADR) : L4BN  
Vehicle for tank carriage : AT  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Hazard identification number (Kemler No.) : 80  
Orange plates :



Tunnel restriction code (ADR) : E  
EAC code : 2X  
APP code : B

### - Transport by sea

Special provisions (IMDG) : 223, 274  
Packing instructions (IMDG) : P001, LP01  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T7  
Tank special provisions (IMDG) : TP1, TP28  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Stowage category (IMDG) : A  
Stowage and handling (IMDG) : SW2  
Segregation (IMDG) : SG35  
Properties and observations (IMDG) : Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

### - Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y841  
PCA limited quantity max net quantity (IATA) : 1L  
PCA packing instructions (IATA) : 852  
PCA max net quantity (IATA) : 5L  
CAO packing instructions (IATA) : 856  
CAO max net quantity (IATA) : 60L  
Special provisions (IATA) : A3, A803  
ERG code (IATA) : 8L

### - Inland waterway transport

Classification code (ADN) : C5  
Special provisions (ADN) : 274  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 0

### - Rail transport

Classification code (RID) : C5  
Special provisions (RID) : 274  
Excepted quantities (RID) : E1



# SODIUM CHLORIDE TS ALKALINE ACC TO USP

## Safety Data Sheet

|   |                           |
|---|---------------------------|
| Packing instructions (RID)                                | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (RID)                            | : MP19                    |
| Portable tank and bulk container instructions (RID)       | : T7                      |
| Portable tank and bulk container special provisions (RID) | : TP1, TP28               |
| Tank codes for RID tanks (RID)                            | : L4BN                    |
| Transport category (RID)                                  | : 3                       |
| Special provisions for carriage – Packages (RID)          | : W12                     |
| Colis express (express parcels) (RID)                     | : CE8                     |
| Hazard identification number (RID)                        | : 80                      |

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

##### Germany

Reference to AwSV : Water hazard class (WGK) 3, severe hazard to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

##### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

# SODIUM CHLORIDE TS ALKALINE ACC TO USP

## Safety Data Sheet

### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

Full text of H- and EUH-statements:

|               |   |
|---------------|---|
| Eye Dam. 1    | Serious eye damage/eye irritation, Category 1 |
| Skin Corr. 1  | Skin corrosion/irritation, Category 1         |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1A        |
| H314          | Causes severe skin burns and eye damage.      |
| H318          | Causes serious eye damage.                    |

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*